


© 2021 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	DIMENSION CHANGE ECO-21-004260	10-JUN-21	XR.L	K.T






DRILLING DIAGRAM(2/1)
(BOTTOM VIEW)



CIRCUIT DIAGRAM
(BOTTOM VIEW)




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN N.FUNAYAMA	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± – 1 PLC ± – 2 PLC ± – 3 PLC ± – 4 PLC ± – ANGLES ± –	CHK T.FUKAYA	NAME – OZ CUSTOMER DRAWING –
		APVD MJ.HO	
		PRODUCT SPEC —	SIZE A3 / CAGE CODE 00779 / DRAWING NO C-1649399 / RESTRICTED TO —
MATERIAL –	FINISH –	APPLICATION SPEC —	
		WEIGHT —	
		CUSTOMER DRAWING	SCALE 1:1 / SHEET 1 OF 2 / REV E

© 2021 TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	–	–

NOTES:
1.LOT NO. SYSTEM AS FOLLOWING:



2.GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

© 4.FOR THE TIN-PLATING OF THE PINS:
+0.1mm FOR WIDTH,THICKNESS AND DIAMETER.
+0.5mm FOR LENGTH.

		UV RESIN	UV SEAL	17
		EPOXY RESIN	SEAL	16
		Cu ALLOY	HINGE SPRING	15
UL94 V-0		PBT	CASE	14
		POLYURETHANE COPPER WIRE	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	HCP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
	SOLDER DIP	Cu ALLOY	NC TERMINAL	6
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	5
	SOLDER DIP	Cu ALLOY	NO TERMINAL	4
	Ni PLATED	STEEL	CORE	3
	Ni PLATED	STEEL	ARMATURE	2
	Ni PLATED	STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

3-1649399-0	0Z-SH-148D1	48V	0Z-SH-148D1
2-1649399-9	0Z-SH-124D1	24V	0Z-SH-124D1
2-1649399-8	0Z-SH-118D1	18V	0Z-SH-118D1
2-1649399-7	0Z-SH-112D1	12V	0Z-SH-112D1
2-1649399-6	0Z-SH-109D1	9V	0Z-SH-109D1
2-1649399-5	0Z-SH-106D1	6V	0Z-SH-106D1
2-1649399-4	0Z-SH-105D1	5V	0Z-SH-105D1
2-1649399-3	0Z-SS-148D1	48V	0Z-SS-148D1
2-1649399-2	0Z-SS-124D1	24V	0Z-SS-124D1
2-1649399-1	0Z-SS-118D1	18V	0Z-SS-118D1
2-1649399-0	0Z-SS-112D1	12V	0Z-SS-112D1
1-1649399-9	0Z-SS-109D1	9V	0Z-SS-109D1
1-1649399-8	0Z-SS-106D1	6V	0Z-SS-106D1
1-1649399-7	0Z-SS-105D1	5V	0Z-SS-105D1
1-1649399-6	0Z-SH-148L1	48V	0Z-SH-148L1
1-1649399-5	0Z-SH-136L1	36V	0Z-SH-136L1
1-1649399-4	0Z-SH-124L1	24V	0Z-SH-124L1
1-1649399-3	0Z-SH-118L1	18V	0Z-SH-118L1
1-1649399-2	0Z-SH-112L1	12V	0Z-SH-112L1
1-1649399-1	0Z-SH-109L1	9V	0Z-SH-109L1
1-1649399-0	0Z-SH-106L1	6V	0Z-SH-106L1
1649399-9	0Z-SH-105L1	5V	0Z-SH-105L1
1649399-8	0Z-SS-148L1	48V	0Z-SS-148L1
1649399-7	0Z-SS-136L1	36V	0Z-SS-136L1
1649399-6	0Z-SS-124L1	24V	0Z-SS-124L1
1649399-5	0Z-SS-118L1	18V	0Z-SS-118L1
1649399-4	0Z-SS-112L1	12V	0Z-SS-112L1
1649399-3	0Z-SS-109L1	9V	0Z-SS-109L1
1649399-2	0Z-SS-106L1	6V	0Z-SS-106L1
1649399-1	0Z-SS-105L1	5V	0Z-SS-105L1
PART NO	EC TYPE NAME	PART B	PART A

RELAY TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN N.FUNAYAMA 10JUN2021
CHK T.FUKAYA –
APVD MJ.HO
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
–
OZ CUSTOMER DRAWING
–

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1649399	—

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV E

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2377783-2 175977-2 2380312-2 SBCHE64R7K SMW73R0JT 1-794222-0 1969656-1 TE50BR39J
U5254-000005-030PA 1743455-2 2834055-1 3430B2F51RTDF 1903112-2 2-292161-3 CRGCQ2010J3K3
RH73H2A40MKTN ROX05SJ18R 1-962915-1 2310537-1 3631B101LL 917696-1 1393431-1 141991-2
2005330-1 936348-1 3-1393225-0 650075-000 CPF0402B37K4E1 MPT100C18RF SBCHE154R7K