Extract from the online catalog

HC-B 10-TFQ-45/M1PG16G

Order No.: 1771257



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771257

Sleeve housing, for double locking latch, height 45 mm, with screw connection, 1x Pg16, straight cable entry

Commercial data	
GTIN (EAN)	4 017918 035990
sales group	D002
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 484 (PC-2009)

Product notes

WEEE/RoHS-compliant since: 02/17/2006

http://www.download.phoenixcontact.com
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	For contact inserts HC-B10, BB18, DD42, M, K8/24
Design	B10
Height	45 mm
Width	43 mm
Length	73 mm


Housing type	Sleeve housings
Locking type	For double locking latch
Cable exit	Straight
Type of the screw connection	1x Pg16
Pg screw connection	With
Wrench size, union nut	22 mm
External cable diameter	7.5 mm ... 15 mm
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Cable gland material	Nickel-plated brass
Cable seal material	NBR

Certificates / Approvals

Certification	GOST

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg,Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
http://www.phoenixcontact.de

© 2010 Phoenix Contact
Technical modifications reserved;

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

PHOENIX CONTACT:

0818153 1604561 0801422 1674794 3241240 0828799 1442188 1539570 1619453 2800865 2800976
3036424 3244449 0800379 1817440 3248125 0808671:0311 2838254 3210202 1052345:0021 1712737
1899414 2905346 5435970 0801820 0817028 1407671 1778599 1956137 0818111