MATERIALS AND FINISHES

BODY ZINC
PLATED TIN


CENTER CONTACT BRASS
PLATED GOLD


OUTER CASING HIGH TEMPERATURE
PLASTIC
KEYING SEE TABLE
COLOR SEE TABLE


INSULATOR PA46

CAP BRASS
PLATED NICKEL

PACKAGING BY TRAY









RETENTION SPECIFICATION

THE FAKRA CONNECTOR SHROUD WILL WITHSTAND
A LONGITUDINAL FORCE OF 110 N (24.75 LBS)





PS-89675-3310	PRODUCT SPECIFICATION
MIL-STD-348A, FIG 311.1	INTERFACE SPECIFICATION
SPECIFICATION	DESCRIPTION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
FA = 0
FC = 0
FP = 0

DIVISIONAL SYMBOLS

DIMENSION UNITS	SCALE
MM	NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	± 2°
4 PLACES	±
3 PLACES	±
2 PLACES	±
1 PLACE	±
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: REVISE DRAWING PER EWR-16309-A

STATUS: Design Approved
DRWN: Evita Lin 2024-02-05
CHK'D: Kerrie Chen 2024-03-06
APPR: Darry Cheng 2024-03-06

THIRD ANGLE PROJECTION | DRAWING: C-SIZE | SERIES: 73403

molex


SMB JACK, FAKRA DUAL
R/A PCB 50 OHMS

PRODUCT SALES DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-73403-519	PSD	001	A1

MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
SEE SHEET 2	GENERAL MARKET	1 OF 2


FORMAT: TC-tb-prod-C
REVISION: B
DATE: 2022/08/01




CODE A




CODE B




CODE C




CODE D




CODE E




CODE F




CODE G




CODE H




CODE I




CODE K




CODE Z



CODE L



CODE M



CODE N

N	PASTEL GREEN	73403-5203
M	PASTEL ORANGE	73403-5202
L	CARMINE RED	73403-5201
Z	WATER BLUE	73403-5200
K	CURRY YELLOW	73403-5199
I	BEIGE	73403-5198
H	VIOLET	73403-5197
G	GRAY	73403-5196
F	BROWN	73403-5195
E	GREEN	73403-5194
D	BORDEAUXVILOET	73403-5193
C	BLUE	73403-5192
B	SINGLE WHITE	73403-5191
A	BLACK	73403-5190
KEYING CODE	COLOR	PART NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
FA = 0
FC = 0
FB = 0

DIVISIONAL SYMBOLS

DIMENSION UNITS	SCALE
MM	NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	± 2°
4 PLACES	±
3 PLACES	±
2 PLACES	±
1 PLACE	±
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: REVISE DRAWING PER EWR-16309-A

STATUS: Design Approved
DRWN: Evita Lin 2024-02-05
CHK'D: Kerrie Chen 2024-03-06
APPR: Darry Cheng 2024-03-06

THIRD ANGLE PROJECTION | DRAWING: C-SIZE | SERIES: 73403

molex


SMB JACK, FAKRA DUAL
R/A PCB 50 OHMS

PRODUCT SALES DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-73403-519	PSD	001	A1

MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
SEE TABLE	GENERAL MARKET	2 OF 2


FORMAT: TC-B-prod-C
REVISION: B
DATE: 2022/08/01




P/N 73403-519X



50 SET PER TRAY
TRAY P/N 89707-0343



400 SET PER INNER
CARTON BOX
P/N 96707-0001



800 SET PER OUTER
CARTON BOX
P/N 96708-0005

PDR0812149-D EC NO: URF2009-0646 2009/05/15 DRWN:SCHOU 2009/05/19 CH'KD: APPR:MHUANG 2009/05/19 DESCRIPTION A REV	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm / INCH 4 PLACES ± --- / ± --- 3 PLACES ± --- / ± --- 2 PLACES ± --- / ± --- 1 PLACE ± --- / ± --- ANGULAR ± 2 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE: MM/IN DRAWN BY: JOYCE DATE: 2009/04/17 CHECKED BY: KERRIE DATE: 2009/04/17 APPROVED BY: MISEN DATE: 2009/04/17 MATERIAL NO.: -----	SCALE	DESIGN UNITS: METRIC	THIRD ANGLE PROJECTION TITLE: PACKAGING FOR 73403-519X MOLEX INCORPORATED DOCUMENT NO.: SD-73403-519-PKG SHEET NO.: 1 OF 1	SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

0194360214 0464363133 502584-0870 0351510214 194270031 349672001 357470310 347072012
459850483 197134001 502584-1060 347928042 348268126 528523070 502585-0370 503988100
194290039 347910140 348242245 464373005 0477256010 197054301 34708-2028 351820290
355240920 528520870 194290026 502380-0800 5023860371 528061110