



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	18OCT2016	DW	CW
	B	ECR-20-016312	04JUN2021	BS	CW











NOTES:
1. TECHNICAL CHARACTERISTICS:
   HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: SEE TABLE
   DEGREE OF PROTECTION: IP68 (MATED)

注释
1.技术参数：
壳体材料： 铝合金
表面处理： 见表格
防护等级： IP68 （配合）

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID WANG 18OCT2016	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-	CHK CHRIS WANG 18OCT2016	NAME H6BPR-TGHC-PG/M-EMC-C
		APVD XIANG XU 18OCT2016	
		PRODUCT SPEC 108-137191	
		APPLICATION SPEC 114-137191	SIZE A2 / CAGE CODE - / DRAWING NO C-T192206XXXX009 / RESTRICTED TO -
MATERIAL - -	FINISH - -	WEIGHT -	Customer Drawing / SCALE 1:1 / SHEET 1 OF 2 / REV B

printed on 8 Jun 2021 09:19 (China Standard Time) from TE2366667

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

PART NUMBER 料 号	DESCRIPTION 描 述	PG/M THREAD PG/M 螺纹
TI922062132-009	H6BPR-TGHC-M32-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M32,POWDER COATED,GREY H6BPR中部锁定顶出上壳M32 灰色	M32
TI922062129-009	H6BPR-TGHC-PG29-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,POWDER COATED,GREY H6BPR中部锁定顶出上壳PG29 灰色	PG29
TI922062125-009	H6BPR-TGHC-M25-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M25,POWDER COATED,GREY H6BPR中部锁定顶出上壳M25 灰色	M25
TI922062121-009	H6BPR-TGHC-PG21-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,POWDER COATED,GREY H6BPR中部锁定顶出上壳PG21 灰色	PG21
TI922062120-009	H6BPR-TGHC-M20-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M20,POWDER COATED,GREY H6BPR中部锁定顶出上壳M20 灰色	M20
TI922062116-009	H6BPR-TGHC-PG16-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG16,POWDER COATED,GREY H6BPR中部锁定顶出上壳PG16 灰色	PG16
TI922061132-009	H6BPR-TGHC-M32-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M32,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳M32 银白色	M32
TI922061129-009	H6BPR-TGHC-PG29-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳PG29 银白色	PG29
TI922061125-009	H6BPR-TGHC-M25-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M25,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳M25 银白色	M25
TI922061121-009	H6BPR-TGHC-PG21-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳PG21 银白色	PG21
TI922061120-009	H6BPR-TGHC-M20-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M20,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳M20 银白色	M20
TI922061116-009	H6BPR-TGHC-PG16-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG16,POWDER COATED,SILVER WHITE H6BPR中部锁定顶出上壳PG16 银白色	PG16
TI922060132-009	H6BPR-TGHC-M32-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M32,POWDER COATED,BLACK H6BPR中部锁定顶出上壳M32 黑色	M32
TI922060129-009	H6BPR-TGHC-PG29-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,POWDER COATED,BLACK H6BPR中部锁定顶出上壳PG29 黑色	PG29
TI922060125-009	H6BPR-TGHC-M25-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M25,POWDER COATED,BLACK H6BPR中部锁定顶出上壳M25 黑色	M25
TI922060121-009	H6BPR-TGHC-PG21-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,POWDER COATED,BLACK H6BPR中部锁定顶出上壳PG21 黑色	PG21
TI922060120-009	H6BPR-TGHC-M20-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY M20,POWDER COATED,BLACK H6BPR中部锁定顶出上壳M20 黑色	M20
TI922060116-009	H6BPR-TGHC-PG16-EMC-C H6BPR HOOD,CENTER LOCKING,TOP ENTRY PG16,POWDER COATED,BLACK H6BPR中部锁定顶出上壳PG16 黑色	PG16

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
-

FINISH -
-

DWN DAVID WANG 18OCT2016
CHK CHRIS WANG 18OCT2016
APVD XIANG XU 18OCT2016
PRODUCT SPEC 108-137191
APPLICATION SPEC 114-137191
WEIGHT -

TE Connectivity

NAME H6BPR-TGHC-PG/M-EMC-C

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-T192206XXXX009	-

Customer Drawing | SCALE 1:1 | SHEET 2 OF 2 | REV B

printed on 8 Jun 2021 09:19 (China Standard Time) from TE236667

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1969656-1 3631B101LL CPF0402B37K4E1 SBCHE154R7K 141991-2 175977-2 3-1393225-0 RH73H2A40MKTN 1-794222-0 3430B2F51RTDF 650075-000 U5254-000005-030PA 2005330-1 2380312-2 917696-1 CRGCQ2010J3K3 ROX05SJ18R TE50BR39J 2834055-1 936348-1 1-962915-1 1393431-1 2310537-1 MPT100C18RF 1743455-2 2-292161-3 2377783-2 SBCHE64R7K SMW73R0JT 1903112-2