



WITH ATTACHMENT












ATTACHMENT OPTIONS:



OMIT FOR NO ATTACHMENT
(SEE SHEET 2)

100P237-17-1-C-WR4-17

SERIES
INSERT 'F' FOR FLUOROSILICONE GASKET
OMIT FOR STANDARD SILICONE GASKET
SHELL SIZE (TABLE 1)
MATERIAL (TABLE 5)
FINISH (TABLE 6)
LANYARD TYPE (TABLE 4)
LANYARD LENGTH (IN INCHES)
+1,0"/-0" TOLERANCE
ATTACHMENT (SEE ABOVE)

DRAWN	K.SHEPPARD	DATE 10/02/2014	3RD ANGLE PROJECTION NOT TO SCALE	**POLAMCO LTD** www.polamco.com WESTON LOCK LOWER BRISTOL ROAD BATH BA2 1EP	THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.
SALES APPR	A.POLSON	10/02/2014			
DESIGN APPR			UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0,25MM ANGULAR +/- 1°	ASSY USED ON: MIL-DTL-38999 SERIES III PLUG	
PROD APPR				TITLE: PLUG PROTECTION CAP	
QUAL APPR			MATERIAL SEE TABLE 5		
ISSUE 11	DCR 3969		FINISH SEE TABLE 6	PART NUMBER: 100P237 SERIES	DRAWING NO: P10270 SHT 1
NCAGE CODE U5792	WEIGHT —				

TABLE 1

SHELL SIZE	ØA MAX	B THREAD
09	21,0	0.625-0.1P-0.3L-TS
11	24,5	0.750-0.1P-0.3L-TS
13	28,0	0.875-0.1P-0.3L-TS
15	30,0	1.000-0.1P-0.3L-TS
17	34,0	1.1875-0.1P-0.3L-TS
19	37,0	1.250-0.1P-0.3L-TS
21	40,0	1.375-0.1P-0.3L-TS
23	43,0	1.500-0.1P-0.3L-TS
25	47,0	1.625-0.1P-0.3L-TS

TABLE 2

EYELET REF.	F
01	3,2
02	3,7
03	4,3
04	5,3
05	6,4

TABLE 3

RING REF.	SPLIT RING REF.	E
09	S09	15,1
11	S11	18,0
13	S13	19,4
15	S15	22,6
17	S17	25,8
19	S19	28,8
21	S21	32,0
23	S23	34,1
25	S25	40,1

TABLE 4

CODE	LANYARD TYPE
WR	NYLON COVERED (CLEAR) STAINLESS STEEL WIRE ROPE
TC	TEFLON COVERED (CLEAR) STAINLESS STEEL WIRE ROPE
WG	TEFLON COVERED (OLIVE DRAB) STAINLESS STEEL WIRE ROPE
WB	TEFLON COVERED (BLACK) STAINLESS STEEL WIRE ROPE
WRB	PVC COVERED (BLACK) STAINLESS STEEL WIRE ROPE
LC	LINK CHAIN
BK	BLACK CORD
VGB	1,5mm BLACK POLYESTER CORD EQV. TO DIN83330-E1,5
B	BEAD CHAIN
R	OLIVE DRAB POLYESTER CORD
NB	OLIVE DRAB NYLON CORD
NK	BLACK NYLON CORD

TABLE 5

CODE	MATERIAL
1	ALUMINIUM
2	NICKEL ALUMINIUM BRONZE
4	STAINLESS STEEL
7	BLACK ACETAL
74	COMPOSITE


LIST NOT EXHAUSTIVE, SEE MATERIAL TABLE FOR OTHER OPTIONS

TABLE 6


CODE	DESCRIPTION
B	CADMIUM, OLIVE DRAB OVER ELECTROLESS NICKEL
C	ELECTROLESS NICKEL
G	BLACK ANODISE, SULPHURIC
J	PASSIVATE
U	UNPLATED CLEAN FINISH NOT SHOT BLASTED
Z	SHOT BLAST FOR NON-REFLECTIVE FINISH
ZB	ZINC COBALT OLIVE DRAB OVER ELECTROLESS NICKEL
ZN	ZINC NICKEL BLACK PASSIVATE OVER ELECTROLESS NICKEL

LIST NOT EXHAUSTIVE, SEE PLATING TABLE FOR OTHER OPTIONS

WITHOUT ATTACHMENT



100P237-17-1-C
NO ATTACHMENT VERSION



100P237-17-1-C-EO
EYELET ONLY VERSION
(NO LANYARD)

DRAWN	K.SHEPPARD	DATE 10/02/2014	3RD ANGLE PROJECTION NOT TO SCALE	**POLAMCO LTD** www.polamco.com	WESTON LOCK LOWER BRISTOL ROAD BATH BA2 1EP
SALES APPR	A.POLSON	10/02/2014			
DESIGN APPR			UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0,25MM ANGULAR +/- 1°	ASSY USED ON: MIL-DTL-38999 SERIES III PLUG	
PROD APPR				TITLE: PLUG PROTECTION CAP	
QUAL APPR			MATERIAL SEE TABLE 5		
ISSUE 11	DCR 3969		FINISH SEE TABLE 6	PART NUMBER: 100P237 SERIES	DRAWING NO: P10270 SHT 2
NCAGE CODE U5792	WEIGHT —				

THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1586017-2 179228-3 350214-1 177919-1 368932-1 61118-1 964274-2 2204456-1 206061-1 2-172076-1 2822356-1 PKS1103B101/4 4-1105051-1 91348-1 1969442-2 2-520193-2 352247RFT 35505M6FT 1-828196-2 1241388-1 485043-1 1-776163-1 1-968699-1 2-2355088-0 5-965906-1 794954-6 962876-1 T4110002081-000 6-745129-9 2310540-2