
Connector Accessories
For Standard Size Connectors



Wire Caddy (Spool Cap)

Model No.	Compatible Connectors
OSTW-SC-(*)	USTW, OSTW, HSTW
GST-SC-(*)	GST

Insert thermocouple calibration: **J, K, T, E, R/S, N or **U** (Uncompensated)*



Tube Clamps (Single and Dual Element)

Model No.	Compatible Connectors
X-BRLK-(*)	USTW, OSTW, OGP, GST, HSTW, HGST, OTP
DX-BRLK-(*)	USTW, OSTW, OGP, HSTW


Insert probe diameter: "116**" for 1/16", "**18**" for 1/8", "**316**" for 3/16", or "**14**" for 1/4"*
***Ordering Examples: X-BRLK-14,** tube clamp for 1/4" probes.*
***DX-BRLK-14,** dual tube clamp for 1/4" probes.*



Standard Strain Relief Tubing

Model No.	Compatible Connectors
SSRT-316-(*)	OST, OSTW, HSTW, USTW, OGP, OTP, GST, HGST, DTC
SSRT-18-(*)	
SSRT-332-(*)	

**Insert pkg quantity: Select from 5, 10, 50, 100*
*Center number denotes tubing inside diameter: **"316"** for 3/16", **"18"** for 1/8", **"332"** for 3/32"*



Cable Clamps

Model No.	Compatible Connectors
PCLM	USTW, OSTW, OGP, HSTW, OTP
PCLM-DTC	DTC
PCLM-GST	GST, HGST

Ferrite Core Cable Clamps

Model No.	Compatible Connectors
PCLM-FT	OSTW, HSTW, OGP, HGST, GST, OTP




Safety Clips

Model No.	Compatible Connectors
SFCL	USTW, OSTW, OGP, GST, HSTW, HGST



Round Hole Panel Mounting Brackets

Model No.	Compatible Connectors
RSACL	USTW, OSTW, OGP, GST, HSTW, HGST



Panel Mounting Brackets

Model No.	Compatible Connectors
SACL	USTW, OSTW, OGP, GST, HSTW, HGST
TACL	OTP


Connector Accessories





Rubber Boot – SRB
Rated to 95°C (203°F)
SRBS Rated to 230°C (446°F)

Rubber Boots

Model No.	Compatible Connectors
SRB	USTW, OSTW, OGP, HSTW
SRBS	USTW, OSTW, OGP, HSTW







Crimp Style Brass or SS Bushing also available



Crimp Style Bushing

To Order

Model Number	Style Type	Dia A-ID mm (inch)	Dia B mm (inch)	Dia C-OD mm (inch)	Dia D mm (inch)	Dia E mm (inch)	Compatible Connectors
(*)B-OST-CR1.5MM-(**)	1	1.57 (.062)	3.25 (.128)	2.94 (.116)	N/A	N/A	OST, OSTW, HST, HSTW, GST, UST, USTW, HFSTW, OGP, OTP, NOX, NHX, NHHX, UHX
(*)B-OST-CR062-(**)	1	1.65 (.065)	3.25 (.128)	2.94 (.116)	N/A	N/A	
(*)B-OST-CR2.0MM-(**)	1	2.05 (.081)	3.25 (.128)	2.94 (.116)	N/A	N/A	
(*)B-OST-CR093-(**)	1	2.43 (.096)	3.25 (.128)	4.69 (.185)	N/A	N/A	
(*)B-OST-CR3.0MM-(**)	1	3.09 (.122)	3.96 (.156)	4.69 (.185)	N/A	N/A	
(*)B-OST-CR125-(**)	1	3.25 (.128)	3.96 (.156)	4.69 (.185)	N/A	N/A	
(*)B-OST-CR4.5MM-(**)	2	4.59 (.181)	4.36 (.172)	6.35 (.250)	5.33 (.210)	1.77 (.070)	OST, OSTW, HST, HSTW, GST, UST, OGP, HFSTW, USTW, OTP, NOX, NHX, NHHX, UHX
(*)B-OST-CR188-(**)	2	4.85 (.191)	4.36 (.172)	6.35 (.250)	5.33 (.210)	1.77 (.070)	
(*)B-OST-CR5.5MM-(**)	2	5.58 (.220)	4.36 (.172)	7.87 (.310)	5.33 (.210)	1.77 (.070)	
(*)B-OST-CR6.0MM-(**)	2	6.09 (.240)	4.36 (.172)	7.87 (.310)	5.33 (.210)	1.77 (.070)	
(*)B-OST-CR250-(**)	2	6.42 (.253)	4.36 (.172)	7.87 (.310)	5.33 (.210)	1.77 (.070)	
(*)B-DTC-CR250-(**)	3	6.09 (.240)	N/A	7.87 (.310)	N/A	N/A	DTC
(*)B-DST-CR6.0MM-(**)	3	6.42 (.253)	N/A	7.87 (.310)	N/A	N/A	

(*) *Insert **"B"** for brass or **"S"** for stainless steel.*

(**) *Insert quantity: **"10"** or **"100"**.*

CR" *number indicates compatible probe diameter.*

To order crimping tool for use with these bushings, specify model number ***BB-OST-CT.***

Ordering Example: SB-OST-CR250-100, *pkg of 100 crimp style stainless steel bushing for 0.250" diameter probe.*

Accessories for Cable Clamp Caps

Use with OSTW Standard Size Ultimate Connectors



Clamp Grommets Silicone 0.25" Long

Model No.	Inside Dia mm (inch)	Outside Dia mm (inch)	Length mm (inch)	Compatible Connectors
SSRT-CC-018-(*)	3.18 (0.125)	4.77 (0.188)	6.35 (0.250)	OSTW-CC male or female
SSRT-CC-332-(*)	2.38 (0.094)			
SSRT-CC-116-(*)	1.59 (0.063)			
SSRT-CC-132-(*)	0.79 (0.032)			


(*) *Insert pkg quantity: select from* ***5,10, 50, 100.***

Center number denotes grommet inside diameter for 0.75" long strain relief tubing

OST-CC-TOOL shown smaller than actual size.



All assembly completed from top side.
Prep wire: Straight strip no loop necessary
1st: Load back plate and connector body
2nd: Terminate wire
3rd: Tighten 4 captive screws



Assembly Tool

Model No.	Compatible Connectors
OST-CC-TOOL	OST male or female
SMP-CC-TOOL	SMP male or female

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

OMEGA Engineering:

P13R-005 PX119-1KGI PX409-100GUSBH SMTC-15M USHX-K-M LC201-300 SHX-U-M HSRTD-3-100-A-40-E ITHX-SD-5 MTC-12-MC PX309-100G5V 1PT100KN1515CLA CF-000-RTD-2-60-1 MSS-02 MSS-04 PX309-030GI TT-T-30-SLE-500 NHXH-K-M D8100 HPC-CH-S KFH-3-120-C1-11L1M2R TC-K-NPT-U-72 WTJ-HD-72-S PX309-500GI PX409-005GI 5TC-TT-T-30-36 MPJ-U-F OS136A-1-MA PX835-005GI SMPW-E-F