


APPROVED: _____

DATE: _____ TITLE: _____

Rev	AWO #	Description	Date	Appr
-		RELEASED	9/22/21	
A		ADDED DRAWING	5/27/22	WX/RC







SPECIFICATIONS:

Electrical:

Voltage rating: 115/250 VAC

Current rating: 115/250 VAC: 1A RMS max

Operating Frequency: 50/60Hz

Leakage Current: Each Line To Ground

@115VAC/60HZ 0.4mA max

@250VAC/50HZ 0.8mA max

Hipot Rating(For 1 Minute)

A. Line to Ground: 2,250 VDC

B. Line to Line: 1450 VDC

IR: 50 Mohm @500 VDC Any Input or Output to Ground

Temperature Rating:

−25°C to +85°C

Environmental:

Lead free, RoHS compliant RoHS COMPLIANT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM]. TOLERANCES: EXCEPT AS NOTED

INCHES		HOLES	
.X	± .10	Ø.X	±.10
.XX	± .020	Ø.XX	±.015
.XXX	± .015	Ø.XXX	±.010

DRAWN	WX	9/22/21
CHECKED	RC	9/22/21
APPROVED		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY AND SHOULD NOT BE USED WITHOUT PRIOR WRITTEN PERMISSION FROM ADAM TECH

ADAM TECH
909 Rahway Avenue,
Union, NJ 07083
Phone: 908-687-5000
Fax: 908-687-5710

TITLE: EMI/RF POWER FILTER, WIRE LEADS, W/ RING TERMINAL, 1 AMP, CHASSIS MOUNT

SIZE	PART NO.	REV.
X	PLF-11E1-1A-W	A

REF: S00205C | SCALE: NTS | SHEET 1 OF 2

Rev	AWO #	Description	Date	Appr
SEE SHT 1 OF 2 FOR REVISION				


APPROVED: _____

DATE: _____ TITLE: _____

INSERTION LOSS(IN 50 ohm system according IEC/CISPR

———— (common mode)

– — — — — – (differential mode)



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM]. TOLERANCES: EXCEPT AS NOTED

INCHES		HOLES	
.X	± .10	Ø.X	±.10
.XX	± .020	Ø.XX	±.015
.XXX	± .015	Ø.XXX	±.010

DRAWN	WX	9/22/21
CHECKED	RC	9/22/21
APPROVED		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY AND SHOULD NOT BE USED WITHOUT PRIOR WRITTEN PERMISSION FROM ADAM TECH

ADAM TECH
909 Rahway Avenue,
Union, NJ 07083
Phone: 908-687-5000
Fax: 908-687-5710

TITLE: EMI/RF POWER FILTER, WIRE LEADS, W/ RING TERMINAL, 1 AMP, CHASSIS MOUNT

SIZE	PART NO.	REV.
X	PLF-11E1-1A-W	A

REF:	SCALE:	SHEET
S00205C	NTS	2 OF 2

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

ADAM TECH:

25CH-B-07 2PH1-16-UA-SMT-B SPH2-16-U-SMT 1CH-A-10 ESMC-F-80-SGS-SMT-B-PP-T/R ICM-316-1-GT-HT ICS640T PLCC-52-AT RF1-07-T-00-75 BHR-20-VUA EB163A-05-C-180 EBJA-04-C-BK SW-PB7-07LB42CRRG12V SW-PB7-1Z-A-RG-H-3-G2A BHR-10-VUA PH1RA-03-UA PH1RB-02-UA MDJ-009-FS SW-PB8-AA00B2GE-2 SD-PNN10-MMLAL-S00-000 EBSA-02-A MMI-P1PG10SGG52 PH1-20-U-A CDH-11 DA15-PT-2 DB25-PT-1BLJS DMF-02-S RF55-29L-T-00-50-G-SH SMC-2-08-1-GT MTJ-88AX1-FSN-LH-M4S