











RECOMMENDED PCB HOLE PATTERN

CKT SIZE	DIM. "A"	DIM. "B" (±0.20) ±.008	CKT SIZE	DIM. "A"	DIM. "B" (±0.20) ±.008
1X 1	———	(2.54) .100	1X21	(50.80) 2.000	(53.34) 2.100
1X 2	(2.54) .100	(5.08) .200	1X22	(53.34) 2.100	(55.88) 2.200
1X 3	(5.08) .200	(7.62) .300	1X23	(55.88) 2.200	(58.42) 2.300
1X 4	(7.62) .300	(10.16) .400	1X24	(58.42) 2.300	(60.96) 2.400
1X 5	(10.16) .400	(12.70) .500	1X25	(60.96) 2.400	(63.50) 2.500
1X 6	(12.70) .500	(15.24) .600	1X26	(63.50) 2.500	(66.04) 2.600
1X 7	(15.24) .600	(17.78) .700	1X27	(66.04) 2.600	(68.58) 2.700
1X 8	(17.78) .700	(20.32) .800	1X28	(68.58) 2.700	(71.12) 2.800
1X 9	(20.32) .800	(22.86) .900	1X29	(71.12) 2.800	(73.66) 2.900
1X10	(22.86) .900	(25.40) 1.000	1X30	(73.66) 2.900	(76.20) 3.000
1X11	(25.40) 1.000	(27.94) 1.100	1X31	(76.20) 3.000	(78.74) 3.100
1X12	(27.94) 1.100	(30.48) 1.200	1X32	(78.74) 3.100	(81.28) 3.200
1X13	(30.48) 1.200	(33.02) 1.300	1X33	(81.28) 3.200	(83.82) 3.300
1X14	(33.02) 1.300	(35.56) 1.400	1X34	(83.82) 3.300	(86.36) 3.400
1X15	(35.56) 1.400	(38.10) 1.500	1X35	(86.36) 3.400	(88.90) 3.500
1X16	(38.10) 1.500	(40.64) 1.600	1X36	(88.90) 3.500	(91.44) 3.600
1X17	(40.64) 1.600	(43.18) 1.700	1X37	(91.44) 3.600	(93.98) 3.700
1X18	(43.18) 1.700	(45.72) 1.800	1X38	(93.98) 3.700	(96.52) 3.800
1X19	(45.72) 1.800	(48.26) 1.900	1X39	(96.52) 3.800	(99.06) 3.900
1X20	(48.26) 1.900	(50.80) 2.000	1X40	(99.06) 3.900	(101.60) 4.000

NOTES

1. PLEASE REFER TO SHT 2 FOR PLATING DETAILS.
2. PLEASE REFER TO SHT 3-7 FOR DIMENSIONS C & D.
3. RECOMMENDED PCB THICKNESS 1.60MM
4. PRODUCT SPECIFICATION: PS-99020-0001.
5. PACKAGING REFER TO PK-90120-100

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CH'KD:CGOH 2014/11/28
APPR:KHL IM
DESCRIPTION
M1
REV

QUALITY SYMBOLS
F_A=0
F_C=0
F_P=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

		DATE
DRAWN BY	DB	1987/07/16
CHECKED BY	DB	1987/07/16
APPROVED BY	MLONG	2012/02/24

TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER

molex

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 1 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PLATING OPTIONS

PLATING	PLATING DESCRIPTION
A	3.00μm MIN TIN OVER 1.27MIN NICKEL OVERALL
E	0.38μm MIN GOLD IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL
F	0.76μm MIN GOLD IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL
G	0.05-0.10μm GOLD FLASH IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL

CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.	PLATING TYPE G PART NO.
1 X 1	90121-0121	90121-0761	90121-0921	90121-1081
1 X 2	-0122	-0762	-0922	-1082
1 X 3	-0123	-0763	-0923	-1083
1 X 4	-0124	-0764	-0924	-1084
1 X 5	-0125	-0765	-0925	-1085
1 X 6	-0126	-0766	-0926	-1086
1 X 7	-0127	-0767	-0927	-1087
1 X 8	-0128	-0768	-0928	-1088
1 X 9	-0129	-0769	-0929	-1089
1 X 10	-0130	-0770	-0930	-1090
1 X 11	-0131	-0771	-0931	-1091
1 X 12	-0132	-0772	-0932	-1092
1 X 13	-0133	-0773	-0933	-1093
1 X 14	-0134	-0774	-0934	-1094
1 X 15	-0135	-0775	-0935	-1095
1 X 16	-0136	-0776	-0936	-1096
1 X 17	-0137	-0777	-0937	-1097
1 X 18	-0138	-0778	-0938	-1098
1 X 19	-0139	-0779	-0939	-1099
1 X 20	-0140	-0780	-0940	-1100
1 X 21	-0141	-0781	-0941	-1101
1 X 22	-0142	-0782	-0942	-1102
1 X 23	-0143	-0783	-0943	-1103
1 X 24	-0144	-0784	-0944	-1104
1 X 25	-0145	-0785	-0945	-1105
1 X 26	-0146	-0786	-0946	-1106
1 X 27	-0147	-0787	-0947	-1107
1 X 28	-0148	-0788	-0948	-1108
1 X 29	-0149	-0789	-0949	-1109
1 X 30	-0150	-0790	-0950	-1110
1 X 31	-0151	-0791	-0951	-1111
1 X 32	-0152	-0792	-0952	-1112
1 X 33	-0153	-0793	-0953	-1113
1 X 34	-0154	-0794	-0954	-1114
1 X 35	-0155	-0795	-0955	-1115
1 X 36	-0156	-0796	-0956	-1116
1 X 37	-0157	-0797	-0957	-1117
1 X 38	-0158	-0798	-0958	-1118
1 X 39	-0159	-0799	-0959	-1119
1 X 40	90121-0160	90121-0800	90121-0960	90121-1120

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CH'KD:CGOH 2014/11/28
APPR:KHL IM
DESCRIPTION
REV
M1

QUALITY SYMBOLS
FA=0
FC=0
FP=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: DB DATE: 1987/07/16
CHECKED BY: DB DATE: 1987/07/16
APPROVED BY: MLONG DATE: 2012/02/24

TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER

molex

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 2 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

ASSEMBLIES WITH VOIDED CIRCUT OPTION

PART NO.	CKT SIZE	VOID CKT	PLATING
90121-1224	1 X 4	3	A

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CHKD:CGOH 2014/11/28
APPR:KHLIM
DESCRIPTION
REV
M1

QUALITY SYMBOLS
FA=0
FC=0
FP=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: DB DATE: 1987/07/16
CHECKED BY: DB DATE: 1987/07/16
APPROVED BY: MLONG DATE: 2012/02/24


TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER


molex


MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 3 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION









RECOMMENDED PCB HOLE PATTERN

CKT SIZE	DIM. "A"	DIM. "B" (±0.20) ±.008	CKT SIZE	DIM. "A"	DIM. "B" (±0.20) ±.008
1X 1	———	(2.54) .100	1X21	(50.80) 2.000	(53.34) 2.100
1X 2	(2.54) .100	(5.08) .200	1X22	(53.34) 2.100	(55.88) 2.200
1X 3	(5.08) .200	(7.62) .300	1X23	(55.88) 2.200	(58.42) 2.300
1X 4	(7.62) .300	(10.16) .400	1X24	(58.42) 2.300	(60.96) 2.400
1X 5	(10.16) .400	(12.70) .500	1X25	(60.96) 2.400	(63.50) 2.500
1X 6	(12.70) .500	(15.24) .600	1X26	(63.50) 2.500	(66.04) 2.600
1X 7	(15.24) .600	(17.78) .700	1X27	(66.04) 2.600	(68.58) 2.700
1X 8	(17.78) .700	(20.32) .800	1X28	(68.58) 2.700	(71.12) 2.800
1X 9	(20.32) .800	(22.86) .900	1X29	(71.12) 2.800	(73.66) 2.900
1X10	(22.86) .900	(25.40) 1.000	1X30	(73.66) 2.900	(76.20) 3.000
1X11	(25.40) 1.000	(27.94) 1.100	1X31	(76.20) 3.000	(78.74) 3.100
1X12	(27.94) 1.100	(30.48) 1.200	1X32	(78.74) 3.100	(81.28) 3.200
1X13	(30.48) 1.200	(33.02) 1.300	1X33	(81.28) 3.200	(83.82) 3.300
1X14	(33.02) 1.300	(35.56) 1.400	1X34	(83.82) 3.300	(86.36) 3.400
1X15	(35.56) 1.400	(38.10) 1.500	1X35	(86.36) 3.400	(88.90) 3.500
1X16	(38.10) 1.500	(40.64) 1.600	1X36	(88.90) 3.500	(91.44) 3.600
1X17	(40.64) 1.600	(43.18) 1.700	1X37	(91.44) 3.600	(93.98) 3.700
1X18	(43.18) 1.700	(45.72) 1.800	1X38	(93.98) 3.700	(96.52) 3.800
1X19	(45.72) 1.800	(48.26) 1.900	1X39	(96.52) 3.800	(99.06) 3.900
1X20	(48.26) 1.900	(50.80) 2.000	1X40	(99.06) 3.900	(101.60) 4.000

NOTES

1. PLEASE REFER TO SHT 2 FOR PLATING DETAILS.
2. PLEASE REFER TO SHT 3-7 FOR DIMENSIONS C & D.
3. RECOMMENDED PCB THICKNESS 1.60MM
4. PRODUCT SPECIFICATION: PS-99020-0001.
5. PACKAGING REFER TO PK-90120-100

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CH'KD:CGOH 2014/11/28
APPR:KHL IM
DESCRIPTION
M1
REV

QUALITY SYMBOLS
F_A=0
F_C=0
F_P=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

		DATE
DRAWN BY	DB	1987/07/16
CHECKED BY	DB	1987/07/16
APPROVED BY	MLONG	2012/02/24

TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER

molex

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 1 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PLATING OPTIONS

PLATING	PLATING DESCRIPTION
A	3.00μm MIN TIN OVER 1.27MIN NICKEL OVERALL
E	0.38μm MIN GOLD IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL
F	0.76μm MIN GOLD IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL
G	0.05-0.10μm GOLD FLASH IN SELECTED AREA (2 SIDES) AND 3.00μm MIN TIN IN SELECTED AREA AND 1.30μm MIN NICKEL OVERALL

CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.	PLATING TYPE G PART NO.
1 X 1	90121-0121	90121-0761	90121-0921	90121-1081
1 X 2	-0122	-0762	-0922	-1082
1 X 3	-0123	-0763	-0923	-1083
1 X 4	-0124	-0764	-0924	-1084
1 X 5	-0125	-0765	-0925	-1085
1 X 6	-0126	-0766	-0926	-1086
1 X 7	-0127	-0767	-0927	-1087
1 X 8	-0128	-0768	-0928	-1088
1 X 9	-0129	-0769	-0929	-1089
1 X 10	-0130	-0770	-0930	-1090
1 X 11	-0131	-0771	-0931	-1091
1 X 12	-0132	-0772	-0932	-1092
1 X 13	-0133	-0773	-0933	-1093
1 X 14	-0134	-0774	-0934	-1094
1 X 15	-0135	-0775	-0935	-1095
1 X 16	-0136	-0776	-0936	-1096
1 X 17	-0137	-0777	-0937	-1097
1 X 18	-0138	-0778	-0938	-1098
1 X 19	-0139	-0779	-0939	-1099
1 X 20	-0140	-0780	-0940	-1100
1 X 21	-0141	-0781	-0941	-1101
1 X 22	-0142	-0782	-0942	-1102
1 X 23	-0143	-0783	-0943	-1103
1 X 24	-0144	-0784	-0944	-1104
1 X 25	-0145	-0785	-0945	-1105
1 X 26	-0146	-0786	-0946	-1106
1 X 27	-0147	-0787	-0947	-1107
1 X 28	-0148	-0788	-0948	-1108
1 X 29	-0149	-0789	-0949	-1109
1 X 30	-0150	-0790	-0950	-1110
1 X 31	-0151	-0791	-0951	-1111
1 X 32	-0152	-0792	-0952	-1112
1 X 33	-0153	-0793	-0953	-1113
1 X 34	-0154	-0794	-0954	-1114
1 X 35	-0155	-0795	-0955	-1115
1 X 36	-0156	-0796	-0956	-1116
1 X 37	-0157	-0797	-0957	-1117
1 X 38	-0158	-0798	-0958	-1118
1 X 39	-0159	-0799	-0959	-1119
1 X 40	90121-0160	90121-0800	90121-0960	90121-1120

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CH'KD:CGOH 2014/11/28
APPR:KHL IM
DESCRIPTION
REV
M1

QUALITY SYMBOLS
FA=0
FC=0
FP=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: DB DATE: 1987/07/16
CHECKED BY: DB DATE: 1987/07/16
APPROVED BY: MLONG DATE: 2012/02/24

TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER

molex

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 2 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

ASSEMBLIES WITH VOIDED CIRCUT OPTION

PART NO.	CKT SIZE	VOID CKT	PLATING
90121-1224	1 X 4	3	A

ADD SHT 3
EC NO: S2013-0915 2013/06/28
DRWN:ATSEE 2014/11/26
CHKD:CGOH 2014/11/28
APPR:KHLIM
DESCRIPTION
REV
M1

QUALITY SYMBOLS
FA=0
FC=0
FP=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: DB DATE: 1987/07/16
CHECKED BY: DB DATE: 1987/07/16
APPROVED BY: MLONG DATE: 2012/02/24

TITLE: C-GRID III SINGLE ROW RIGHT ANGLE HEADER

molex

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-90121-001
SHEET NO.: 3 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

436803002 447691602 190990009 0190690033 152670269 190990010 398800403 0436802002
444280402 459705185 759001161 0190700155 190670071 417920538 430451220 447641402
447642001 190730231 0436400901 397730002 5046940301 760475001 190690096 151670255
152670251 152670357 439151216 151660057 152660117 430450225