




†† Blue band indicates rear release contact retension system

Note: -Drawing not to Scale
-Dimensions subject to change
-Dimensions are in Inches, Millimeters (MM) & Blue color

Property of Amphenol Aerospace.
All rights reserved.

Part No.:

# D38999/26GB35PB

Amphenol Aerospace
40-60 Delaware Avenue
Sidney, NY 13838-1395
800-678-0141
Cage Code: 77820
www.amphenol-aerospace.com


**Amphenol Aerospace**
40-60 Delaware Avenue
Sidney, NY 13838-1395
**Phone:** 800-678-0141 - **Fax:** 607-563-5157
**Email:** info@amphenol-aerospace.com
**Website:** www.amphenol-aerospace.com

**Matthew Mullins**
Product Line Manager
Core Products
**Phone:** 607-563-5673
**Email:** mmullins@amphenol-aao.com

# Specifications

| | |
|---|---|
| Connector Type | D38999/ |
| Shell Style | Straight Plug |
| Shell Material | Aluminum |
| Shell Finish | Electroless Nickel |
| Insulation Resistance | 5000 megohms min. @500 VDC25C |
| Operating Temperature [Min] | -65°C |
| Operating Temperature [Max] | +200°C |
| Shielding Effectiveness | 65dB@10GHz |
| Durability | 48 Hour Salt Spray |
| Contact Type | P |
| Contact Description | Pin Contacts |

# Contacts

| | |
|---|---|
| Insert Arrangement |  |
| Shell Size | B |
| Insert Arrg | 35 |
| Service Rating | M |
| Total # Contacts | 13 |
| Test Current | 5 AMPS |
| Wire Size for 22D | 28, 26, 24, 22 |
| Contact Size 22D Number of Contacts | 13 |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:
D38999/26GB35PB