Datenblatt - Fiche technique - Data sheet

**11.04.5521**




ROLINE Monitorkabel DVI, ST-ST, (24+1) dual link, 1,0m

ROLINE Câble DVI pour écran, M-M, (24+1) dual link, 1,0m

ROLINE Monitor Cable, DVI (24+1), Dual Link, M/M, 1 m

# ROHS-COMPLIANT

| REV. | DESCRIPTION | DATE |
|---|---|---|
| C | ECR #111226-5<br>ADD LENGTH | 12/26/11' |




WIRE CONNECTION

| P1 | WIRE COLOR | P2 |
|---|---|---|
| 1 | | 1 |
| 2 | | 2 |
| 3 | | 3 |
| 3 | | 3 |
| 4 | | 4 |
| 5 | | 5 |
| 6 | | 6 |
| 7 | | 7 |
| 9 | | 9 |
| 10 | | 10 |
| 11 | | 11 |
| 11 | | 11 |
| 12 | | 12 |
| 13 | | 13 |
| 14 | | 14 |
| 15 | | 15 |
| 16 | | 16 |
| 17 | | 17 |
| 18 | | 18 |
| 19 | | 19 |
| 19 | | 19 |
| 20 | | 20 |
| 21 | | 21 |
| 22 | | 22 |
| 23 | | 23 |
| 24 | | 24 |
| SHELL | BRAID SHIELDS | SHELL |

REMARK:

1. CABLE:UL-20276 [28AWG(7/0.127 T.C)*1P+DRAIN WIRE+AL/MY+MYLAR]*7C+28AWG(7/0.127 T.C)*1P+ 28AWG(7/0.127 T.C)*3C+AL/MYLAR+BRAID SHIELDS(85% T.C) PVC JACKET, OD: 8.6±0.15mm, COLOR:BLACK(NK-K01).
2. CONNECTOR: P1&P2:DVI_D 25P: 24P+KEY MALE, GOLD FLASH CONTACT, NICKEL PLATED SHELL.
3. SHIELD: P1&P2 COPPER FOIL 360° SOLDERED TO CONNECTOR SHELL & CABLE SHIELDING
4. HOOD: P1&P2:MOLDED TYPE, PVC 45P, COLOR:BLACK(NK-K01)
5. FERRITE CORE: (28.5*17.5*9.5) x 2
6. TEST REQUEST:
   (1) 100% SHORT OPEN & MIS WIRE TEST.
   (2) CONTACT RESISITANCE 3 OHMS MAX.
   (3) INSULATION RESISITANCE 10M OHMS MIN.
7. PACKING:EACH PC / POLY BAG + HEADER CARD(ROLINE, SIZE:205*84mm) + P/N LABEL

| P/N | L(mm) | T(mm) | PCS /CTN | BAR CODE NO. |
|---|---|---|---|---|
| 11.04.5521 | 1000 | 20 | 25 | 7611990198108 |
| 11.04.5555 | 5000 | 50 | 10 | 7611990146062 |
| 11.04.5535 | 3000 | 30 | 20 | 7611990146055 |
| 11.04.5525 | 2000 | 30 | 25 | 7611990146048 |

| Tolerance | Inch | M/M |
|---|---|---|
| .X | .015 | .30 |
| .XX | .010 | .10 |
| .XXX | .005 | .05 |

Draw FANNIE 12/26/11'

Check

Engr

**Rotronic Co., Ltd.**

ROLINE DVI Cable, DVI M-M, dual link, 1m, black

Item No.: see the chart

Scale NONE | Units m/m | Third Angle Projection

REV:C | Sheet 1/1

# Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

## roline:

12.03.3130-20 11.01.5618-50 11.02.9082-10 11.02.9104 11.04.5253-20 11.04.5943-10 12.03.3225-10 11.02.8971-50 11.02.8978-50 17.02.1547-1 17.03.1101 11.04.5870 11.44.5731-10 12.99.1089 21.13.1157-1 11.04.5635 11.02.9011-10 12.04.1077 12.03.3240-10 12.04.1088 11.02.8945-100 11.02.9027-10 11.04.5500-20 11.44.5780-10 11.04.5732-10 14.01.3455-5 11.04.5568-10 11.02.8877-10 11.04.5220-2 12.03.2991