rotronic

Datenblatt - Fiche technique - Data sheet

11.02.8322



ROLINE USB 2.0 Sync- & Ladekabel
für Apple Geräte mit Lightning Connector, 1,8 m

ROLINE Câble de charge et synchronisation
pour appareils Apple à connecteur Lightning, 1,8 m

Lightning to USB Cable for iPhone, iPod, iPad, 1.8 m



Pin Assignment



NO	Description	Q'ty	unit
9	C48 pin connector black insulation, pin plated: tin	1	pcs
8	I5 C48 block head ABS snow white	1	pcs
7	45P Apple snow white, PVC	5	g
6	I5 C48 one-piece	1	pcs
5	I5 C48 ABS shell snow white 17*10.4*5.9mm logo print: roline® (red 485C)	1	pcs
4	USB AM ABS shell snow white 14.5*17.9*7.15mm print: USB logo (red 485C)	1	pcs
3	USB AM connector L=18.1mm white insulation, shell plated: nickel (shell and pin4 short	1	pcs
2	Connector C48 Lightning MFI : MFI677-2166	1	pcs
1	non-UL 28(19/0.08TC)*2C #20(68/0.10TC 250D nylon) *1C+3E(19/0.05+250D)AB(16/9/0.06TC 95% TC) OD: 3.2mm snow white, PVC	1.82	m

REV.	ECN.	DESCRIPTION	DATE	NAME

TOLERANCE INCHES	M/M
.X	.015	.30
.XX	.010	.10
.XXX	.005	.05

rotronic

11.02.8322

ROLINE 8pin to USB Charge & Sync Cable 1.8m, white

DRAWN BY	ZHOUWENLONG	SCALE	NONE
CHECK BY		UNIT	mm
APPD BY		DATE	2014.06.12

DRAWING NO.: REV. A

1/1

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

roline:

11.04.5732-10 12.03.3240-10 21.13.1157-1 11.04.5253-20 11.04.5635 11.44.5780-10 12.03.2991 14.01.3455-5 17.03.1101 11.02.9011-10 11.02.9027-10 11.04.5870 11.04.5943-10 11.02.8945-100 11.02.8978-50 12.03.3130-20 11.02.8971-50 12.04.1077 12.04.1088 11.02.8877-10 12.99.1089 11.04.5220-2 17.02.1547-1 11.01.5618-50 11.02.9082-10 11.04.5568-10 11.44.5731-10 12.03.3225-10 11.02.9104 11.04.5500-20