THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – , – .
© COPYRIGHT – By – ALL RIGHTS RESERVED.


LOC	DIST
E	B


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D	ECO-13-010895	17JUN2014	RZ	MC


NOTES:

1. PACKAGE ONE COMPLETE CONNECTOR IN HEAT SEALED, LABELED BAG. LABELED PER TEC-107-115
2. TAPE AND REEL PACKAGING OPTION AS PER NOTES 13 AND 14
3. 0.1-0.2µm Au PLATING
4. FOUR POINT INDENT STAGGERED 90° ON RADIUS
5. 0.8µm Au PLATING
6. DIELECTRIC MUST WITHSTAND A 10 N AXIAL RETENTION FORCE AFTER INDENT
7. COAX CONNECTOR CONFORMS WITH SPEC CECC 22220
8. KAPTON CAP SHOWS JUST FOR 6-1337582-0






SECTION X-X



SCALE 5:1



SCALE 5:1

6--1 ⚠2	6--0 ⚠2	1--1 ⚠1	1--0 ⚠1	MATERIAL	DESCRIPTION	ITEM No
–	1	–	–	PLOYIMIDE GREEN	KAPTON GREEN CAP	8
1	1	–	–	POLYSTRENE REGRIND BLACK	REEL 13"	7
1	1	–	–	PET TRANSPARENT	COVER BELT FOR BLISTER BELT	6
1	1	–	–	POLYSTRENE VOLUME CONDUCTIVE	BLISTER BELT	5
1	1	1	1	BRASS	BODY ⚠3	4
1	–	1	–	PHOSPHOR BRONZE	FEMALE CONTACT ⚠5	3
–	1	–	1	PHOSPHOR BRONZE	FEMALE CONTACT ⚠3	2
1	1	1	1	PTFE	DIELECTRIC	1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± –
1 PLC	± 0.5
2 PLC	± 0.13
3 PLC	± 0.013
4 PLC	± 0.0001
ANGLES	± –

MATERIAL: SEE TABLE

FINISH: –

DWN	J.SANDWELL	10NOV2004
CHK	S.PARLOW	10NOV2004
APVD	F.WHEELER-KING	10NOV2004

PRODUCT SPEC: 108-3640

APPLICATION SPEC: –

WEIGHT: –

TE Connectivity

NAME: MCX SMD PCB SOCKET – –

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1337582	–

CUSTOMER DRAWING


SCALE	SHEET	REV
10:1	1 OF 2	D


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – , – .
© COPYRIGHT – By – ALL RIGHTS RESERVED.


LOC	DIST
E	B

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	—	—







SECTION Y–Y

NOTES (CONT):

9. LAST RUNNING ACCORDING TO IEC 60286–3
10. BLISTER BELT FILLED WITH PARTS
11. 400mm EMPTY BLISTER BELT, SEALED WITH COVER TAPE
12. BLISTER BELT ACCORDING TO IEC 60286–3
13. UNIT PER REEL: 800 PIECES
14. SMD–STRIP–PACKAGING ACCORDING TO IEC 60286–2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN	J.SANDWELL	10NOV2004
CHK	S.PARLOW	10NOV2004
APVD	F.WHEELER–KING	10NOV2004
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	–	

TE Connectivity

NAME
MCX SMD PCB SOCKET
–
–

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C–1337582	—

CUSTOMER DRAWING

SCALE	SHEET	REV
NTS	2 OF 2	D

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2005330-1 CPF0402B37K4E1 RH73H2A40MKTN 2310537-1 2834055-1 650075-000 U5254-000005-030PA
2380312-2 1-794222-0 1903112-2 917696-1 1-962915-1 175977-2 3-1393225-0 936348-1 141991-2
2-292161-3 2377783-2 3631B101LL SBCHE154R7K SBCHE64R7K TE50BR39J 1743455-2
CRGCQ2010J3K3 3430B2F51RTDF MPT100C18RF SMW73R0JT ROX05SJ18R 1393431-1 1969656-1