


| MAPX | MODIFICATION | DATE |
|---|---|---|
| | | |




NOTES:
1. HOUSING: SEE NOTES, UL94V-0 .
   TERMINAL: SEE NOTES.
   SHELL: SEE NOTES.

SPECIFICATION:
1. ELECTRICAL CHARACTERISTIC:
   CONTACT RESISTANCE: 30MΩ MAX
   DIELECTRIC WITHSTANDING VOLTAGE: 500V AC FOR 1MIN
   INSULATION RESISTANCE: 1000MΩ MIN
2. MECHANICAL CHARACTERISTIC:
   INSERTION FORCE: 35N(3.57KGF) MAX
   EXTRACTION FORCE: 10~35N(1.02~3.57KGF)MIN
   DURABILITY: 1500 CYCLES EXTRACTION FORCE:10~35N
   5000 CYCLES MIN
   5000 CYCLES EXTRACTION FORCE:3~35N
3. ENVIRONMENTAL:
   OPERATING TEMPERATURE: -55℃+85℃
4. Contact finish:
   01:Selective Gold Flash
   02:Selective Gold 3U″
   03:Selective Gold 5U″
   04:Selective Gold 15U″
   05:Selective Gold 30U″




RBCOMMENDBD P.C.B PATTBRN LAY OUT

产品图
PRODUCT CHART DWG


公差一览表
TOLERANCE UNLESS OTHERMSE


| | | | |
|---|---|---|---|
| X. | ±0.25 | X. | ±5.° |
| .X | ±0.20 | .X | ±2.° |
| .XX | ±0.15 | .XX | ±1.° |
| .XXX | ±0.10 | .XXX | ±0.5° |

# 深圳市精拓金电子有限公司

| | | | | | |
|---|---|---|---|---|---|
| 单位 UNITS | MM | 制图 DRAWING | 尹先华 | 制图料号 PRODUCT PART NO. | 907-421A1026P10200 |
| 比例 SCALE | 1:1 | 审核 CHKD | 郭治富 | 产品名称 PRODUCT NO | AF90度双层17.0沉板鱼叉脚无边铁壳黑胶24H |
| 日期 DATE | 2021-04-13 | 核准 APPD | 黄国荣 | 角法 VIEW | 版本 VER A0 |

| MAPX | MODIFICATION | DATE |
|---|---|---|
| | | |




1,包装盒为PVC透明吸塑盒
2,每盒包装数量为100PCS
3,每箱包装数量为3000PCS
4,纸箱规格为350*285*260MM
5,100PCS*10盘*2捆
6,100PCS*5盘*2捆

产品图
PRODUCT CHART DWG

| 公差一览表 TOLERANCE UNLESS OTHERMSE | | | |
|---|---|---|---|
| X. | ±1.00 | X. | ±5.° |
| .X | ±0.80 | .X | ±2.° |
| .XX | ±0.50 | .XX | ±1.° |
| .XXX | ±0.30 | .XXX | ±0.5° |

# 深圳市精拓金电子有限公司

| | | | | | |
|---|---|---|---|---|---|
| 单位 UNITS | MM | 制图 DRAWING | 尹先华 | 制图料号 PRODUCT PART NO. | 907-421A1026P10200 |
| 比例 SCALE | 1:1 | 审核 CHKD | 郭治富 | 产品名称 PRODUCT NO | AF90度双层17.0沉板鱼叉脚无边铁壳黑胶24H |
| 日期 DATE | 2021-04-13 | 核准 APPD | 黄国荣 | 角法 VIEW | 版本 VER A0 |

# Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

## Jing extension:

904-331B2032S10200 916-151A1022Y10200 908-351A1011D10100 920-C52A2021S10105
904-232A2031S10100 905-761A2032S10200 906-262A1021D10200 912-112A1011D10100
912-312A1012D10100 918-318K2023C40005 918-418K2022Y40011 918-468K2029Y50000
917-B88C201AH70201 919-162A1012D10400 920-154A2021Y10110 920-A64A2091S101A3
920-F52A2021S10105 907-312A1101Y10210 920-A62A2021S10108 906-752B1114D10200
907-111A1022D10200 910-151A2021D10100 911-221A2021S10100 912-112A2021S10100
904-232B2032S10100 917-P81A202ES60201 918-415K3028S40000 920-A62A2021S10104
920-C62A2021S10103 906-552A1012D10200