

© 2020TE Connectivity. All Rights Reserved.

ELECTRICAL	MECHANICAL	ENVIRONMENTAL
IMPEDANCE 50 Ohm FREQUENCY RANGE DC to 6GHz INSERTION LOSS: Max. 0.05*SQRT(F) dB VSWR: Max. 1.15@0-3GHz Max. 1.20@3-6GHz DIELECTRIC WITHSTAND VOLTANGE: Max.1500 V RMS INSULATION RESISTANCE Min.5000 Mohms PIM3: Max.-160dBc @2x20W,900MHz,1800MHz, 2100MHz tested with cable	MATING CYCLES: MIN. 100 CYCLES RECOMMENDED TORQUE: 5Nm CABLE PULLING: 150N MIN. CABLE TORSION: 0.06Nm MIN.	TEMPERATURE RANGE: -40°~+85°C SALT SPRAY: 96H INTERFACE SEAL: IP68(1m,24h) MATED PANEL SEAL: N/A


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD





RECOMMENDED CABLE DIMENSION



NOTE:

1. INTERFACE ACCORDING TO IEC 61169-54
2. CENTER CONTACT WITH AN INSULATOR, AND CLIP, ARE SPARE PARTS, AND WILL BE PACKAGED SEPARATELY IN BAG

P/N	PART NAME	MATERIAL	PLATING
2081974-1	CENTER CONTACT	BRONZE	SILVER
	OUTER CONTACT	BRONZE	SILVER
	BODY	BRASS	WHITE BRONZE
	INSULATOR	PTFE	
	CLIP	PTFE	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.2
1 PLC	±0.2
2 PLC	±0.2
3 PLC	±0.2
4 PLC	±0.2
ANGLES	±-

MATERIAL: SEE TABLE -

FINISH: SEE TABLE -

DWN JZ	10MAR2020
CHK RZ	10MAR2020
APVD RS	10MAR2020
PRODUCT SPEC	108-115175
APPLICATION SPEC	408-160018
WEIGHT	41g

TE Connectivity


NAME: 4.3-10 STRAIGHT JACK FOR 380 CABLE SOLDER TYPE, 4 HOLES SQUARE FLANGE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2081974	-


CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV A

© 2020TE Connectivity. All Rights Reserved.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD



TRAY PACKAGE



OUTER BOX (210PCS/BOX)



PACKAGE

(BOX SIZE ONLY FOR REFERENCE, UNIT: CM)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2; 1 PLC ±0.2; 2 PLC ±0.2; 3 PLC ±0.2; 4 PLC ±0.2; ANGLES ±-
MATERIAL: SEE TABLE -	FINISH: SEE TABLE -

DWN JZ	10MAR2020
CHK RZ	10MAR2020
APVD RS	10MAR2020
PRODUCT SPEC	108-115175
APPLICATION SPEC	408-160018
WEIGHT	41g
CUSTOMER DRAWING	

TE Connectivity

NAME: 4.3-10 STRAIGHT JACK FOR 380 CABLE SOLDER TYPE, 4 HOLES SQUARE FLANGE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2081974	-

SCALE	SHEET	REV
1:1	2 OF 2	A

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

175977-2 2-292161-3 3631B101LL CRGCQ2010J3K3 RH73H2A40MKTN SBCHE64R7K
U5254-000005-030PA 1393431-1 2380312-2 936348-1 1743455-2 1969656-1 3430B2F51RTDF
SBCHE154R7K 1-962915-1 141991-2 2005330-1 2310537-1 ROX05SJ18R MPT100C18RF SMW73R0JT
1903112-2 3-1393225-0 917696-1 2377783-2 TE50BR39J 2834055-1 1-794222-0 650075-000
CPF0402B37K4E1