

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.


LOC	DIST
	-

REVISIONS 変更


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	05DEC2018	F.Z	R.B








SCALE 2:1





RECOMMEND PC BOARD HOLE PATTERN
: CONNECTOR MOUNT SIDE(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1


1.MATERIAL:HOUSING:GLASS FILED THERMO PLASTIC
POLYESTER(94V-0),COLOR:BLACK
CONTACT:COPPER ALLOY
RETENTION LEG:PRE-TIN COPPER ALLOY

2.FINISH(ALL OVER):NICKEL PL. 1.27μmMIN


3.FINISH(CONTACT OVER):TIN PL. 1.0μmMIN AFTER 2

4.THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.


AS SHOWN : 1-2348454-0 (20POS:X-KEY)
ONLY 4POS----SEE SHEET 2 OF 3



20POS(X-KEY):1-2348454-0



SCALE 1:1



SCALE 2:1

POS	KEY	n	A	B	C	PART NO
20	X	9	22.5	26.0	27.6	1-2348454-0
16	X	7	17.5	21.0	22.6	1-2348454-8
12	X	5	12.5	16.0	17.6	1-2348454-6
10	X	4	10.0	13.5	15.1	1-2348454-5
8	X	3	7.5	11.0	12.6	1-2348454-4
6	X	2	5.0	8.5	10.1	1-2348454-3
4	X	1	2.5	6.0	7.6	1-2348454-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 粍 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3,±5°

0 PLC	±-
1 PLC	±0.3
2 PLC	±0.10
3 PLC	±0.001
4 PLC	±0.0001
ANGLES	±-

MATERIAL 材料 &material

FINISH 仕上 -

DWN	05DEC2018 F.ZHU
CHK	05DEC2018 RICK.BIAN
APVD	05DEC2018 RICK.BIAN
PRODUCT SPEC 製品規格	108-78298
APPLICATION SPEC 取付適用規格	114-5377
WEIGHT	-

TE Connectivity

NAME 名称: DYNAMIC D1200D 2.5mmPITCH HDR ASSY (V-TYPE) TIN PLATING 4-20POS

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	00779	C-2348454	

RESTRICTED CUSTOMER


SCALE 尺度 4:1 SHEET 1 OF 3 REV A


4POS(X-KEY):1-1827875-2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20

© COPYRIGHT 20 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS				
	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1 OF 3			








RECOMMEND PC BOARD HOLE PATTERN
: CONNECTOR MOUNT SIDE(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1

ONLY 4POS













4POS(X-KEY):1-2348454-2


SCALE 2:1












6POS(X-KEY):1-2348454-3



8POS(X-KEY):1-2348454-4

THIS DRAWING IS A CONTROLLED DOCUMENT.

SEE SHEET 1 OF 3

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.3
2 PLC	±0.10
3 PLC	±0.001
4 PLC	±0.0001
ANGLES	±-

MATERIAL &material

FINISH -

DWN	FISHER.ZHU 05DEC2018
CHK	RICK.BIAN 05DEC2018
APVD	RICK.BIAN 05DEC2018
PRODUCT SPEC	108-78298
APPLICATION SPEC	114-5377
WEIGHT	-

TE Connectivity

NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (V-TYPE) TIN PLATING 4-20POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2348454	

RESTRICTED CUSTOMER


SCALE 4:1 SHEET 2 OF 3 REV A


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST
	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			





10POS(X-KEY):1-2348454-5　12POS(X-KEY):1-2348454-6　16POS(X-KEY):1-2348454-8

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.3
2 PLC	±0.10
3 PLC	±0.001
4 PLC	±0.0001
ANGLES	±-

SEE SHEET 1 OF 3

MATERIAL &material

FINISH -

DWN	FISHER.ZHU 05DEC2018
CHK	RICK.BIAN 05DEC2018
APVD	RICK.BIAN 05DEC2018
PRODUCT SPEC	108-78298
APPLICATION SPEC	114-5377
WEIGHT	-

TE Connectivity

NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (V-TYPE) TIN PLATING 4-20POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2348454	

RESTRICTED CUSTOMER

SCALE 4:1 SHEET 3 OF 3 REV A

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1903112-2 2310537-1 2834055-1 SBCHE64R7K TE50BR39J 3-1393225-0 1393431-1 141991-2 175977-2
1969656-1 3430B2F51RTDF 1-794222-0 2-292161-3 SMW73R0JT CPF0402B37K4E1 RH73H2A40MKTN
U5254-000005-030PA SBCHE154R7K 1743455-2 2005330-1 2377783-2 650075-000 917696-1
CRGCQ2010J3K3 ROX05SJ18R 2380312-2 3631B101LL MPT100C18RF 1-962915-1 936348-1