

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on thisproduct doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.


ORIGINAL


REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		APPROVED REVISION	10/19/2010	Arron Lin
B	NE-11036	ADDED DATE CODE	03/18/2011	Arron Lin
C	NE-15093	UPDATE DRAWING	08/06/2015	Arron Lin
D	NE-17094	UPDATE PACKING DRAWING	04/28/2017	Arron Lin
E	NE-17186	UPDATE CARRIER	07/21/2017	Arron Lin












SECTION A-A


NOTES:
1. MATERIAL:
   HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, LCP , UL94V-0, 30% GLASS FIBER FILLED, COLOR: BLUE 300C
   TERMINAL: PHOSPHOR BRONZE.
   SHELL: SPCC
2. FINISH:
   TERMINAL:
   CONTACT AREA: GOLD PLATING 30 μ" THICKNESS MIN.
   SOLDERING AREA: MATTE TIN PLATING 100 μ" THICKNESS MIN.;
   UNDER PLATING: NICKEL PLATING 50 μ" THICKNESS MIN. OVERALL.
   SHELL:
   NICKEL PLATING 50 μ" MINIMUM OVERALL,
3. PRODUCT SPECIFICATION REFER TO : PS-7425
4. THIS PRODUCT IS LEAD-FREE & RoHS COMPLIANT PRODUCT.

PART NO. GSB3164X1CEU

PLATING OF SOLDERING AREA
4: 100u'' MATTE TIN



RECOMMEND P.C.B LAYOUT GERERAL TOLERANCE±0.05
(COMPONENT SIDE)



TOLERANCE	APPROVALS	DATE	TITLE
X. ±0.30 X.X ±0.20 X.XXX ±0.10 ANGULAR ±1° UNLESS OTHERWISE SPECIFIED	DRAWN Debby Hung CHECKED Sandy Wu APPROVED Arron Lin DWG TYPE CUST DWG	07/21/2017 07/21/2017 07/21/2017 PROJECT CODE OTHER	USB3.0 CONNECTOR STANDARD A TYPE, PLUG R/A SMT (CH=0.95)

UNIT	SIZE	PART No.	REV.
mm	A3	GSB3164X1CEU	
SCALE NA	SHEET 1 OF 2	DWG No. GSB3164X1CEU	E

Amphenol®
Amphenol Corporation
Amphenol Taiwan Corporation

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on thisproduct doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.

Amphenol Taiwan RoHS Compliant 2011/65/EU


ORIGINAL

ISSUED BY AMPHENOL TAIWAN PDF Format D.C.

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		APPROVED REVISION	10/19/2010	Arron Lin
B	NE-11036	ADDED DATE CODE	03/18/2011	Arron Lin
C	NE-15093	UPDATE DRAWING	08/06/2015	Arron Lin
D	NE-17094	UPDATE PACKING DRAWING	04/28/2017	Arron Lin
E	NE-17186	UPDATE CARRIER	07/21/2017	Arron Lin



THE DIRECTION OF PRODUCT PACKING



12.5	9.7	650	8	5200	GSB3164X1CEU
GROSS WEIGHT	NET WEIGHT	PCS/REEL	REELS /CARTON	QUANTITY	PART NUMBER

TOLERANCE	APPROVALS	DATE	TITLE
X.	DRAWN Debby Hung	07/21/2017	USB3.0 CONNECTOR STANDARD A TYPE, PLUG R/A SMT
X.X ±0.30	CHECKED Sandy Wu	07/21/2017	
X.XX ±0.20	APPROVED Arron Lin	07/21/2017	
X.XXX ±0.10	DWG TYPE CUST DWG	PROJECT CODE OTHER	
ANGULAR ±1°			
UNLESS OTHERWISE SPECIFIED			

Amphenol®
Amphenol Corporation
Amphenol Taiwan Corporation

UNIT	SIZE	PART No.	
mm	A3	GSB3164X1CEU	
SCALE NA	SHEET 2 OF 2	DWG No. GSB3164X1CEU	REV. E

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

Amphenol:

CD15S13E4RV09LF LD25S33E4GV00LF RJE061661210 65781-158 67996-204HLF 76384-316LF 86093488314745V1LF 86093968813H45V1LF DAPO15S365TLF LD15P33E4GV00LF 54202-G0805CLF 68001-200HLF 70234-112LF 70430-164LF D15P13A6RV12LF RJSBE5080C2 68001-108HLF DCMF37P DEM09P032N 54202-S08-07LF 68002116HLF 86093968191755E3LF 86130202123355E1LF 91614-403ALF 68000-236HLF 86093967896755LF 69192-408HLF 70218-1116LF 863013A 95157-140LF