





BODY ASSEMBLY




CENTER CONTACT



NUT
THICKNESS 2.4 (0.094)



WASHER
THICKNESS 0.5(0.019)



FERRULE

CABLE ATTACHMENT:
INNER CONTACT---------CRIMP(1.69 HEX.)
OR SOLDER
OUTER CONDUCTOR------CRIMP(6.48 HEX.)
ASSEMBLY INSTRUCTION--AS-73597-0039 (B)

CONSTRUCTION:
CONNECTOR BODY----------BRASS
DIELECTRIC----------TEFLON
CENTER CONTACT----------PHOSPHOR BRONZE
FERRULE ----------BRASS
NUT----------BRASS
WASHER----------PHOSPHOR BRONZE

FINISH :
CONNECTOR BODY----------NICKEL PLATING
CENTER CONTACT----------GOLD PLATING
FERRULE ----------NICKEL PLATING
NUT----------NICKEL PLATING
WASHER----------NICKEL PLATING

MECHANICAL & ELECTRICAL CHARACTERISTICS:
PER PRODUCT SPECIFICATION PS-73598-0001

MATERIAL & FINISH CHARACTERISTICS:
PER PRODUCT SPECIFICATION PS-73598-0001

PACKAGING:
INDIVIDUAL PLASTIC BAGS

LTR	REVISION RECORD	DR / CHK	DATE
B	AS-73597-0031 AS-73597-0039 0232	KELLY	93/10/14

STANDARD ITEM ☒YES ☐NO

MATERIAL : SEE NOTE
FINISH : SEE NOTE
SCALE : 4:1 UNIT : mm/(inch)
DRAWN BY : 1993/03/22
CHK'D BY :
APPR'D BY : 1993/03/22
SHEET 1 OF 1

MOLEX
TAIWAN LTD.
(R.F. DIVISION)

GENERAL TOLERANCES
ANGLE : ± 3° DIM. ± 0.25

DRW. NO.: SDA-73100-0002 REV B

TITLE : 75 OHMS BNC JACK
STRAIGHT BULKHEAD
RG59B/U,62A/U CRIMP/CRIMP

ENG. NO
EDP NO.
SIMILAR ITEM
PROJECT NO.
DO NOT SCALE DRAWING

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX TAIWAN AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

MATERIAL AND FINISHES:

BODY: BRASS
PALTED NICKEL

INSULATOR: TEFLON

CENTER CONTACT: PHOSPHOR BRONZE
PLATED GOLD


CRIMP TUBE: BRASS
PLATED NICKEL


JAM NUT: BRASS
PLATED NICKEL


LOCK WASHER: PHOSPHOR BRONZE
PLATED NICKEL


O-RING: SILICONE RUBBER

PACKAGING: INDIVIDUAL PLASTIC BAGS













CABLE ATTACHMENT:
INNER CONTACT: CRIMP (1.69 HEX.) OR SOLDER
OUTER CONDUCTOR: CRIMP (6.48 HEX.)
ASSEMBLY INSTRUCTION: AS-73597-0039









PS-73598-0001	MECHANICAL& ELECTRICAL
SPECIFICATION	DESCRIPTION

CHG: REDRAWN
EC NO: URF2017-0362 2017/04/26
DRWN: CWEI02
CHKD:
APPR: YCHENG 2017/05/09
DESCRIPTION
REV
B1

QUALITY SYMBOLS
E =0
E =0
P =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
0 PLACE	± ---	± ---

ANGULAR ± 2 °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY CWEI02 DATE 2017/04/26
CHECKED BY KERRIE DATE 2017/04/26
APPROVED BY YCHENG DATE 2017/05/09

TITLE: BNC JACK STR 75OHMS BULKHEAD RG59B/U, 62A/U

molex

MATERIAL NO. 731000002
DOCUMENT NO. SD-73100-0002
SHEET NO. 1 OF 1
SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

348268126 528523070 357470310 528520870 348242245 197134001 347072012 503988100 355240920 464373005 502584-0870 347928042 34708-2028 502380-0800 0477256010 197054301 459850483 502584-1060 351820290 528061110 0194360214 194290026 349672001 5023860371 502585-0370 0351510214 0464363133 194270031 194290039 347910140