
840/4 Z Tamper-proof Hex-Plus BO bits, Hex-Plus, 5.0 x 89 mm

Bits for Tamper-Proof Hexagon Socket Screws with safety pin



EAN:	4013288094339	**Size:**	89x7x6 mm
Part number:	05059644001	**Weight:**	19 g
Article number:	840/4 Z Hex-Plus BO	**Country of origin:**	CZ
		Customs tariff number:	82079030

- For socket head screws
- Ductile and tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

Tough viscous Wera bits for hexagon socket screws for universal use. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. ¼" hexagon, suitable for holders as per DIN ISO 1173-F 6.3. Hexagon socket BO screws have a protruding pin in their drive profile. This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. ¼" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

Web link
http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_tamper-proof_hexagon_socket_screws_with_safety_pin_840_4_z_hex-plus_bo.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

840/4 Z Tamper-proof Hex-Plus BO bits, Hex-Plus, 5.0 x 89 mm


Bits for Tamper-Proof Hexagon Socket Screws with safety pin

Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

With safety pin



For hexagon socket screws with safety pin.

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

	mm	mm	inch	mm
05059640001	2.0	89	3 1/2	4.0
05059641001	2.5	89	3 1/2	4.0
05059642001	3.0	89	3 1/2	4.0
05059643001	4.0	89	3 1/2	5.0
05059644001	**5.0**	**89**	**3 1/2**	**6.0**
05059645001	6.0	89	3 1/2	-

Web link
http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_tamper-proof_hexagon_socket_screws_with_safety_pin_840_4_z_hex-plus_bo.html

Wera - 840/4 Z Hex-Plus BO
05059644001 - 4013288094339

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

WERE-CHERN:

05118114001 967/9 TX XL HF 1 05052504001 05118014001 05056335001 05003604001 05018110001
05023330001 05051010001 05003639001 05004177001 05006451001 05059293001 05134015001
05104611001 05003880001 05104613001 05059552001 05074822001 05104630001 05004064001
05018282001 05051835001 05020013001 05056710001 05057432001 05074752001 05138265001
05066124001 05059770001