











NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: NONE
6. "XX" REFERS TO THE NUMBER OF CIRCUITS.

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX	#8-32 SCREW (OPT -A)	BRASS	NICKEL
3	XX	#8-32 SCREW W/WASH (OPT -A,-50)	STEEL	ZINC-CLEAR CHROMATE
2	XX	TERMINAL	BRASS	TIN
1	1	INSULATOR	THERMOPLASTIC	BLACK

EC NO. ECN 3956
DRWN: JF 12-17-04
CH'K:
APPR:
DESCRIPTION
REV B

QUALITY SYMBOLS
MAJOR
CRITICAL (C)
SPC (S)

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES		±.0015
3 PLACES	±.038	±.005
2 PLACES	±.13	±.01
1 PLACE	±.3	

ANGULAR: ±2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☐ mm ☒ INCH
THIRD ANGLE PROJECTION

DRAWN BY & DATE W. HOWARD 10-7-03
CHECKED BY & DATE R.KEMP 11-19-03
APPROVED BY & DATE P. WALTZ 11-21-03
CAD FILENAME 73R5XX-A-C

TITLE: SR BTS, CS, PC, NO MTG, ASSY

MOLEX INCORPORATED

MATERIAL NO. SEE CHART
DRAWING NO. SD-38735-002
SHEET NO. 1 OF 2

PROJECT NO. -
DIMENSIONS: ☒ mm/INCH ☐ INCH/mm ☐ mm ONLY
REVISE ON CAD ONLY
1 SHT | - REV

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE B

NUMBER OF CIRCUITS "XX"	DIM. "A"	DIM. "B"	MATERIAL NO. STD (OPT-A-C)	MATERIAL NO. (OPT-A-C-50)
02	24.6 [.97]	11.11 [.438]	38735-3702	38735-3902
03	35.8 [1.41]	22.23 [.875]	38735-3703	38735-3903
04	46.9 [1.85]	33.34 [1.313]	38735-3704	38735-3904
05	58.0 [2.28]	44.45 [1.750]	38735-3705	38735-3905
06	69.1 [2.72]	55.56 [2.188]	38735-3706	38735-3906
07	80.2 [3.16]	66.68 [2.625]	38735-3707	38735-3907
08	91.3 [3.60]	77.79 [3.063]	38735-3708	38735-3908
09	102.4 [4.03]	88.90 [3.500]	38735-3709	38735-3909
10	113.5 [4.47]	100.01 [3.938]	38735-3710	38735-3910
11	124.7 [4.91]	111.13 [4.375]	38735-3711	38735-3911
12	135.8 [5.35]	122.24 [4.813]	38735-3712	38735-3912
13	146.9 [5.78]	133.35 [5.250]	38735-3713	38735-3913
14	158.0 [6.22]	144.46 [5.688]	38735-3714	38735-3914
15	169.1 [6.66]	155.58 [6.125]	38735-3715	38735-3915
16	180.2 [7.10]	166.69 [6.563]	38735-3716	38735-3916
17	191.3 [7.53]	177.80 [7.000]	38735-3717	38735-3917
18	202.4 [7.97]	188.91 [7.438]	38735-3718	38735-3918
19	213.6 [8.41]	200.03 [7.875]	38735-3719	38735-3919
20	224.7 [8.85]	211.14 [8.313]	38735-3720	38735-3920

B

EC NO. SEE SHT1
DRWN:
CH'K:
APPR:
DESCRIPTION
-
REV

QUALITY SYMBOLS
MAJOR ▼ :
CRITICAL (C) :
SPC (S) :

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES		±.0015
3 PLACES	±.038	±.005
2 PLACES	±.13	±.01
1 PLACE	±.3	
ANGULAR: ±2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☐ mm ☒ INCH
THIRD ANGLE PROJECTION
PROJECT NO.- | 1 | -
DIMENSIONS: ☒ mm/INCH ☐ INCH/mm ☐ mm ONLY | SHT | REV
REVISE ON CAD ONLY

DRAWN BY & DATE W. HOWARD 10-7-03
CHECKED BY & DATE R. KEMP 11-19-03
APPROVED BY & DATE P. WALTZ 11-21-03

TITLE: SR BTS, CS, PC, NO MTG, ASSY

MOLEX INCORPORATED

CAD FILENAME 73R5XX-A-C
MATERIAL NO. SEE CHART
DRAWING NO. SD-38735-002
SHEET NO. 2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE B

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

194290039 347928042 348242245 351820290 5023860371 0194360214 197134001 347072012
34708-2028 347910140 459850483 0464363133 197054301 528520870 528523070 355240920
502380-0800 502585-0370 502584-1060 348268126 349672001 464373005 194290026 502584-0870
0351510214 503988100 0477256010 357470310 528061110 194270031