CV7370-000 ✔ ACTIVE

RAYCHEM

TE Internal #: CV7370-000

Right Angle, Size 222, Lipped, 25, 25, Adhesive Purchased Separately Adhesive Requirement, -75 – 150 °C [-103 – 302 °F], Heat Shrink Boots

View on TE.com >

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Right Angle



Body Orientation: **Right Angle**

Molded Part Shape Code: **222**

Lipped: **Yes**

Material Code: **25**

Material Systems Code: **25**

All Bulbous Heat Shrink Boots: Lipped, Right Angle (184)

Features

Configuration Features

Lipped	Yes
Adhesive Requirement	Adhesive Purchased Separately

Body Features

Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25

Housing Features

Body Orientation	Right Angle

Dimensions

Connector or Backshell Outside Diameter	32 mm, 34 mm, 36 mm, 38 mm, 40 mm[1.26 in][1.34 in][1.41 in][1.5 in][1.57 in]
Compatible Cable Diameter (Max)	11 mm, 12 mm, 14 mm, 16 mm, 18 mm, 20 mm[.43 in][.47 in][.55 in][.63 in][.71 in][.78 in]
Compatible Cable Diameter Range	9.9 – 22 mm[9.9 – 23 in]

Usage Conditions

Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]
Resistance Protection	Long-Term Fluid Exposure at High

	Temperatures

Other

Molded Part Shape Code	222

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 657863-000
S1125-KIT-8

Customers Also Bought




TE Part #1658537-4
SOCKET CONT DUPL PLT LP HD-20



TE Part #CV7360-000
202K121-25L-0



TE Part #CV7366-000
Bulbous Heat Shrink Boots: Lipped, Right Angle



TE Part #1617749
FCA-210-0924M=M83536/9-024M



TE Part #HD36-24-47PE
DEUTSCH HD30 Housings



TE Part #1-2176250-2
TJT 500W 68R 5%

TE Part #CJ6402-000
222K121-25/225-CS-2065-0

Documents

Product Drawings

222K163-25L-0

English

Datasheets & Catalog Pages

1654025_Sec4_-25

English

Raychem Molded Parts Visual Guide

English

Product Specifications

RAYCHEM BRAND MOULDED COMPONENTS, LIGHT WEIGHT, FLAME RETARDED, SEMI-RIGID, HEAT SHRINKABLE, ELASTOMER (-25L)

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

917688-1 HSHC4508K2J 170376-2 2005330-1 TE50BR39J SMV1W220KJT 282680-1 RH73H2A40MKTN SBCHE154R7K 1393454-9 292206-2 3-1447221-5 HT-CT-50M-1-OUT-0 U5254-000005-030PA 1-962915-1 2-521104-2 354022KFT 3631B101LL SBCHE64R7K 1897725-2 1903112-2 2098557-4 2310537-1 2380312-2 T4133012081-000 175977-2 2-520263-2 CPF0402B37K4E1 MPT100C18RF ROX05SJ18R