2-1355132-1 ✔ ACTIVE

MQS

TE Internal #: 2-1355132-1

Cover - Cable Exit, Black, PA GF, -40 – 120 °C [-40 – 248 °F],
Automotive Connector Caps & Covers

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers







Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Strain Relief: **Without**

Primary Product Color: **Black**

Primary Product Material: **PA GF**

Operating Temperature (Max): **70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C [158 °F, 167 °F, 176 °F, 185 °F, 194 °F, 212 °F, 221 °F, 230 °F, 248 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit

Body Features

Primary Product Color	Black
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	Without

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Industry Standards

UL Flammability Rating	UL 94HB

Packaging Features

Packaging Method	Box

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING

Customers Also Bought



TE Part #3-1355136-3
MQS, CONNECTOR HOUSING



TE Part #1-1355133-1
HEBEL F.AUFNAHM-GEH




TE Part #1719671-1
COVER MQS CB 90



TE Part #2098627-2
22P UNSEALED HYBRID PLUG ASSEM



TE Part #2272223-2
38 WAY ABS CONNECTOR ASSY KEY LEFT EXIT



TE Part #2098811-1
38 Way ABS Connector Wire Dress Cover

TE Part #638622-2
STRAIN RLF,WIRE,AIRBAG,SDM,GET

TE Part #1438521-1
FEMALE ASSEMBLY, 60 WAY, GET, TCM CONNEC

Documents

Product Drawings

COVER 94POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1355132-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1355132-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1355132-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2377783-2 1-794222-0 3631B101LL CRGCQ2010J3K3 141991-2 175977-2 1969656-1 2005330-1 2834055-1 650075-000 CPF0402B37K4E1 1-962915-1 1393431-1 936348-1 ROX05SJ18R SBCHE64R7K U5254-000005-030PA 1743455-2 917696-1 RH73H2A40MKTN SBCHE154R7K 2-292161-3 2310537-1 2380312-2 3430B2F51RTDF TE50BR39J 1903112-2 3-1393225-0 MPT100C18RF SMW73R0JT