SIEMENS

Data sheet 8MR6411-5LV25



Filter fan, Extract: W: 125 mm, H: 125 mm, RAL 7035, IP54, Airflow: 63 m3/h, Ue AC: 115 V

Model	
product brand name	SIVACON
product designation	filter fan
type of ventilation	ventilation
fan design withdrawable fan	No
design of the product EMC version	No
General technical data	
A-rated sound power level maximum	42 dB
consumed active power rated value	20 W
cutout width	125 mm
cutout height	125 mm
operating period	27 500 h
rotor speed at 50 Hz rated value	2 650 1/min
rotor speed at 60 Hz rated value	3 100 1/min
type of voltage of the operating voltage	AC
operating voltage	
● at AC at 50 Hz rated value maximum	115 V
● at AC at 60 Hz rated value maximum	115 V
Protection class	
protection class IP	IP54
Appearance	
color	light grey
Product details	
product component fan	No
Number	
number of ventilators	1
Mechanical Design	
height	148 mm
width	148 mm
depth	70 mm
installation location	Control cabinet side panels, door, vertical
fastening method	snap-on mounting
fastening method	
● 19-inch installation	No
● wall mounting	Yes
net weight	0.8 kg
material	plastic
ambient temperature during operation	
● minimum	-10 °C
● maximum	55 °C

Subject to change without notice
© Copyright Siemens

Approvals Certificates

General Product Approval				other	
CE EG-Konf.	Confirmation	UR	EAC	Miscellaneous	Confirmation

Environment

Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR6411-5LV25
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8MR6411-5LV25
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR6411-5LV25
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

last modified: 7/8/2021

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

SIEMENS:

3RT23251AF00 3RV20111CA20 3RV29011E 3SU14011BB501AA0 3SU19000AF160DP0 6EP19642BA00 3RV10111JA15 3RV2431-4PA10 5SJ43327HG42 3SE51321QV20 5SY4104-6 6EP3436-8SB00-0AY0 5ST3615 6EP32340TA000AY0 3RV24214DA15 3RV24314UA10 3RV29021AP0 3VA52157ED310AA0 6ES71346JD000CA1 6ES71944GA000AA0 3RT10546NB36 3SB2000-2JB01 3SU19000AF160DX0 3VA91440JH12 6ES7193-4JA00-0AA0 6ES72233BD300XB0 3SB29012NA 3VA51104GD410AA0 6XV18412B S55180-A134