MATERIALS AND FINISHES

BODY: ZINC ALLOY
PLATED NICKEL


CONTACT: PHOSPHOR BRONZE
PLATED GOLD

INSULATOR: POLYPROPYLENE (94 V-2)


MOUNTING POST: BRASS
PLATED TIN

JAM NUT: BRASS
PLATED NICKEL


SOLDER TAIL: COPPER COVERED STEEL
PLATED TIN




73171-4360	INCLUDED	QTY (1) OF 73138-5033 IN SINGLE BAG WITH LABEL
73171-3720	NOT INCLUDED	TRAY PER PK-89542-0021
73138-5033	INCLUDED	TRAY PER PK-89542-0020
PART NO.	HARDWARE	PACKAGING



PANEL CUT-OUT
THICKNESS: 5.5/.216 MAX
MOUNTING TORQUE: 17 IN-LBS MAX





PS-89675-1030	ELEC/MECH PERFORMANCE
SPECIFICATION	DESCRIPTION

CHG: ADD PN OF PKG FOR -3720 & -5033 PER EWR 10882-A
EC NO: URF2017-0360 2017/04/19
DRWN: EWEI02
CHKD:
APPR: YCHENG 2017/05/09
DESCRIPTION
REV
G5

QUALITY SYMBOLS
▼=0
▽C=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: IRIS WANG DATE: 1991/02/26
CHECKED BY: IRIS WANG DATE: 1991/02/26
APPROVED BY: R FIELDS DATE: 1991/02/26

TITLE: BNC JACK RA BULKHEAD DIECAST 50 OHM BNC-J/PCB

molex MOLEX INCORPORATED

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-73138-5033
SHEET NO.: 1 OF 1

SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

MATERIALS AND FINISHES

BODY: ZINC ALLOY
PLATED NICKEL


CONTACT: PHOSPHOR BRONZE
PLATED GOLD

INSULATOR: POLYPROPYLENE (94 V-2)


MOUNTING POST: BRASS
PLATED TIN

JAM NUT: BRASS
PLATED NICKEL


SOLDER TAIL: COPPER COVERED STEEL
PLATED TIN




73171-4360	INCLUDED	QTY (1) OF 73138-5033 IN SINGLE BAG WITH LABEL
73171-3720	NOT INCLUDED	TRAY PER PK-89542-0021
73138-5033	INCLUDED	TRAY PER PK-89542-0020
PART NO.	HARDWARE	PACKAGING



PANEL CUT-OUT
THICKNESS: 5.5/.216 MAX
MOUNTING TORQUE: 17 IN-LBS MAX





PS-89675-1030	ELEC/MECH PERFORMANCE
SPECIFICATION	DESCRIPTION

CHG: ADD PN OF PKG FOR -3720 & -5033 PER EWR 10882-A
EC NO: URF2017-0360 2017/04/19
DRWN: EWEI02
CHKD:
APPR: YCHENG 2017/05/09
DESCRIPTION
REV
G5

QUALITY SYMBOLS
▼=0
▽C=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: IRIS WANG DATE: 1991/02/26
CHECKED BY: IRIS WANG DATE: 1991/02/26
APPROVED BY: R FIELDS DATE: 1991/02/26

TITLE: BNC JACK RA BULKHEAD DIECAST 50 OHM BNC-J/PCB

molex MOLEX INCORPORATED

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-73138-5033
SHEET NO.: 1 OF 1

SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

349672001 502380-0800 528061110 528523070 194290039 5023860371 528520870 0351510214
34708-2028 357470310 502585-0370 197054301 503988100 347928042 0477256010 197134001
347910140 355240920 502584-1060 348268126 351820290 0464363133 347072012 0194360214
194270031 459850483 464373005 502584-0870 348242245 194290026