S1030-TAPE-3/4X33FT ✔ ACTIVE


RAYCHEM

TE Internal #: 095226-000

Polyolefin Adhesive, Hot Melt Tape

View on TE.com >

Wire Protection & Management > Adhesives & Sealants > Hot Melt Tape



Adhesive Type: **Polyolefin Adhesive**

Operating Temperature Range: **-80 – 80 °C**

Features

Product Type Features

Adhesive Type	Polyolefin Adhesive

Dimensions

Product Length	10 m[33 ft]
Product Width	19 mm[.75 in]

Usage Conditions

Installation Temperature	120 °C
Operating Temperature Range	-80 – 80 °C

Industry Standards

Adhesive Specification	RK-6017, RT-1050/6

Packaging Features

Packaging Method	Roll

Other

Adhesive Code	180, S1030

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)

	Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # CAT-R21-73106549
Bulbous Heat Shrink Boots: Lipped, Right Angle



TE Part # CAT-R21-731072
Bulbous Heat Shrink Boots: Lipped, Straight




TE Part # CAT-R21-7310723
Low Profile Heat Shrink Boots: Poly Molded, Lipped, Straight




TE Part # CAT-R21-731
Heat Shrink Boots: Non Lipped, Straight




TE Part # CAT-R21-7310654
Heat Shrink Boots: Non Lipped, Right Angle



TE Part # CAT-R21-7310554
Heat Shrink Boots: Lipped, Right Angle



TE Part # 740740-000
301A034-100-0




TE Part # 827914-000
382A034-100-0




TE Part # 439087-000
101A062-100-0




TE Part # 322629-000
101A073-100-0



TE Part # 301221-000
342A024-100-0




TE Part # 599886-000
362A014-100-0




TE Part # 559769-000
322A134-100-0




TE Part # 590655-000
101A094-100-0



TE Part # 630918-000
301A011-100-0



TE Part # 246977-000
301A022-100-0




TE Part # 580522-000
322A112-100-0



TE Part # 940811-000
342A012-100-0




TE Part # 515995-000
342A034-100-0



TE Part # 391025-000
462A011-100-0


Customers Also Bought




TE Part #591833-1
TJ F/B 20E09-653




TE Part #1-1971776-3
PTL 2X3 PLUG HSG STD TEMP KEY A NAT



TE Part #65002-06N
RECP ASSY



TE Part #935240-000
2020E0421-9X



TE Part #591833-2
TJ F/B 20E09-653



TE Part #521284-1
ULTRA-POD 187 ASSY REC 20-16 AWG BR



TE Part #ANT-916-CW-RCL
Antenna 1/2 Wave R-Angle 916MHz RPS

TE Part #309031-004
TU-40-050-28B

Documents

Product Drawings

S1030-TAPE-3/4X33FT

English

Datasheets & Catalog Pages

Adhesives Selection Guide

English

Product Specifications

S1030 ADHESIVE TAPE

English

Thermofit Adhesive and Sealant Thermofit S-1030

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1743455-2 MPT100C18RF SBCHE64R7K 1903112-2 2005330-1 1-794222-0 2310537-1 CPF0402B37K4E1 RH73H2A40MKTN SBCHE154R7K SMW73R0JT 1-962915-1 1969656-1 3430B2F51RTDF 3631B101LL CRGCQ2010J3K3 ROX05SJ18R U5254-000005-030PA 141991-2 2-292161-3 3-1393225-0 650075-000 TE50BR39J 1393431-1 936348-1 2377783-2 2380312-2 917696-1 175977-2 2834055-1