

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	I	CREATE NEW PART	15JUN2018	AL	SZ





1. HOUSING: GLASS FILLED HIGH TEMP THERMO PLASTIC, COLOR: BLACK, UL 94 V-O RATED
   SIGNAL CONTACT: COPPER ALLOY
   SIGNAL OVERMOLD: GLASS FILLED POLYESTER
   POWER CONTACT: COPPER ALLOY
2. CONTACT FINISH: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT, TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS

△5 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER

△6 PC BOARD THICKNESS 1.4mm MIN, FOR WAVE SOLDER PC BOARD THICKNESS 2.62 MAX

△7 SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION

8. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR

△9 UNPLATED HOLES

△10 #4-40 UNC PAN HEAD SCREW WITH HEX NUT, NOT SHOWN, SUPPLIED BY CUSTOMER

60	25	9	4	47.94	51.74	25S X 10P	8-1926739-3
F PLC	E PLC	D SPACES	C SPACES	DIM B	DIM A	NO OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: SEE NOTE 1
FINISH: SEE NOTE 2

DWN ANDY LI 15JUN2018
CHK SUNY ZHAO 15JUN2018
APVD SUNY ZHAO 15JUN2018
PRODUCT SPEC 108-2325
APPLICATION SPEC 114-13215
WEIGHT -

TE Connectivity

NAME: RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-8-1926739-3	


CUSTOMER DRAWING | SCALE 3:1 | SHEET 1 OF 3 | REV I


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-







THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: SEE NOTE 1

FINISH: SEE NOTE 2

DWN ANDY LI 15JUN2018
CHK SUNY ZHAO 15JUN2018
APVD SUNY ZHAO 15JUN2018

PRODUCT SPEC: 108-2325
APPLICATION SPEC: 114-13215
WEIGHT: -

TE Connectivity

NAME: RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-8-1926739-3	

CUSTOMER DRAWING | SCALE 3:1 | SHEET 2 OF 3 | REV I

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT 6

(AS VIEWED FROM COMPONENT SIDE)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: SEE NOTE 1
FINISH: SEE NOTE 2

DWN ANDY LI 15JUN2018
CHK SUNY ZHAO 15JUN2018
APVD SUNY ZHAO 15JUN2018
PRODUCT SPEC 108-2325
APPLICATION SPEC 114-13215
WEIGHT -

TE Connectivity

NAME RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-8-1926739-3 | RESTRICTED TO

CUSTOMER DRAWING | SCALE 3:1 | SHEET 3 OF 3 | REV 1

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1-962915-1 2310537-1 RH73H2A40MKTN 1-794222-0 1393431-1 1743455-2 CRGCQ2010J3K3 917696-1 ROX05SJ18R SBCHE154R7K SBCHE64R7K TE50BR39J 141991-2 2-292161-3 2380312-2 U5254-000005-030PA 175977-2 1969656-1 650075-000 3-1393225-0 CPF0402B37K4E1 MPT100C18RF SMW73R0JT 2005330-1 2834055-1 3430B2F51RTDF 3631B101LL 1903112-2 2377783-2 936348-1