
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – , .
© COPYRIGHT – By – ALL RIGHTS RESERVED.


LOC	DIST
J	—

REVISIONS 変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	REVISED	05AUG10	T.K	N.Y
	E1	REVISED PER ECR-14-010027	06AUG14	O.C	D.Z
	E2	REVISED PER ECR-20-000768	12FEB2020	SM	D.Z

テーピング仕様 B : 4極以上
TAPING STYLE B : 4Pos AND MORE








1. 累積ピッチ公差は20ピッチで±1.0mmとする
2. 測定位置はポスト先端中心とする
3. 貼り付けテープは台紙からはみ出さないこと
4. 測定位置はテーピングの上端位置とし、リード線の中心線との間隔とする
5. 12.7 PITCH 寸法の中心値を基準とする

1. ACCUMLATING TOLERANCE : ±1.0mm/20 PITCH
2. MESURING POINT : AT TOP OF POST
3. TAPE MUST NOT PROTRUDE FROM BACKING PAPER
4. MESURING POINT, THE TOP OF TAPING AND THE CENTER LINE OF LEAD WIRE IN BETWEEN
5. BE BASED ON THE CENTER 12.7mm PITCH DIMENSION


テーピング仕様 A : 2極、3極
TAPING STYLE A : 2Pos, 3Pos








2極
2 POS



つづら箱
AMMO PACK



基板取付け寸法
P.C.B MOUNTING LAYOUT
(適用基板厚 1.6mm)
(APPLICABLE P.C.B THK 1.6mm)

型番は、SHEET 2 OF 2 を参照
(P/N SEE SHEET 2 OF 2)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差
10> :±0.2
30> ≧10:±0.25
100> ≧30:±0.3
ANGLE :±3°

MATERIAL 材料: SEE TABLE 2
FINISH 仕上: SEE TABLE 2

DWN	N.YAMASAKI	3 SEP '01
CHK	M.SHINDO	3 SEP '01
APVD	Y.KASHIWA	3 SEP '01

PRODUCT SPEC 製品規格: 108-5703
APPLICATION SPEC 取付適用規格: 114-5286
WEIGHT:

TE Connectivity

NAME 名称: 2.5mm PITCH SIGNAL MATE CONN ON TAPE HEADER (V-TYPE)

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	00779	C-1376492	—

CUSTOMER DRAWING | SCALE 尺度 | SHEET 1 OF 2 | REV E2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT – By – ALL RIGHTS RESERVED.

LOC	DIST
—	—

REVISIONS 変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	–	–

ラジアルピン，ポストコンタクト位置
○：ラジアルピン，＊：ポストコンタクト，
－：ピン抜き

7	6	5	4	3	2	1	ハウジング極数	テーピング仕様	数量	BOSS	寸法 E	色	極数	ピッチ	型番
回路番号										ラジアルピン ヘッダーアッセンブリ					
				○	－	○	3	A	900	WITHOUT	10.0	RED	2	5.0	~~6-1376500-2~~
				○	－	○	3	A	900	WITHOUT	10.0	NATURAL	2	5.0	~~5-1376500-2~~
＊	＊	○	＊	○	＊	＊	7	B	450	WITHOUT	20.0	RED	7	2.5	6-1376492-7
＊	＊	○	＊	○	＊	＊	7	B	450	WITHOUT	20.0	NATURAL	7		5-1376492-7
	＊	＊	○	＊	○	＊	6	B	450	WITHOUT	17.5	BLUE	6		7-1376492-6
	＊	＊	○	＊	○	＊	6	B	450	WITHOUT	17.5	RED	6		6-1376492-6
	＊	＊	○	＊	○	＊	6	B	450	WITHOUT	17.5	NATURAL	6		5-1376492-6
		＊	○	＊	○	＊	5	B	450	WITHOUT	15.0	BLUE	5		~~7-1376492-5~~
		＊	○	＊	○	＊	5	B	450	WITHOUT	15.0	RED	5		6-1376492-5
		＊	○	＊	○	＊	5	B	450	WITHOUT	15.0	NATURAL	5		~~5-1376492-5~~
			＊	○	＊	○	4	B	450	WITHOUT	12.5	BLUE	4		~~7-1376492-4~~
			＊	○	＊	○	4	B	450	WITHOUT	12.5	NATURAL	4		5-1376492-4
				○	＊	○	3	A	900	WITHOUT	10.0	RED	3		6-1376492-3
				○	＊	○	3	A	900	WITHOUT	10.0	NATURAL	3		5-1376492-3
					○	○	2	A	900	WITHOUT	7.5	BLUE	2		7-1376492-2
					○	○	2	A	900	WITHOUT	7.5	RED	2		6-1376492-2
					○	○	2	A	900	WITHOUT	7.5	NATURAL	2	2.5	5-1376492-2

OBSOLETE

表 2
TABLE 2

部品番号 PARTS NO	名称 PARTS NAME	材質、表面処理 MATERIAL & FINISH
①	ヘッダーハウジング HEADER HOUSING	66ナイロンガラス強化(UL94V-0) 66 NYLON GLASS FILLED
②	ポスト コンタクト POST CONTACT	錫めっき済銅合金 PRE TIN BRASS
③	ラジアルピン RADIAL PIN	錫めっき済銅合金 PRE TIN BRASS
④	ラジアル テープ RADIAL TAPE	感熱紙 THERMAL PAPER
⑤	台紙 BACKING PAPER	クラフト紙 CRAFT PAPER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

MATERIAL 材料

FINISH 仕上

DWN

CHK

APVD

PRODUCT SPEC 製品規格

APPLICATION SPEC 取付適用規格

WEIGHT

TE Connectivity

NAME 名称: 2.5mm PITCH SIGNAL MATE CONN ON TAPE HEADER (V-TYPE)

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	00779	C-1376492	—

CUSTOMER DRAWING

SCALE 尺度

SHEET 2 OF 2

REV E2

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

SBCHE64R7K 3631B101LL CPF0402B37K4E1 ROX05SJ18R 175977-2 1903112-2 2310537-1 2380312-2
3430B2F51RTDF 1-794222-0 1743455-2 1969656-1 917696-1 MPT100C18RF 2005330-1 936348-1
SMW73R0JT 2-292161-3 3-1393225-0 1-962915-1 2377783-2 2834055-1 650075-000 RH73H2A40MKTN
CRGCQ2010J3K3 TE50BR39J U5254-000005-030PA 1393431-1 141991-2 SBCHE154R7K