
PART NO.	CCT SIZE	DIMENSION A	DIMENSION B	DIMENSION C
90584 -**26	26	(35.53)/1.399	(31.75)/1.250	(30.48)/1.200
-**24	24	(32.99)/1.299	(29.21)/1.150	(27.94)/1.100
-**22	22	(30.45)/1.199	(26.67)/1.050	(25.40)/1.000
-**20	20	(27.91)/1.099	(24.13)/ .950	(22.86)/ .900
-**18	18	(25.37)/ .999	(21.59)/ .850	(20.32)/ .800
-**16	16	(22.83)/ .899	(19.05)/ .750	(17.78)/ .700
-**14	14	(20.29)/ .799	(16.51)/ .650	(15.24)/ .600
-**12	12	(17.75)/ .699	(13.97)/ .550	(12.70)/ .500
-**10	10	(15.21)/ .599	(11.43)/ .450	(10.16)/ .400
-**08	8	(12.67)/ .499	(8.89)/ .350	(7.62)/ .300
-**06	6	(10.13)/ .399	(6.35)/ .250	(5.08)/ .200
90584 -**04	4	(7.59)/ .299	(3.81)/ .150	(2.54)/ .100




HOUSING
MATL. POLYESTER, RATED UL 94V-0, COLOUR WHITE.


IDT CONTACT
MATL : PHOSPHOR BRONZE (0.28)/.011 REF THICK.
PLATING : (2-4um) / 80-160u" TIN

NOTES:
1. APPL. CLASS TO DIN 40040 HME (-25°C/+100°C)
2. PRODUCT SPECIFICATION: PS-99020-0011
3. WIRE TERMINATION SPEC: ES-99033-0002
4. PACKAGING SPEC: PK-90584-001


90584- ✳ ✳ ✳ ✳
- 04 TO 26 = CKT SIZE.
- 3= NO CIRCUITS VOIDED. 4= CIRCUITS 4 & 5 VOIDED.
- 1= INDIVIDUAL TUBED ASSY
- 2= STACKED TUBED ASSY - SEE SHEET 2
- 8 = NON STANDARD TUBE OPTION - SEE SHEET 3
- 9= NON STANDARD OPTION - SEE SHEET3




AFTER TERMINATION
SEE NOTE 3



BEFORE TERMINATION





ADDED NON STD TUBE 2014/10/30
EC NO: IPG2015-0003 2014/07/07
DRWN:DBYRNES
CH'KD:
APPR:STGRIFFIN
DESCRIPTION
REV R

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


		DATE
DRAWN BY	DMCNAMAR	2003/09/01
CHECKED BY	BMAGUIRE	2003/09/01
APPROVED BY	MWILHITE	2003/09/01

TITLE: 1.27MM PF LOW PRO IDT BOARD-IN CONNECTOR

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-90584
SHEET NO.: 1 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



STACKED TUBED ASSEMBLY

REVISION UPDATE
EC NO: E2005-1027
DRWN:GMCSWEEN 2005/05/10
CH'KD:DMORIARTY 2005/05/10
APPR: JDENNEHY 2005/05/26
DESCRIPTION
REV

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: NTS
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: PW DATE: 1994/02/25
CHECKED BY: DMORIARTY DATE: 2005/05/06
APPROVED BY: JDENNEHY DATE: 2005/05/10

TITLE: 1.27MM PF LOW PRO IDT BOARD-IN CONNECTOR

molex MOLEX INCORPORATED

MATERIAL NO.: SEE SHEET 1
DOCUMENT NO.: SDA-90584
SHEET NO.: 2 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

528520870 0351510214 502584-0870 528061110 197134001 348268126 502584-1060 0477256010 194270031 349672001 351820290 459850483 347910140 502380-0800 0464363133 34708-2028 464373005 502585-0370 0194360214 194290026 347072012 355240920 357470310 503988100 347928042 528523070 194290039 197054301 348242245 5023860371