TE Connectivity: Every Connection Counts
© 2017 TE Connectivity Ltd. family of companies. All Rights Reserved

TERMINALS & SPLICES

AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD TERMINALS



✔ Active

TE CONNECTIVITY (TE)

JUN-POW-TIM KONTAKT

AMP | Junior Power Timer , Timer Connector System

928810-1
TE Internal Number: 928810-1

EU RoHS Compliant
EU ELV Compliant

Terminal & Splice Style Receptacle
Mating Tab Width 2.8 mm [.11 in]
Mating Tab Thickness .8 mm [.031 in]
Terminal Transmits 0 – 24 A (Low Power)
Wire Size (mm²) .5 – 1

PRODUCT DRAWING
English

3D PDF

DOCUMENTATION

Product Drawings

PRODUCT GROUP DRAWING FOR JUNIOR POWER TIMER CONTACT
PDF
English

Junior-Power-Timer Kontakt
TIF
German

CAD Files

Customer View Model
3D_IGS.ZIP
English

Downloaded from Arrow.com.

Customer View Model

3D_STP.ZIP

English

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

English

FEATURES

Please review product documents or contact us for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealable No
Primary Locking Feature Locking Lance
Wire Type Copper

Contact Features

Crimp Type F-Crimp
Typical Current Rating (A) 30
Terminal & Splice Style Receptacle
Mating Tab Width 2.8 mm [.11 in]
Mating Tab Thickness .8 mm [.031 in]
Interface Plating Tin (Sn)
Contact Termination Area Plating Material Tin (Sn)

Termination Features

Termination Method Crimp

Dimensions

Wire Size (mm^2) .5 – 1
Wire Size Search (AWG) 17, 18, 19
Wire Size Search (mm^2) .5, .6, .75, .85, 1
Wire Insulation Diameter (mm) 1.4 – 2.3

Usage Conditions

Operating Temperature Range -40 – 130 °C [-40 – 266 °F]

Industry Standards

Agency/Standard DIN 72 551 Part 6, DIN ISO 6722 part 3

Packaging Features

Downloaded from Arrow.com.

Packaging Quantity 4000
Packaging Method Reel

Other

Terminal Transmits 0 – 24 A (Low Power)

PRODUCT COMPLIANCE

Statement of Compliance

Statement of Compliance
PDF

Downloaded from Arrow.com.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2377783-2 CPF0402B37K4E1 175977-2 2380312-2 3-1393225-0 MPT100C18RF ROX05SJ18R 1393431-1
1903112-2 3430B2F51RTDF 1-962915-1 1969656-1 2834055-1 U5254-000005-030PA 141991-2
2310537-1 650075-000 936348-1 SMW73R0JT TE50BR39J 1743455-2 2-292161-3 917696-1
RH73H2A40MKTN CRGCQ2010J3K3 1-794222-0 2005330-1 3631B101LL SBCHE154R7K SBCHE64R7K