Nanonics Standard Catalog Part Number Cross-Reference

Revision 1

TE P/N	TE CD	Nanonics P/N	Part Description
1589487-1	1589487	STG009M6SN	Dualobe, 2 row, gold, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1589487-2	1589487	STG015M6DQ	Dualobe, 2 row, gold, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1589487-3	1589487	STG015M6KN	Dualobe, 2 row, gold, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
1589487-4	1589487	STG015M6SN	Dualobe, 2 row, gold, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1589487-5	1589487	STG037M6HN	Dualobe, 2 row, gold, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1589487-6	1589487	STL015M6CN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
1589487-7	1589487	STL015M6SN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1589487-9	1589487	STL025M6	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe.
1-1589487-0	1589487	STL025M6DQ	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589487-1	1589487	STL025M6N	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
1-1589487-2	1589487	STL025M6SN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589487-3	1589487	STL025M6SN7	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, w/ barrel nuts
1-1589487-5	1589487	STL037M6SN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589487-6	1589487	STL051M6A	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screws.
1-1589487-7	1589487	STL051M6SN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589487-8	1589487	STL065M6SN	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, 90 thru termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589487-9	1589487	STM009M6AN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589487-0	1589487	STM009M6DQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
2-1589487-1	1589487	STM009M6HN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589487-2	1589487	STM009M6SN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
2-1589487-3	1589487	STM015M6AN	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589487-4	1589487	STM015M6DQ	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
2-1589487-5	1589487	STM015M6HN	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589487-6	1589487	STM015M6N	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
2-1589487-7	1589487	STM015M6S	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs.
2-1589487-8	1589487	STM015M6SN	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
2-1589487-9	1589487	STM025M6AN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
3-1589487-0	1589487	STM025M6CN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
3-1589487-1	1589487	STM025M6DQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
3-1589487-2	1589487	STM025M6HN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
3-1589487-3	1589487	STM025M6N	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
3-1589487-4	1589487	STM025M6Q	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.2 jackscrews.
3-1589487-5	1589487	STM025M6SN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
3-1589487-6	1589487	STM037M6AN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
3-1589487-7	1589487	STM037M6AQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
3-1589487-8	1589487	STM037M6DN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
3-1589487-9	1589487	STM037M6DQ	Dualobe, 2 row, metal, 37 postion, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589487-0	1589487	STM037M6HN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
4-1589487-1	1589487	STM037M6SN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589487-2	1589487	STM037M6SQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589487-3	1589487	STM051M6CN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589487-4	1589487	STM051M6DQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589487-5	1589487	STM051M6HN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
4-1589487-6	1589487	STM051M6PQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589487-7	1589487	STM051M6SN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589487-8	1589487	STM051M6SQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
5-1589487-0	1589487	STM065M6	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe.
5-1589487-1	1589487	STM065M6CN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
5-1589487-2	1589487	STM065M6HM	OBSOLETE
5-1589487-3	1589487	STM065M6HN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
5-1589487-4	1589487	STM065M6SN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
5-1589487-6	1589487	STM009M6AQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
5-1589487-7	1589487	STM009M6IQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
5-1589487-8	1589487	STM015M6IQ	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
5-1589487-9	1589487	STM025M6IQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
6-1589487-0	1589487	STM037M6IQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
6-1589487-1	1589487	STL009M6CN	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589487-2	1589487	STM065M6KN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/4 standoffs, thread for 1.0 jackscrews.
6-1589487-3	1589487	STL025M6D	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/2 standoffs.
6-1589487-4	1589487	STL015M6HN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
6-1589487-5	1589487	STL025M6HN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
6-1589487-6	1589487	STL037M6HN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
6-1589487-7	1589487	STL051M6HN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
6-1589487-8	1589487	STM015M6CN	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589487-9	1589487	STM009M6CN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589487-0	1589487	STS015M6CN	Dualobe, 2 row, stainless, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589487-1	1589487	STS009M6CN	Dualobe, 2 row, stainless, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589487-2	1589487	STM051M6N	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.

7-1589487-3	1589487	STM065M6AQ	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
7-1589487-4	1589487	STG065M6SN	Dualobe, 2 row, gold, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589487-5	1589487	STL015M6KN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
7-1589487-6	1589487	STL025M6KN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
7-1589487-7	1589487	STG051M6HN	Dualobe, 2 row, gold, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
7-1589487-8	1589487	STL009M6HN	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
7-1589487-9	1589487	STM037M6CN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
8-1589487-0	1589487	STL051M6AN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
8-1589487-1	1589487	STL051M6IN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.0 jackscrews.
8-1589487-2	1589487	STL065M6HN	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, 90 thru termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
8-1589487-3	1589487	STM025M6AQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
8-1589487-4	1589487	STM015M6AQ	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
8-1589487-5	1589487	STL037M6IN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.0 jackscrews.
8-1589487-6	1589487	STM037M6PQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews.
8-1589487-7	1589487	STG025M6CN	Dualobe, 2 row, gold, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
8-1589487-8	1589487	STM065M6AN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
8-1589487-9	1589487	STM009M6N	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
9-1589487-0	1589487	STM025M6CN	Dualobe, 2 row, stainless, 25 position, receptacle, horizontal mount, 90 thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2-292161-3 2834055-1 SMW73R0JT 1-1743284-2 141991-2 1969656-1 292230-8 281990-2 3430B2F51RTDF 352116RFT 35402K7FT 36161 640174-1 CRGCQ0805F150R 2377783-2 917696-1 1MM-HU-D10-VS-00-F-TBP 2-520128-2 650075-000 936348-1 SMV3W5M6JT 1-794222-0 1393431-1 1488167-1 2-32562-2 3-1393225-0 917790-2 1743455-2 2-520103-2 CRGCQ2010J3K3