
© 2020TE Connectivity. All Rights Reserved.


ELECTRICAL	MECHANICAL	ENVIRONMENTAL
IMPEDANCE 50 Ohm FREQUENCY RANGE DC to 6GHz INSERTION LOSS: Max. 0.05*SQRT(F) dB VSWR: Max. 1.15@0-3GHz DIELECTRIC WITHSTAND VOLTANGE: Max.2500 V RMS INSULATION RESISTANCE Min.5000 Mohms PIM3: Max.-160dBc @2x20W,900MHz,1800MHz, 2100MHz tested with cable	MATING CYCLES: MIN. 100 CYCLES RECOMMENDED TORQUE: 5Nm CABLE PULLING: 1000N MIN. CABLE TORSION: 5Nm MIN.	TEMPERATURE RANGE: -40°~+85°C SALT SPRAY: 96H INTERFACE SEAL: IP68(1m,24h) MATED CLAMP SEAL: IP67(1m,0.5h)

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD



RECOMMENDED CABLE DIMENSION



NOTE:

1. INTERFACE ACCORDING TO IEC 61169-54

P/N	PART NAME	MATERIAL	PLATING
2081972-1	CENTER CONTACT	BRONZE	SILVER
	OUTER CONTACT	BRASS	WHITE BRONZE
	INSULATOR	PTFE	
	O-RING	SILICONE RUBBER	
	OTHERS	BRASS	NICKEL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.3
1 PLC	±0.2
2 PLC	±0.2
3 PLC	±0.2
4 PLC	±0.2
ANGLES	±-

MATERIAL: SEE TABLE -

FINISH: SEE TABLE -

DWN JZ	10MAR2020
CHK RS	10MAR2020
APVD RS	10MAR2020
PRODUCT SPEC	108-115175
APPLICATION SPEC	408-160016
WEIGHT	126g

TE Connectivity


NAME: 4.3-10 STRAIGHT PLUG, SCREW FOR 7/8 CABLE CLAMP TYPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2081972	-


CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV A

© 2020TE Connectivity. All Rights Reserved.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD




VACUUM PACKING(5PCS/BAG)



INNER BOX(10PCS/BOX)



OUTER BOX(100PCS/BOX)



PACKAGE

(BOX SIZE ONLY FOR REFERENCE, UNIT: CM)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.3
1 PLC	±0.2
2 PLC	±0.2
3 PLC	±0.2
4 PLC	±0.2
ANGLES	±-

MATERIAL: SEE TABLE -

FINISH: SEE TABLE -

DWN JZ	10MAR2020
CHK RS	10MAR2020
APVD RS	10MAR2020
PRODUCT SPEC	108-115175
APPLICATION SPEC	408-160016
WEIGHT	126g

CUSTOMER DRAWING

TE Connectivity

NAME: 4.3-10 STRAIGHT PLUG, SCREW FOR 7/8 CABLE CLAMP TYPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2081972	-

CUSTOMER DRAWING	SCALE 1:1	SHEET 2 OF 2	REV A

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1-962915-1 2005330-1 CPF0402B37K4E1 ROX05SJ18R 1743455-2 175977-2 2-292161-3 2310537-1 650075-000 917696-1 936348-1 TE50BR39J 141991-2 3430B2F51RTDF CRGCQ2010J3K3 SBCHE154R7K U5254-000005-030PA 1903112-2 2377783-2 MPT100C18RF 2380312-2 2834055-1 SBCHE64R7K SMW73R0JT 1-794222-0 1393431-1 1969656-1 3-1393225-0 3631B101LL RH73H2A40MKTN