HDC enclosures
HDC 16B TSBU 1PG21G

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



IP65 RoHS COMPLIANT

The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.
The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.
The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.
The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.
Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Order No.	1656480000
Type	HDC 16B TSBU 1PG21G
Version	HDC enclosures, Size: 6, Protection degree: IP 65, Cable entry from side, Plug housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 21
GTIN (EAN)	4008190409494
Qty.	1 pc(s).

Creation date July 25, 2013 8:54:01 PM CEST

HDC enclosures
HDC 16B TSBU 1PG21G

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Length	93.3 mm	Width	59 mm
Height	61 mm	Net weight	223 g

Dimensions

Total length housing	93.3 mm	Width housing C	43 mm
Height of housing B	61 mm	Cable entry	w. threading

General data

Housing main material	diecast aluminium

Version

Design of housing	Cable entry from side, Plug housing	Size	6
Design	Standard	Top part/bottom part/lid	upper part
Design of locking system	Side-locking clamp on lower side	Cable entry	w. threading
Size of cable entries	PG 21	Number of cable entry on top	0
Number of cable entry sideways	1		

Classifications

ETIM 2.0	EC000437	ETIM 3.0	EC000437
UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05
eClass 5.1	27-14-34-19	eClass 6.2	27-26-12-03
eClass 7.1	27-44-02-02		

Approvals

Approvals	c UL us
ROHS	Conform


Downloads

PDF	1656480000_HDC_16B_TSBU_1PG21G_STP_Blatt__1.pdf
IGES	1656480000_HDC_16B_TSBU_1PG21G_STP.igs
VRML	1656480000_HDC_16B_TSBU_1PG21G_STP.wrl
EPLAN	1656480000.MZF
3-D model	

HDC enclosures
HDC 16B TSBU 1PG21G

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

WeidmÃ¼ller:

1608570000 1804580000 1890260000 1950200000 024892 SAKS3 0303620000 1121990000 1289470000
1622940000 1649300000 1779950000 1609820000 1786450000 9037380000 9456650000 8690200000
8951460000 1221360000 1608830000 2642470000 1124150000 1127570000 1906650000 2535780000
1607520000 1760040000 1818090500 1031470000 1784180000 1013450000