SBCHE41K0J ✔ ACTIVE

CGS | CGS SBC

TE Internal #: 1623730-5

Power Resistor, Wire Wound, 4 W, 1K ohm, 5 %, ±200 ppm/°C, Axial-Leaded, Copper Termination, 20 x 7 x 8 mm, Loose Piece - Box, 2 Termination, CGS SBC

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistor Type: **Power Resistor**

Element Type: **Wire Wound**

Power Rating: **4 W**

Resistance Class: **1kΩ – 1MΩ**

Resistance Value: **1K Ω**

All Wirewound Resistor: Vertical Mount (137)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors	1

Electrical Characteristics

Power Rating	4 W
Resistance Class	1kΩ – 1MΩ
Resistance Value	1K Ω
Passive Component Tolerance	5 %

Body Features

Lead Type	Axial-Leaded

Termination Features

Termination Area Base Material	Copper
Number of Terminations	2

Dimensions

Passive Component Dimensions	20 x 7 x 8 mm

Usage Conditions

Operating Temperature Range	-55 – 350 °C
Temperature Coefficient	±200 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1623728-3
BCHE 11 W 10R 5%



TE Part # 1-1623728-1
BCHE 11 W 220R 5%



TE Part # 1-1623728-2
BCHE 11 W 22K 5%




TE Part # 2-1623728-2
BCHE 11 W 47R 5%



TE Part # 1623729-1
BCHE 17 W 100R 5%

Also in the Series | CGS SBC



Surface Mount Resistors(1)



Through-Hole Resistors(212)

Customers Also Bought



TE Part #66740-2
TYPE XII FEMALE CONT (L.P.)



TE Part #640387-8
08P MTA156 HDR ASSY SQ R/A R/B



TE Part #1-1419130-2
TSC-105L3H,000



TE Part #1-480318-9
02P CMNL PLUG HSG F/H BLK



TE Part #3-2176416-8
9W STD M/OX 5% 1K8



TE Part #1744036-3
03P ECONOMY POWER .200 CL HSG



TE Part #1-1423673-2
W51-A122B1-10=CKTBKR,THERM,ROC

Documents

Product Drawings

BCHE 4 W 1K0 5%

English

Datasheets & Catalog Pages

4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English

High Power Resistor - Type SBC (Square Ceramic) Series - Tyco Electronics Passives

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

175977-2 3430B2F51RTDF U5254-000005-030PA 2377783-2 CRGCQ2010J3K3 1-962915-1 1903112-2 141991-2 1743455-2 1969656-1 2-292161-3 650075-000 917696-1 SBCHE64R7K 2834055-1 3631B101LL 936348-1 MPT100C18RF SBCHE154R7K 2005330-1 SMW73R0JT TE50BR39J 1-794222-0 1393431-1 2310537-1 2380312-2 3-1393225-0 CPF0402B37K4E1 RH73H2A40MKTN ROX05SJ18R