1-176975-1 ✔ ACTIVE


AMP Universal Power

TE Internal #: 1-176975-1

Header, Plug, Wire-to-Board, 2 Position, 3.96 mm [.155 in] Centerline, Printed Circuit Board, AMP Universal Power, Rectangular Power Connectors

View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors







Rectangular Power Connector Type: **Header**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **2**

Centerline (Pitch): **3.96 mm [.155 in]**

Features

Product Type Features

Header Type	Fully Shrouded
Rectangular Power Connector Type	Header
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	2
PCB Mount Orientation	Vertical
Number of Power Positions	2
Number of Signal Positions	0
Number of Rows	1

Electrical Characteristics

Operating Voltage	50 VAC

Contact Features

Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	7 A
Contact Retention Within Housing	Without
Contact Type	Tab
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material Thickness	1 µm[39.37 µin]

Termination Features

Termination Method to PCB	Through Hole - Solder

Mechanical Attachment

Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	3.96 mm[.155 in]
Housing Color	Natural
Housing Material	Nylon 6/6 GF

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Operation/Application

Circuit Application	Power

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Quantity	400
Packaging Method	Bag & Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 176271-1
AMP UNIVERSAL POWER PLUG 2P




TE Part # 176271-4
AMP UNIVERSAL POWER PLUG 2P



TE Part # 176271-9
AMP UNIVERSAL POWER PLUG 2P



TE Part # 176271-6
AMP UNIVERSAL POWER PLUG 2P



TE Part # 176271-2
AMP UNIVERSAL POWER PLUG 2P

TE Part # 5-175175-8
U-POWER POST CONT F-0.64

Also in the Series | AMP Universal Power



Connector Contacts(22)



Insertion & Extraction Tools(1)




Rectangular Power Connectors(163)

Customers Also Bought



TE Part #5499786-6
A/L UNIV HDR 26P RA LG LAT



TE Part #3-350943-0
03P UMNL HDR ASSY R/A 94VO LF




TE Part #178497-1
UNIV. POWER HDR H 4P 3.96MM NA



TE Part #2-1393222-0
V23061A1005A302=MINISTARKSTROM




TE Part #6-535541-4
16 MODIV VRT SR CE 100/115




TE Part #1-2307816-6
16P,2MM,B-B,REC,DRVT,SMD,SN,TR, W/CP



TE Part #3-2176347-6
CRGCQ 2010 8K2 1%



TE Part #3913464001
CGPT-25.4/12.7-2-FSP



TE Part #1-2324245-0
ASSY,HDR,VERT,GWT,BOSSED,DUAL ROW, EP2.5

Documents

Product Drawings

AMP UNIVERSAL POWER PLG 2P PCB

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-176975-1_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-176975-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-176975-1_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Crimping of Universal Power Contact

English

Product Specification

Japanese

AMP Universal Power Connector

Japanese

Instruction Sheets

AMP UNIVERSAL POWER CONNECTOR SERIES

English

Instruction Sheet (non U.S.)

English

Agency Approvals

UL Report

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1969656-1 2-292161-3 2380312-2 RH73H2A40MKTN 2834055-1 3631B101LL CRGCQ2010J3K3 ROX05SJ18R SBCHE154R7K SMW73R0JT 2005330-1 TE50BR39J 1-962915-1 2310537-1 3430B2F51RTDF U5254-000005-030PA 1903112-2 936348-1 1-794222-0 650075-000 CPF0402B37K4E1 MPT100C18RF 1743455-2 175977-2 3-1393225-0 917696-1 SBCHE64R7K 141991-2 2377783-2 1393431-1