

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	ECR-21-100869	31MAR2021	PJ	FL
	B1	ECR-21-105673	06JUL2021	LZ	FL
	B2	ECR-21-118862	10NOV2021	SM	FL
	B4	ECR-24-207086	09MAY2024	SP	FL







NOTES:

1. HOUSING HAS RAST 5 COMPLIANT KEYING, LATCHING, AND POLARIZATION TAB IS 6.30 X 0.8, HOWEVER THE LOCATION OF THE TAB HOLE DOES NOT MEET DIN 46244
2. SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS
3. MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
   CONTACT: COPPER ALLOY, 0.8MM THICK
4. FINISH: CONTACTS, MATTE TIN PLATING OVERALL, NICKEL UNDER-PLATING
5. INVOLVED PARTS NOT HAVE THE SAME PCB LAYOUT AS GENERAL VERSION. PCB TABS INSERTED IN A STAGGERED PATTERN BEGINNING WITH POSITION 1 AS SHOWN (PCB HOLE POSTION FOR TAB 1 IS FIXED).
6. DIMENSION OFF OF LAST POSITION REGARDLESS OF EVEN OR ODD POSITION HEADER
7. PACKAGING: LOOSE PIECE
8. PRELIMINARY PART - NOT RELEASED FOR PRODUCTION THIS PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING
9. INVOLVED PARTS HAVE NOT THE SAME PCB LAYOUT








SECTION F-F

10. TOOL MARK ON TERMINAL SURFACE IS ACCEPTABLE WHICH DOES NOT IMPACT FUNCTION



RECOMMEND PCB LAYOUT - COMPONENT SIDE
PCB 1.5±0.2 THICK

30.30	32.30	6
25.30	27.30	5
20.30	22.30	4
15.30	17.30	3
10.30	12.30	2
M	N	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.25
3 PLC ±-
4 PLC ±-
ANGLES ±3°

MATERIAL: SEE NOTES -
FINISH: SEE NOTES -

DWN J. POTERJOY 09APR2015
CHK F. LUPO 09APR2015
APVD R. ROBONE 09APR2015
PRODUCT SPEC 108-106080
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME RAST 5 HDR ASSY, POSITIVE-LOCK SHROUDED, VERTICAL


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	-	C-2292457	-

CUSTOMER DRAWING | SCALE 7:1 | SHEET 1 OF 2 | REV B4








THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



PICTORIAL VIEW KEY

LAYOUT	COLOR	QTY	TAB CONTACT	QTY	HEADER HOUSING	NO. OF POS	RESIN A	RESIN B ⚠8
							TE PART NO.	
	NATURAL	6	POSITIVE-LOCK TAB CONTACT WITH MATTE TIN PLATING (2)	1	RAST 5 TAB HEADER HOUSING (1)	6	/	2390868-6 ⚠8
	NATURAL	5		1		5	1-2292457-5	/
	NATURAL	5		1		5	2292457-5	/
	NATURAL	4		1		4	3-2292457-4	3-2390868-4
	NATURAL	4		1		4	1-2292457-4 ⚠8	/
	NATURAL	4		1		4	2292457-4	2390868-4
	NATURAL	3		1		3	1-2292457-3	/
	NATURAL	3		1		3	2292457-3	2390868-3
	BLACK	2		1		2	3-2292457-2 ⚠8	/
	NATURAL	2		1		2	1-2292457-2	1-2390868-2
	NATURAL	2		1		2	2292457-2	2390868-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. POTERJOY 09APR2015	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.25 3 PLC ±- 4 PLC ±- ANGLES ±3°	CHK F. LUPO 09APR2015	
		APVD R. ROBONE 09APR2015	NAME RAST 5 HDR ASSY, POSITIVE-LOCK SHROUDED, VERTICAL
		PRODUCT SPEC 108-106080	
		APPLICATION SPEC -	SIZE A1 CAGE CODE - DRAWING NO C-2292457 RESTRICTED TO -
MATERIAL SEE NOTES -	FINISH SEE NOTES -	WEIGHT -	CUSTOMER DRAWING SCALE 7:1 SHEET 2 OF 2 REV B4

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1743455-2 2-292161-3 917696-1 650075-000 CRGCQ2010J3K3 MPT100C18RF SBCHE154R7K SMW73R0JT 141991-2 2005330-1 3-1393225-0 3631B101LL CPF0402B37K4E1 1-794222-0 175977-2 2310537-1 2377783-2 TE50BR39J 1-962915-1 U5254-000005-030PA 1903112-2 1969656-1 3430B2F51RTDF RH73H2A40MKTN ROX05SJ18R SBCHE64R7K 1393431-1 2380312-2 936348-1 2834055-1