
RT-770-3/16-0-SP



ACTIVE

Raychem

TE Part # **RT-770-3/16-0-SP**
TE Internal #: **C20427-000**

Color : **Black**
Wall Type : **Single**
Expanded Inside Diameter (Min) : **4.74 mm [.187 in]**
Shrink Ratio : **2:1**
Material : **Crosslinked Fluoroelastomer**

Add to List | Similar Products

ORDER SAMPLES

Compatible Parts & Tooling

SHOP OUR DISTRIBUTORS

North America

Request pricing, availability and customization options

CONTACT US

We are here to help!
Get in touch with our product experts.

CHAT WITH US

EMAIL US

CALL US

DOCUMENTS | FEATURES | PRODUCT COMPLIANCE

Catalog Pages/Data Sheets	ENG_CS_1654025_Sec3_RT-770_0313.pdf English
Product Specifications	ENG_SS_RT-770_Type-I_3.pdf English
Product Environmental Compliance	Safety Data Sheet ENG_MSDS_SDS0185-EC-ENG_2015-02-19.pdf English GER_MSDS_SDS0185-EC-GER_2015-02-19.pdf German Safety Data Sheet FRE_MSDS_SDS0185-EC-FRE_2015-02-19.pdf French Safety Data Sheet DUT_MSDS_SDS0185-EC-DUT_2015-02-19.pdf Dutch Safety Data Sheet ITA_MSDS_SDS0185-EC-ITA_2015-02-19.pdf Italian Safety Data Sheet SPA_MSDS_SDS0185-EC-SPA_2015-02-19.pdf Spanish Safety Data Sheet SWE_MSDS_SDS0185-EC-SWE_2015-02-19.pdf Swedish

Downloaded from Arrow.com.

Please review product documents or contact us for the latest agency approval information.

Product Type Features

Wall Type : **Single**

Body Features

Color : **Black**

Shrink Ratio : **2:1**

Material : **Crosslinked Fluoroelastomer**

Flexibility : **Flexible**

Fluid Type : **Aviation Fuel, Brake Fluid, Chemicals/Solvents, De-Icing Fluid, Diesel Fuel, Hydraulic Fluid, Lubricating Oil, Military Decontaminating Agents, Water**

Material Systems Code : **770 NBC**

Dimensions

Expanded Inside Diameter (Min) :
4.74 mm [.187 in]

Recovered Wall Thickness (Nominal) :
.08 mm [.003 in]

Usage Conditions

Shrink Temperature (Min) (°C):
150

Resistant To : **Fluids, Hydrocarbons, Radiation, Strain**

Operating Temperature Range (°C):
-55 – 125

Flammability : **Flame-Retardant**

Recovery Temperature (°C):
150

Fluid Resistance : **Immersion Protection, Splash Protection**

Product Availability

Applicable Region : **Worldwide**

Packaging Features

Packaging Method : **Piece**

Other

Product Source : **US**

Low Outgassing : **No**

Downloaded from Arrow.com.

Statement of Compliance	Statement of Compliance pdf


Compatible Parts

> Contact Product Support

Customers Also Bought




TE Part # TXR41AB90-1808AI
TXR41AB90-1808AI



TE Part # RT-770-1-1/4-0-SP
RT-770-1-1/4-0-SP



TE Part # TXR54AB90-1607AI
TXR54AB90-1607AI



TE Part # RT-770-5/8-0-SP
RT-770-5/8-0-SP

© 2018 TE Connectivity. All Rights Reserved.

Downloaded from Arrow.com.