

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	25MAY2015	DW	CW
	A1	ECR-18-017123	05DEC2018	KW	CW
	B	ECR-20-008190	20AUG2020	WQR	CW
	B1	ECR-21-105138	29JUN2021	WQR	CW



TYPE 1: LOW CONSTRUCTION, SIDE ENTRY



TYPE 2: LOW CONSTRUCTION, TOP ENTRY

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GREY
DEGREE OF PROTECTION: IP65 (MATED)

注释：
1. 技术参数：
上壳材料： 铝合金
表面处理： 粉末涂层，灰色
防护等级： IP65(配合)

PART NUMBER 料号	DESCRIPTION 描述	IG1	IG2	TYPE 类型
T1310160120-000	H16B-TS-RO-M20	HI6B HOOD,SIDE ENTRY M20,2 EAR, POWDER COATED,GREY HI6B上壳,侧出M20,2耳,灰色粉末喷涂	M20	-	TYPE 1
T1310160121-000	H16B-TS-RO-PG21	HI6B HOOD,SIDE ENTRY PG21,2 EAR, POWDER COATED,GREY HI6B上壳,侧出PG21,2耳,灰色粉末喷涂	PG21	-	
T1310160125-000	H16B-TS-RO-M25	HI6B HOOD,SIDE ENTRY M25,2 EAR, POWDER COATED,GREY HI6B上壳,侧出M25,2耳,灰色粉末喷涂	M25	-	
T1310160132-000	H16B-TS-RO-M32	HI6B HOOD,SIDE ENTRY M32,2 EAR, POWDER COATED,GREY HI6B上壳,侧出M32,2耳,灰色粉末喷涂	M32	-	
T1320160113-000	H16B-TG-RO-PG13	HI6B HOOD,TOP ENTRY PG13.5,2 EAR, POWDER COATED,GREY HI6B上壳,顶出PG13.5,2耳,灰色粉末喷涂	-	PG13.5	TYPE 2
T1320160121-000	H16B-TG-RO-PG21	HI6B HOOD,TOP ENTRY PG21,2 EAR, POWDER COATED,GREY HI6B上壳,顶出PG21,2耳,灰色粉末喷涂	-	PG21	
T1320160125-000	H16B-TG-RO-M25	HI6B HOOD,TOP ENTRY M25,2 EAR, POWDER COATED,GREY HI6B上壳,顶出M25,2耳,灰色粉末喷涂	-	M25	
T1320160132-000	H16B-TG-RO-M32	HI6B HOOD,TOP ENTRY M32,2 EAR, POWDER COATED,GREY HI6B上壳,顶出M32,2耳,灰色粉末喷涂	-	M32	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN David Wang 25MAY2015
CHK Chris Wang 25MAY2015
APVD Xiang Xu 25MAY2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H16B-TS/TG/TSH/TGH-RO-M/PG


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-T13X01601XX000	-

Customer Drawing | SCALE 1:1 | SHEET 1 OF 2 | REV B1

printed on 2 Jul 2021 11:15 (China Standard Time) from TE343646

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY

TYPE 4: HIGH CONSTRUCTION, TOP ENTRY

NOTES:
SEE SHEET 1

PART NUMBER 料号	DESCRIPTION 描述		IG3	IG4	TYPE 类型
T1330160121-000	H16B-TSH-RO-PG21	H16B HOOD,SIDE ENTRY PG21,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,侧出PG21,2耳,高结构,灰色粉末喷涂	PG21	-	TYPE 3
T1330160125-000	H16B-TSH-RO-M25	H16B HOOD,SIDE ENTRY M25,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,侧出M25,2耳,高结构,灰色粉末喷涂	M25	-	
T1330160129-000	H16B-TSH-RO-PG29	H16B HOOD,SIDE ENTRY PG29,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,侧出PG29,2耳,高结构,灰色粉末喷涂	PG29	-	
T1330160132-000	H16B-TSH-RO-M32	H16B HOOD,SIDE ENTRY M32,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,侧出M32,2耳,高结构,灰色粉末喷涂	M32	-	
T1330160140-000	H16B-TSH-RO-M40	H16B HOOD,SIDE ENTRY PG21,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,侧出PG21,2耳,高结构,灰色粉末喷涂	M40	-	
T1340160121-000	H16B-TGH-RO-PG21	H16B HOOD,TOP ENTRY PG21,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出PG21,2耳,高结构,灰色粉末喷涂	-	PG21	TYPE 4
T1340160125-000	H16B-TGH-RO-M25	H16B HOOD,TOP ENTRY M25,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出M25,2耳,高结构,灰色粉末喷涂	-	M25	
T1340160129-000	H16B-TGH-RO-PG29	H16B HOOD,TOP ENTRY PG29,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出PG29,2耳,高结构,灰色粉末喷涂	-	PG29	
T1340160132-000	H16B-TGH-RO-M32	H16B HOOD,TOP ENTRY M32,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出M32,2耳,高结构,灰色粉末喷涂	-	M32	
T1340160140-000	H16B-TGH-RO-M40	H16B HOOD,TOP ENTRY M40,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出M40,2耳,高结构,灰色粉末喷涂	-	M40	
T1340167134-000	H16B-TGH-RO-NPT3/4	H16B HOOD,TOP ENTRY NPT3/4,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H16B上壳,顶出NPT3/4,2耳,高结构,灰色粉末喷涂	-	NPT3/4	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN David Wang 25MAY2015
CHK Chris Wang 25MAY2015
APVD Xiang Xu 25MAY2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H16B-TS/TG/TSH/TGH-RO-M/PG

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-T13X01601XX000	-

Customer Drawing | SCALE 1:1 | SHEET 2 OF 2 | REV B1

printed on 2 Jul 2021 11:15 (China Standard Time) from TE343646

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

CPF0402B37K4E1 1393431-1 1969656-1 SBCHE64R7K U5254-000005-030PA CRGCQ2010J3K3
1-962915-1 2834055-1 3631B101LL RH73H2A40MKTN SBCHE154R7K 141991-2 TE50BR39J 1-794222-0
3430B2F51RTDF 650075-000 MPT100C18RF 2310537-1 2377783-2 1743455-2 2-292161-3 2380312-2
3-1393225-0 917696-1 ROX05SJ18R SMW73R0JT 175977-2 1903112-2 2005330-1 936348-1