
DATA SHEET

COAXIAL CONNECTOR, MMCX, 50 Ohm, Right angle cable plug (male)

16_MMCX-50-2-4/111_O

Properties

- Very small size
- Easy to connect and disconnect
- Wide range of board connectors and cable connectors available



Product configuration		
Interface type	Gender	Standard
MMCX	plug	HUBER+SUHNER-MMCX

Interface and material data		
Piece parts	Material	Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer conductor	Brass	Gold Plating (without Nickel underplating)
Body	Brass	Gold Plating (without Nickel underplating)
Insulator	PFA / PTFE	
Crimp ferrule	Copper	Gold Plating (without Nickel underplating)

Electrical data	
Impedance	50 Ω
Interface frequency	6 GHz

Mechanical data	
Weight	0.0009 kg
Mating cycles	500
Cable entry centre contact	soldered
Cable entry outer contact	crimped

Environmental data	
Operation temperature	-55 °C ... 155 °C

COAXIAL CONNECTOR, MMCX, 50 Ohm, Right angle cable plug (male)

16_MMCX-50-2-4/111_O

Ordering Information Table		
Item number	Item description	Packaging type
22649433	16_MMCX-50-2-4/111_OE	Single
22649635	16_MMCX-50-2-4/111_OH	Bulk 100 pcs

Suitable cables	
Cable group	U2 - 2 mm / 50 Ohm
Suitable cables	RG_316_/U
	RG_188_A/U
Additional cables	RG_174_/U

Additional Information	
Only as assembly	No

HUBER+SUHNER is certified by ISO 9001, ISO 14001, ISO 45001, IATF 16949, AS/EN 9100 and ISO/TS 22163-IRIS. Waiver: Facts and figures herein are for information only and do not represent any warranty of any kind.
DOCUMENT PIM-P3109 / Date of publication: 01.12.2023 / uncontrolled copy

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

Huber+Suhner:

16_MMCX-50-2-4/111_OH PCRS_LCUX_LCUX_A221T_01.0_SS PCRS_LCUX_LCUX_A221T_20.0_SS 11MMBXEF31616MMBX/300 11_SMC-50-2-10/111_NE 1399.17.0210 22512281 30-07835-10/A 6806.19.A G032D/BNCm/BNCm/1000 PS12_SCUS_0000_SM09E_02.0_S0 24_SMA-50-2-15/111_NH 33_PC24-SK-50-2/199_NE 84000918 1399.17.0231 24_BNC-50-2-1/133_NE 31_N-50-0-2/133_NE 80345518 1399.17.0122 3404.00.0012 82_MMCX-S50-0-2/111_KH 84093961 MINIBEND R-10 ST18A/Nm/Nm/3000mm 22540198 23002145 84057576 1399.31.0020 G032D/Nm/SMAm/1000 PCRS_LCMX_LCMX_O421T_05.0_LL