






NOTES


△1 材料及び仕上げ(めっき仕様)：TABLE1参照
MATERIAL AND FINISH：SEE TABLE 1
2.製品仕様書：2122090000-PS PS 000
PRODUCTS SPECOFOCATION：2122090000-PS PS 000
3.梱包仕様書：2122109200-SPK PS 200
PACKAGING SPECIFICATION：2122109200-SPK PS 200
△4 嵌合相手：212209シリーズ
MATE WITH：212209SERIES
5.アプリケーション仕様書(コネクタ取扱い説明書)：2166940000-AS PS 000
APPLICATION SPECIFICATION(CONNECTOR MANUAL)：2166940000-AS PS 000
△6 発注番号：SHEET 2参照
ORDER No.:PLEASE REFER TO SHEET 2 FOR PRODUCT LIST


212210 0 * * *

極数 CIRCUIT SIZE

ハウジングカラー HOUSING COLOR
0:ナチュラル NATURAL
1:黒 BLACK
2:赤 RED
3:黄 YELLOW







△1 TABLE1

番号 No.	部品 PART	材質 MATERIAL	
①	ハウジング HOUSING	ポリアミド(PA), UL94 V-0, ガラス含有, 色:SEE CHART POLYAMIDE(PA), UL94 V-0, GLASS FILED, COLOR : SEE CHART	
②	ピン PIN	MATERIAL	銅合金 COPPER ALLOY
		下地めっき UNDER PLATING	ニッケルめっき(下地):1.0 micro-metter MIN. NICKEL (UNDER PLATING)
		接点部 コンタクト	錫めっき：1.0 micro-meter MIN. MATTE TIN PLATING
		テール TAIL	錫めっき：1.0 micro-meter MIN. MATTE TIN PLATING

DOCUMENT STATUS	P1	RELEASE DATE	2020/11/25 10:07:03

6.6	11.7	6
3.3	8.4	4
-	6.6	2
B	A	極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	0.2
3 PLACES	±	0.2
2 PLACES	±	0.2
1 PLACE	±	0.2
0 PLACES	±	0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 649906
DRWN: HKOBAYASHI 2020/07/02
CHK'D: AIDA 2020/11/25
APPR: KOMURAKAMI 2020/11/25

INITIAL REVISION:
DRWN: HKOBAYASHI 2020/07/02
APPR: KOMURAKAMI 2020/11/25

THIRD ANGLE PROJECTION | DRAWING: A3-SIZE | SERIES: 212210

molex


CP-3.3 W/B HEADER ASSEMBLY DR ST DIP

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
2122100000-SD	PSD	000	A


MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
SEE CHART	GENERAL	1 OF 2

FORMAT: tb-prod-A3
REVISION: J
DATE: 2020/01/14



製品輪郭線
CONNECTOR OUTLINE


POLARIZED PCB LAYOUT:COMPONENT SIDE
RECOMMENDED PCB THICKNESS:1.6mm




製品レイアウト
PRODUCT LAYOUT


嵌合相手適合リテーナー:212213シリーズ
APPLICABLE RETAINER FOR HOUSING
212213SERIES

嵌合相手：212209 シリーズ
MATE WITH :212209SERIES





△4 嵌合図
MATED CONNECTOR



POTTING HEIGHT
ポッティング高さ

△6 PRODUCT LIST

YELLOW	RED	BLACK	NATURAL (WHITE)	HOUSING COLOR
2122100063	2122100062	2122100061	2122100060	6
2122100043	2122100042	2122100041	2122100040	4
2122100023	2122100022	2122100021	2122100020	2
発注番号　ORDER No.				極数 CIRCUIT SIZE
梱包形態：トレイ PACKAGE :TRAY				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	0.2
3 PLACES	±	0.2
2 PLACES	±	0.2
1 PLACE	±	0.2
0 PLACES	±	0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 649906
DRWN: HKOBAYASHI 2020/07/02
CHK'D: AIDA 2020/11/25
APPR: KOMURAKAMI 2020/11/25

INITIAL REVISION:
DRWN: HKOBAYASHI 2020/07/02
APPR: KOMURAKAMI 2020/11/25

molex

CP-3.3 W/B HEADER ASSEMBLY DR ST DIP

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
2122100000-SD	PSD	000	A

THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	A3-SIZE	212210	SEE CHART	GENERAL	2 OF 2

DOCUMENT STATUS	P1	RELEASE DATE	2020/11/25 10:07:03

FORMAT: master-lb-prod-A3
REVISION: J
DATE: 2020/01/14

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

190670071 190730231 151660057 436803002 444280402 190990009 417920538 0436400901 0436802002 430450225 447641402 447642001 447691602 459705185 190690096 190990010 5046940301 760475001 0190690033 0190700155 151670255 152660117 152670269 397730002 398800403 430451220 439151216 759001161 152670357 152670251