


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | A | INITIAL RELEASE | 25JUN2015 | DL | CW |
| | B | ECR-20-008181 | 13JUL2020 | WQR | CW |
| | C | ECR-23-195672 | 23MAY2024 | BS | CW |
| | | | | | |







TYPE 1: HIGH BODY + PLASTIC PROTECTION COVER

NOTES:
1. TECHNICAL CHARACTERISTICS:
   BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: POWDER-COATED, GRAY
   DEGREE OF PROTECTION: IP65 (MATED)

注释：
1. 技术参数：
   主体材料： 铝合金
   表面处理： 粉末喷涂， 灰色
   防护等级： IP65(配合)

| ASSEMBLY PART NUMBER | TYPE | ASSEMBLY PART DESCRIPTION | IG1 | IG2 |
|---|---|---|---|---|
| T1490100121-000 | TYPE1 | H10B-SDRH-BO-PG21 | PG21 | - |
| T1490100125-000 | | H10B-SDRH-BO-M25 | M25 | - |
| T1490100129-000 | | H10B-SDRH-BO-PG29 | PG29 | - |
| T1490100132-000 | | H10B-SDRH-BO-M32 | M32 | - |
| T1490100221-000 | | H10B-SDRH-BO-2PG21 | PG21 | PG21 |
| T1490100229-000 | | H10B-SDRH-BO-2PG29 | PG29 | PG29 |
| T1490100232-000 | | H10B-SDRH-BO-2M32 | M32 | M32 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: TBD -

FINISH: - -

DWN DAVID LI 25JUN2015
CHK CHRIS WANG 25JUN2015
APVD XU XIANG 25JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H10B-SDRH-BO-PG/M


| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A3 | - | C-T1490100XXX000 | |


CUSTOMER DRAWING | SCALE 1:2 | SHEET 1 OF 2 | REV C


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | - | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |
| | | | | | |






TYPE 2: HIGHT BODY + METAL PROTECTION COVER

OTHER SPEC REFER TO TYPE 1

| ASSEMBLY PART NUMBER | TYPE | ASSEMBLY PART DESCRIPTION | IG1 | IG2 |
|---|---|---|---|---|
| TI490101121-000 | TYPE 2 | H10B-SDRMH-BO-PG21 | PG21 | - |
| TI490101129-000 | | H10B-SDRHM-BO-PG29 | PG29 | - |
| TI490101132-000 | | H10B-SDRHM-BO-M32 | M32 | - |
| TI490101221-000 | | H10B-SDRMH-BO-2PG21 | PG21 | PG21 |
| TI490101229-000 | | H10B-SDRHM-BO-2PG29 | PG29 | PG29 |
| TI490101232-000 | | H10B-SDRHM-BO-2M32 | M32 | M32 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: TBD -

FINISH: - -

DWN DAVID LI 25JUN2015
CHK CHRIS WANG 25JUN2015
APVD XU XIANG 25JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H10B-SDRHM-BO-PG/M

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A3 | - | C-TI490100XXX000 | |

CUSTOMER DRAWING | SCALE 1:2 | SHEET 2 OF 2 | REV C

# Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

## TE Connectivity:

3631B101LL 936348-1 SBCHE154R7K SMW73R0JT 1-794222-0 175977-2 917696-1 U5254-000005-030PA 1393431-1 2834055-1 141991-2 2310537-1 3430B2F51RTDF CRGCQ2010J3K3 SBCHE64R7K 1-962915-1 ROX05SJ18R 1969656-1 2-292161-3 2377783-2 CPF0402B37K4E1 MPT100C18RF TE50BR39J 1903112-2 3-1393225-0 650075-000 RH73H2A40MKTN 1743455-2 2005330-1 2380312-2