
PROTECTIVE CAP, FEMALE WITH CHAIN

-

R143.835.000

Series : TNC



All dimensions are in mm.

COMPONENTS	MATERIALS	PLATINGS (µm)
BODY	**BRASS**	**Ni 2**
CENTER CONTACT	-	-
OUTER CONTACT	-	-
INSULATOR	-	
GASKET	-	
OTHERS PARTS	**BRASS**	**Ni 2**
-	-	-
-	-	-

Issue : 0522 B

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

RADIALL®

PROTECTIVE CAP, FEMALE WITH CHAIN

-

R143.835.000

Series : TNC

PACKAGING

Standard	Unit	Other
100	'W' option	Contact us

SPECIFICATION

ELECTRICAL CHARACTERISTICS

Impedance		NA	Ω
Frequency		NA	GHz
VSWR	- +	0.000	x F(GHz) Maxi
Insertion loss		NA	√F(GHz) dB Maxi
RF leakage	- (	NA	- F(GHz)) dB Maxi
Voltage rating		NA	Veff Maxi
Dielectric withstanding voltage		NA	Veff mini
Insulation resistance		NA	MΩ mini

ENVIRONMENTAL

Operating temperature	NA	° C
Hermetic seal	NA	Atm.cm3/s
Panel leakage	NA	

OTHERS CHARACTERISTICS

Assembly instruction

Others :
-

MECHANICAL CHARACTERISTICS

Center contact retention		
Axial force – Mating end	NA	N mini
Axial force – Opposite end	NA	N mini
Torque	NA	N.cm mini
Recommended torque		
Mating	NA	N.cm
Panel nut	NA	N.cm
Mating life	NA	Cycles mini
Weight	8.465	g

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

RADIALL®

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Radiall:

R143835000 R143835000W