
ASTA014NN00620235000 ✔ ACTIVE

TE Internal #: ASA014N00620235000

Cable-to-Cable, 17 Position, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Standard Circular Connectors

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors






Connector System: **Cable-to-Cable**

Connector Mounting Type: **Cable Mount (Free-Hanging)**

Number of Positions: **17**

Sealable: **No**

Circuit Application: **Signal**

Features

Product Type Features

Product Type	Connector Assembly
Connector System	Cable-to-Cable
Sealable	No
Circular Connector Type	Plug
Shell Type	Metal

Configuration Features

Number of Positions	17
Number of Signal Positions	17

Electrical Characteristics

Operating Voltage	125 VAC

Body Features

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy

Circular Connector Insulation Material Type	PBT GF

Mechanical Attachment

Mating Retention Type	Screw
Panel Mount Feature Type	Screw Mount
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Circular Connector Shell Size	23
Alignment Keyed	0°

Dimensions

Cable Diameter Range	6 – 10 mm[.23 – .39 in]

Usage Conditions

Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]

Operation/Application

Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	Yes

Industry Standards

UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # AGC139N00001215000
623 RECEPTACLE ANGLED ROTATABLE




TE Part # AKA015N00620200000
623 EXTENSION, SPEEDTEC-READY

TE Part # C0-0101-000-P00
CRIMPING TOOL SMALL WITH POSITIONER

TE Part # C0-0235-000-P00
DIGITAL CRIMPING TOOL, SMALL

Customers Also Bought



TE Part #2273003-2
M8 x 1.0 straight socket Pigtail



TE Part #T4061110004-004
M8 CABLE ST M 3M 4POS PVC CABLE



TE Part #T4062213004-005
RPC-M8-4MR-5.0SH-M8-4FS-PVC



TE Part #T4111002021-000
M12,MALE,STRAIGHT,A CODE,2P, PG9,GOLD



TE Part #T4133012021-000
M12,FRONT MOUNT,FEMALE,A,2P, SOLDER WIRE



TE Part #BGC110N00001216000
923 RECEPTACLE, ANGLED, ROTATABLE



TE Part #60-0197-011-P00
CONTACT SOCKET 1,5 MM



TE Part #1478769-6
ANTI-VIB NYLON GLD 32MM BLK



TE Part #8-1393131-0
PRDA-11AYA-24=PRD

TE Part #BSA078F52580235000
923 plug

Documents

Product Drawings

623 PLUG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ASA014N00620235000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_ASA014N00620235000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ASA014N00620235000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

ASA014N00620235000

English

fuer Datenblaetter, die online konfigurierbar sind

German

Product Specifications

German

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

322335 1-917659-5 1801174-1 2008571-3 2149966-1 2132781-3 336330-1 828801-6 320552 1-350945-0 ROX9J160R ROX9J820R SMF3100KJT 363549-000 641763-1 ROX9J120R ROX9J2K4 173796-E ROX9J4K3 T4112401051-000 5174225-5 967116-2 1-316080-2 1622820-6 SMA-A0102FTDL10K 539635-1 7-2178711-4 MPT100C8K2F ROX9J100R SC30R33KT