HDC enclosures
HDC 24B TOBU 1PG29G

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



IP65 RoHS COMPLIANT

The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.
The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.
The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.
The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.
Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Type	HDC 24B TOBU 1PG29G
Order No.	1661380000
Version	HDC enclosures, Size: 8, Protection degree: IP 65, Cable entry from top, Plug housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 29
GTIN (EAN)	4008190417932
Qty.	1 pc(s).

Creation date July 26, 2013 4:15:57 PM CEST

HDC enclosures
HDC 24B TOBU 1PG29G

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Length	120 mm	Width	59 mm
Height	61 mm	Net weight	264 g

Dimensions

Total length housing	120 mm	Width housing C	43 mm
Height of housing B	61 mm	Cable entry	w. threading

General data

Housing main material	diecast aluminium

Version

Internal thread	PG 29	Design of housing	Cable entry from top, Plug housing
Size	8	Design	Standard
Top partottom part/lid	upper part	Design of locking system	Side-locking clamp on lower side
Cable entry	w. threading	Size of cable entries	PG 29
Number of cable entry on top	1	Number of cable entry sideways	0

Classifications

ETIM 2.0	EC000437	ETIM 3.0	EC000437
UNSPSC	30-21-18-01	eClass 4.1	40-02-06-14
eClass 5.1	27-14-34-19	eClass 6.2	27-26-12-03
eClass 7.1	27-44-02-02		

Approvals

Approvals	c UL us
ROHS	Conform

Downloads

PDF	1661380000_HDC_24B_TOBU_1PG29G_STP_Blatt__1.pdf
IGES	1661380000_HDC_24B_TOBU_1PG29G_STP.igs
VRML	1661380000_HDC_24B_TOBU_1PG29G_STP.wrl
EPLAN	1661380000.MZF
3-D model	

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

WeidmÃ¼ller:

0303620000 1124150000 1013450000 1607520000 1608570000 1608830000 1784180000 1950200000
8951460000 9456650000 1890260000 1609820000 024892 SAKS3 1289470000 1818090500 2535780000
9037380000 1031470000 1622940000 1760040000 1779950000 1786450000 1804580000 2642470000
1121990000 1127570000 1221360000 1649300000 1906650000 8690200000