










RECOMMENDED P.C.B. LAYOUT

TOLERANCE UNSPECIFIED ±0.05mm



PIN 位图示

Pb Process Capable | RoHS Compliant 2002/95/EC | HALOGEN Compliant Halogen Free

NOTES：

特性：Specifications

电器 Electrical:

接触阻抗：初始最大不超过40mΩMax,测试后变化值不超过10mΩMax

耐电压：AC200V 60S/MIN,0.5mA

Max:DC500V,60S/MIN,100ΩMax

绝缘阻抗：100M ohms MIN

电镀规格：

端子：半金锡，接触点镀金1u，焊线处镀锡40-80u.

外壳：镀镍盐雾24H（备注：可依客户 要求电镀外壳）

卡钩：前镍后锡

环保要求：ROHS,REACH标准.

包装方式：依客户需求（建议使用REEL包装）

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
GND	TX1+	TX1-		CC1	D+	D-		VBUS			
	RX1+	RX1-									
B12	B11	B10	B9	B8	B7	B6	B5	B5	B3	B2	B10

Main body	LCP black high temperature resistant plastic	Shell	stainless steel 201.
Sheath	LCP black high temperature resistant plastic	Hook	Stainless steel 301.
Terminal	C5191 t = 0.15mm	EMI	stainless steel 301
Name	Texture of material	Name	Texture of material


品赞科技 G-Switch®


G-Switch Electronic (HongKong) CO.,Ltd.


Unless otherwise specified, Tolerance:


X.	±0.30
X.x	±0.20
X.xx	±0.15
X.xxx	±0.10
Angles	±3°


DESIGN Li Qingqi	DATE 2022.04.09	Molde code: GT-USB-8016A
CHECKED	DATE	
APPROVED	DATE	
http://www.dg-switch.com	REV.: X1	SCALE: 12:1 UNIT: mm
TEL:0769-82388879	SIZE: A4	SHEET: 1/1











NOTE: ALL DIMENSIONS TORLERANCE ARE:
1. ±0.25mm UNLESS OTHERWISE NOTED.
2. COMPONENT LOAD BY 13" REEL

Pb Process Capable | RoHS Compliant 2002/95/EC | HALOGEN Compliant Halogen Free

品赞科技 G-Switch ®

G-Switch Electronic (HongKong) CO.,Ltd.

Unless otherwise specified, Tolerance:	
X.	±0.30
X.x	±0.20
X.xx	±0.15
X.xxx	±0.10
Angles	±3°

DESIGN Li Qingqi	DATE 2022.04.09	Molde code: GT-USB-8016A	
CHECKED	DATE		
APPROVED	DATE		
http://www.dg-switch.com	REV.: X1	SCALE: 12:1	UNIT: mm
TEL:0769-82388879	SIZE: A4	SHEET: 1/1	

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

G-Switch:

GT-F0512SR18-04S0101 GT-F1007SR20-07S0101 GT-TB092B-H043-L1 GT-TC102A-H095-L1
PS-7054DVB-6PN PS-8055SVA-6PNA GT-A1002WRS-112SBT01 GT-A2501WVS-108SBT01
GT-F0509SR15-20SMT01 GT-TC029B-H030-L1A GT-TC036B-H035-L1 GT-F1009DV44-25BBT01
GT-TC018A-H035-L1 PS-5824DVA-4PN PS-5824SVA-6PN GT-A2501WVS-103SBT01
GT-TC034A-H025-L1NB GT-A1201WRS-106B1101 GT-A1257WVS-103SBT01 GT-F0502SR20-22SMT01
GT-F1010SR20-30SMT01 GT-TB092B-H090-L1 GT-TC084E-H043-L5 GT-TC089A-H075-L1
GT-TC158D-H0575-L1 GT-TC101B-H070-L1 GT-TC102A-H060-L1 GT-TC108A-H034-L1
GT-TC129B-H043-L1 GT-TC079A-H0040-L1