

Jun.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


HRS DRAWING FOR REFERENCE

RECOMMENDED PANEL CUTOUT(4:1)







MATED WITH CORRESPONDING PLUG(4:1)





RECOMMENDED PATTERN
GENERAL TOLERANCE IS ±0.05





RECOMMENDED METAL MASK OPENING
RECOMMENDED METAL MASK THICKNESS:t=0.10











NOTES.
1. INTERFACE DIMENSIONS CONFORMS TO USB2.0 SPECIFICATION.
2 CO-PLANARITY IS WITHIN 0.08mm.
3 PLATING
CONTACT AREA : GOLD 0.75μm MIN.
LEAD AREA : GOLD 0.05μm MIN.
UNDER PLATING: NICKEL 2μm MIN.
4 PER REEL : 2000 pcs.
5. AS FOR PART No.3. THE PERFORMANCE REMAINS GOOD EVEN IF THERE IS A RUBBING WOUND BY THE ASSEMBLY PROCESS. AND THE PERFORMANCE REMAINS GOOD EVEN IF THERE IS A DIFFERENCE OF THE COLOR OF PLATING WITH THE MANUFACTURING LOT.
6 CODE CONFIGRATION IS SHOWN IN FIG.1.
1 7 PCB CUTOUTS ARE NECESSARY TO PREVENT THE LOCK FROM HITTING THE PCB WHEN MATING PLUG.

NO.	MATERIAL	FINISH , REMARKS
2	COPPER ALLOY	3
1	LCP	COLOR GRAY UL94V-0

NO.	MATERIAL	FINISH , REMARKS
5	PE	
4	PS	
3	STAINLESS STEEL	UNDER PLATING:NICKEL MOUNTING AREA:TIN LUBRICANT

UNITS	SCALE		COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	1	2	DIS-E-00011746	KIM JAEHYEON	KG.OKITA	20221122

HIROSE ELECTRIC CO., LTD.


APPROVED	NM.NISHIMATSU	20151027
CHECKED	KN.ICHIKAWA	20151027
DESIGNED	TS.ITO	20151027
DRAWN	AK.AKIYAMA	20151027

DRAWING NO.	EDC-126189-30-00
PART NO.	ZX62RD-AB-5P8(30)
CODE NO.	CL0242-0025-0-30


1/2

Jun.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

4 PACKING DETAIL(FREE)



REEL(FREE)



HRS DRAWING FOR REFERENCE

6 FIG.1 LOT CODE CONFIGRATIONS FOR 4 DIGITS

YEAR		MONTH		DAY						LINE No.	
YEAR	CODE	MONTH	CODE	DAY	CODE	DAY	CODE	DAY	CODE	LINE No.	CODE
2007	7	Jan.	A	1	1	11	B	21	M	1	A
2008	8	Feb.	B	2	2	12	C	22	N	2	B
2009	9	Mar.	C	3	3	13	D	23	P	3	C
2010	0	Apr.	D	4	4	14	E	24	Q	4	D
2011	1	May.	E	5	5	15	F	25	R	5	E
		Jun.	F	6	6	16	G	26	S	6	F
		Jul.	G	7	7	17	H	27	T	7	G
		Aug.	H	8	8	18	J	28	U	8	H
		Sep.	I	9	9	19	K	29	V	9	I
		Oct.	J	10	A	20	L	30	W	10	J
		Nov.	K					31	X	11	K
		Dec.	L								

HRS	DRAWING NO.	EDC-126189-30-00
	PART NO.	ZX62RD-AB-5P8(30)
	CODE NO.	CL0242-0025-0-30

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

Hirose Electric:

ZE064W-8DP-HU/R(A) DF19A-3032SCFA(41) FX18-80S-0.8SH GT8E-6S-HU DF40C-50DP-0.4V(51) FH35C-19S-0.3SHW(50) FH41-30S-0.5SH(05) FX18-60S-0.8SH RM15TRH-10PH(81) ZE05-24DP-2H DF36A-25P-SHL FX8-120S-SV(22) RM12BRD-2PH(81) ZE05H-12DP-2H DF17(3.0)-40DS-0.5V(57) FH72-21S-0.3SHW ZE05H-4P-2V(A) DF11-16DP-2DSA(24) RM15TP-2PA(81) BM29B0.6-4DS/2-0.35V(51) DF52-4P-0.8C DF59M-2224PCF DF65-4P-1.7V(21) ZH05-20DP-HU(B) DF22A-1416SCFA DF33C-4S-3.3C DF57AH-5S-1.2C DF62C-4S-2.2C FH41-50S-0.5SH(28) HDE-CTH(10)