


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	ECR-16-013642	05MAY2017	BS	CW
	A3	ECR-18-006816	7MAY2018	RG	CW
	A4	ECR-18-018974	22NOV2018	WQR	CW
	B	ECR-21-109004	12AUG2021	WQR	CW











TYPE 1: H32B HOOD, SIDE ENTRY, 4 EAR

类型 1: H32B上壳, 侧出, 4耳



TYPE 2: H32B HOOD, TOP ENTRY, 4 EAR
OTHER SPEC REFER TO TYPE 1

类型 2: H32B上壳, 顶出, 4耳
未注规格参照类型1




TYPE 3: H32B HOOD, SIDE/TOP ENTRY, 4 EAR
OTHER SPEC REFER TO TYPE 1 & TYPE 2

类型 3: H32B上壳, 侧顶出, 4耳
未注规格参照类型1和类型2


NOTES:
1. TECHNICAL CHARACTERISTICS:
   BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: POWDER COATED, GREY
   DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
   主体材料: 铝合金
   表面处理: 灰色粉末喷涂
   防护等级: IP65(配合)



TYPE 4: H32B HOOD, TOP ENTRY (2 HOLE), 4 EAR
OTHER SPEC REFER TO TYPE 1

类型 4: H32B上壳, 顶出(2孔), 4耳
未注规格参照类型1



TYPE 5: H32B HOOD, SIDE ENTRY / TOP ENTRY (2 HOLE), 4 EAR
OTHER SPEC REFER TO TYPE 4

类型 5: H32B上壳, 侧出/顶出(2孔), 4耳
未注规格参照类型4

PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	PG/M THREAD-3 PG/M 螺纹孔-3	TYPE 类型
T1210320120-000	H32B-TS-M20	H32B HOOD, SIDE ENTRY M20, 4 EAR, POWDER COATED, GREY H32B上壳,侧出M20,4耳,灰色粉末喷涂	M20	-	-	TYPE 1 类型 1
T1210320121-000	H32B-TS-PG21	H32B HOOD, SIDE ENTRY PG21, 4 EAR, POWDER COATED, GREY H32B上壳,侧出PG21,4耳,灰色粉末喷涂	PG21	-	-	
T1210320125-000	H32B-TS-M25	H32B HOOD, SIDE ENTRY M25, 4 EAR, POWDER COATED, GREY H32B上壳,侧出M25,4耳,灰色粉末喷涂	M25	-	-	
T1210320129-000	H32B-TS-PG29	H32B HOOD, SIDE ENTRY PG29, 4 EAR, POWDER COATED, GREY H32B上壳,侧出PG29,4耳,灰色粉末喷涂	PG29	-	-	
T1210320132-000	H32B-TS-M32	H32B HOOD, SIDE ENTRY M32, 4 EAR, POWDER COATED, GREY H32B上壳,侧出M32,4耳,灰色粉末喷涂	M32	-	-	
T1210320136-000	H32B-TS-PG36	H32B HOOD, SIDE ENTRY PG36, 4 EAR, POWDER COATED, GREY H32B上壳,侧出PG36,4耳,灰色粉末喷涂	PG36	-	-	
T1210320140-000	H32B-TS-M40	H32B HOOD, SIDE ENTRY M40, 4 EAR, POWDER COATED, GREY H32B上壳,侧出M40,4耳,灰色粉末喷涂	M40	-	-	
T1220320121-000	H32B-TG-PG21	H32B HOOD, TOP ENTRY PG21, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG21,4耳,灰色粉末喷涂	-	PG21	-	TYPE 2 类型 2
T1220320125-000	H32B-TG-M25	H32B HOOD, TOP ENTRY M25, 4 EAR, POWDER COATED, GREY H32B上壳,顶出M25,4耳,灰色粉末喷涂	-	M25	-	
T1220320129-000	H32B-TG-PG29	H32B HOOD, TOP ENTRY PG29, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG29,4耳,灰色粉末喷涂	-	PG29	-	
T1220320132-000	H32B-TG-M32	H32B HOOD, TOP ENTRY M32, 4 EAR, POWDER COATED, GREY H32B上壳,顶出M32,4耳,灰色粉末喷涂	-	M32	-	
T1220320136-000	H32B-TG-PG36	H32B HOOD, TOP ENTRY PG36, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG36,4耳,灰色粉末喷涂	-	PG36	-	
T1220320140-000	H32B-TG-M40	H32B HOOD, TOP ENTRY M40, 4 EAR, POWDER COATED, GREY H32B上壳,顶出M40,4耳,灰色粉末喷涂	-	M40	-	
T1220320142-000	H32B-TG-PG42	H32B HOOD, TOP ENTRY PG42, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG42,4耳,灰色粉末喷涂	-	PG42	-	
T1220320148-000	H32B-TG-PG48	H32B HOOD, TOP ENTRY PG48, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG48,4耳,灰色粉末喷涂	-	PG48	-	
T1220320150-000	H32B-TG-M50	H32B HOOD, TOP ENTRY M50, 4 EAR, POWDER COATED, GREY H32B上壳,顶出M50,4耳,灰色粉末喷涂	-	M50	-	
T1220320163-000	H32B-TG-M63	H32B HOOD, TOP ENTRY M63, 4 EAR, POWDER COATED, GREY H32B上壳,顶出M63,4耳,灰色粉末喷涂	-	M63	-	
T1220320134-000	H32B-TG-G3/4	H32B HOOD, TOP ENTRY G3/4, 4 EAR, POWDER COATED, GREY H32B上壳,顶出G3/4,4耳,灰色粉末喷涂	-	G3/4	-	
T1200320240-000	H32B-TG/S-2M40	H32B HOOD, SIDE/TOP ENTRY M40, 4 EAR, POWDER COATED, GREY H32B上壳,侧/顶出M40,4耳,灰色粉末喷涂	M40	M40	-	TYPE 3 类型 3
T1200322921-000	H32B-TS/TG-PG29/PG21	H32B HOOD, TOP ENTRY PG21, SIDE ENTRY PG29, 4 EAR, POWDER COATED, GREY H32B上壳,顶出PG21,侧出PG29,4耳,灰色粉末喷涂	PG29	PG21	-	
T1220320225-000	H32B-TG-2M25	H32B HOOD, TOP ENTRY 2M25, 4 EAR, POWDER COATED, GREY H32B上壳,顶出2M25,4耳,灰色粉末喷涂	-	M25	M25	TYPE 4 类型 4
T1220320325-000	H32B-TG-3M25	H32B HOOD, TOP ENTRY 2M25, SIDE ENTRY M25, 4 EAR, POWDER COATED, GREY H32B上壳,顶出2M25,侧出M25,4耳,灰色粉末喷涂	M25	M25	M25	TYPE 5 类型 5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL - -
FINISH - -

DWN DAVID LI 02JUN2015
CHK CHRIS WANG 02JUN2015
APVD XU XIANG 02JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity


NAME H32B-TS/TG/TSB/TGB-PG/M


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	-	C-T12X032XXXX000	


CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-









TYPE 7: H32B HOOD, TOP ENTRY, WITH DOUBLE STEEL LOCKING
OTHER SPEC REFER TO TYPE 6

类型 7: H32B上壳, 顶出, 彩锌双扣
未注规格参照类型6





TYPE 6: H32B HOOD, SIDE ENTRY, WITH DOUBLE STEEL LOCKING

类型 6: H32B上壳, 侧出, 彩锌双扣

PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	TYPE 类型
TI250322121-000	H32B-TSB-PG21	H32B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,侧出PG21,彩锌双扣,灰色粉末喷涂	PG21	-	TYPE 6
TI250322129-000	H32B-TSB-PG29	H32B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,侧出PG29,彩锌双扣,灰色粉末喷涂	PG29	-	
TI250322132-000	H32B-TSB-M32	H32B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,侧出M32,彩锌双扣,灰色粉末喷涂	M32	-	
TI260320132-000	H32B-TGB-M32	H32B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,顶出M32,彩锌双扣,灰色粉末喷涂	-	M32	TYPE 7
TI260320136-000	H32B-TGB-PG36	H32B HOOD, TOP ENTRY PG36, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,顶出PG36,彩锌双扣,灰色粉末喷涂	-	PG36	
TI260320140-000	H32B-TGB-M40	H32B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,顶出M40,彩锌双扣,灰色粉末喷涂	-	M40	
TI260322121-000	H32B-TGB-PG21	H32B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,顶出PG21,彩锌双扣,灰色粉末喷涂	-	PG21	
TI260322129-000	H32B-TGB-PG29	H32B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B上壳,顶出PG29,彩锌双扣,灰色粉末喷涂	-	PG29	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN DAVID LI 02JUN2015
CHK CHRIS WANG 02JUN2015
APVD XU XIANG 02JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H32B-TS/TG/TSB/TGB-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	-	C-TI2X032XXXX000	

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV B

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2005330-1 1-962915-1 1393431-1 141991-2 1903112-2 650075-000 CPF0402B37K4E1 2380312-2 3631B101LL CRGCQ2010J3K3 SBCHE154R7K TE50BR39J 2310537-1 2377783-2 2834055-1 175977-2 ROX05SJ18R SMW73R0JT 1-794222-0 1743455-2 3-1393225-0 MPT100C18RF U5254-000005-030PA RH73H2A40MKTN 1969656-1 3430B2F51RTDF 2-292161-3 917696-1 936348-1 SBCHE64R7K