


CONFIDENTIAL







SECTION X-X
(奇数極断面図)
(ODD CKT.)



SECTION Y-Y
(偶数極断面図)
EVEN CKT.

33	31.05	29	528073010	30
32	30.05	28	528072910	29
31	29.05	27	528072810	28
30	28.05	26	528072710	27
29	27.05	25	528072610	26
28	26.05	24	528072510	25
27	25.05	23	528072410	24
26	24.05	22	528072310	23
25	23.05	21	528072210	22
24	22.05	20	528072110	21
23	21.05	19	528072010	20
22	20.05	18	528071910	19
21	19.05	17	528071810	18
20	18.05	16	528071710	17
19	17.05	15	528071610	16
18	16.05	14	528071510	15
17	15.05	13	528071410	14
16	14.05	12	528071310	13
15	13.05	11	528071210	12
14	12.05	10	528071110	11
13	11.05	9	528071010	10
12	10.05	8	528070910	9
11	9.05	7	528070810	8
10	8.05	6	528070710	7
9	7.05	5	528070610	6
8	6.05	4	528070510	5
7	5.05	3	528070410	4
6	4.05	2	528070310	3
C	B	A	ENG. NO.	極数 CIRCUIT





無鉛
LEAD FREE

注記 NOTES

1. 回路番号１を基準に奇数番目の極におけるソルダーテール。
ODD NUMBER SOLDER TAIL FROM THE CKT. NO. 1.
2. 回路番号１を基準に偶数番目の極におけるソルダーテール。
EVEN NUMBER SOLDER TAIL FROM THE CKT. NO. 1.
3. キンクはソルダーテール全極にもうける。
SOLDER TAIL KINK SHALL BE PROVIDED ON ALL TAILS.
4. 偶数極に適用。
APPLY FOR EVEN CKT..

材 料
MATERIAL
ハウジング：PPS UL 94V-0
HOUSING ：PPS UL 94V-0
ターミナル：りん青銅 錫メッキ t=0.25
TERMINAL : PHOS-BRO., TIN-PLATED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO:	108819	2016/01/12	
DRWN:	GB	2016/09/28	
CHK'D:	KTAKAHASHI	2016/09/29	
APPR:	TKUSUHARA01		
REV	A		

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	0.2
3 PLACES	±	0.2
2 PLACES	±	0.25
1 PLACE	±	0.3
0 PLACES	±	0.3

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS	MM
SCALE	10:1
DRWN BY	GB
DATE	2016/01/12
CHK'D BY	KTAKAHASHI
DATE	2016/09/28
APPR BY	TKUSUHARA01
DATE	2016/09/29
DRAWING SIZE	A3
THIRD ANGLE PROJECTION	

molex®

1.0 FFC CONN. NON Z.I.F. DIP R/A

PRODUCT CUSTOMER DRAWING


SERIES	MATERIAL NUMBER	CUSTOMER
52807	SEE CHART	GENERAL


DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
528071000	PSD	000	1 OF 2

RELEASE STATUS	P1	RELEASE DATE	29.09.2016 01:01:38

FORMAT: master-lb-prod-A3
REVISION: G
DATE: 2015/12/14

CONFIDENTIAL





(仕上がり厚さ0。3 ±0.03)
THICKNESS

適合FPC推奨寸法
APPLICABLE FPC
RECOMMENDED DIMENSION

基板取付穴推奨寸法
RECOMMENDED P.C. BOARD
HOLE DIMENSION
(マウント面 , t = 1。6)
(MOUNTING SIDE, t=1.6)

無鉛
LEAD FREE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 108819	2016/01/12		
DRWN: GB	2016/09/28		
CHK'D: KTAKAHASHI	2016/09/28		
APPR: TKUSUHARA01	2016/09/29		

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	0.2
3 PLACES	±	0.2
2 PLACES	±	0.25
1 PLACE	±	0.3
0 PLACES	±	0.3

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS	MM
SCALE	10:1
DRWN BY	GB
DATE	2016/01/12
CHK'D BY	KTAKAHASHI
DATE	2016/09/28
APPR BY	TKUSUHARA01
DATE	2016/09/29
DRAWING SIZE	A3
THIRD ANGLE PROJECTION	

molex®

1.0 FFC CONN. NON Z.I.F. DIP R/A

PRODUCT CUSTOMER DRAWING

SERIES	MATERIAL NUMBER	CUSTOMER
52807	SEE CHART	GENERAL

DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
528071000	PSD	000	2 OF 2

REV: A

RELEASE STATUS	P1	RELEASE DATE	29.09.2016 01:01:38

FORMAT: master-tb-prod-A3
REVISION: G
DATE: 2015/12/14

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

1200878703 150200083 2178431123 2183231061 559320830 151660051 2153482125 2174911202 2174911213 2153261101 0150200051 1300970327 2147561082 2147632113 0982670423 2163012123 2175202124 2153252062 2162721083 216288-1063 151660751 2138642633 2175101122 1451300703 217471-1221 2174902123 151670248 2174712111 2181021034 936012539