Inductor Data Sheet


1217AS-H-3R3N#

"#" indicates a package specification code.

In Production | General | 85 °C max. | Wound (Ferrite) | Reflow OK | RoHS | REACH

< List of part numbers with package codes >
1217AS-H-3R3N=P3

Shape





L size	8.0 ±0.3mm
W size	8.0 ±0.3mm
T size	4.5 mm
Size code in inch (mm)	3131 (8080)

Notes

Rated current (Isat) is specified when the decrease of the initial inductance value at 30%. (The ambient reference temperature is 20°C.)
Rated current (Itemp) is specified when temperature of inductor the is raised 40°C by DC current. (The ambient reference temperature is 20°C.)

References

Packaging code	Specifications	Minimum quantity
=P3	φ330mm Embossed taping	1000

Mass (Typ.)	
1 piece	1.167g

Specifications


Inductance	3.3μH ±30%
Inductance test frequency	0.1MHz
Rated current (Isat) (Based on Inductance change)	7700mA
Rated current (Itemp) (Based on Temperature rise)	6800mA
Max. of DC resistance	0.0144Ω
Avg. of DC resistance	0.0120Ω ±20%
Operating temperature range (Self-temperature rise is included)	-40～85°C
Class of magnetic shield	Ferrite Core
Series	DEM8045C

Attention


1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2.This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Chart of characteristic data (The charts below may show another part number which shares its characteristics.)

- Inductance-Current characteristics (Typ.)



- Temperature rise characteristics (Typ.)



Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2.This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

Murata Manufacturing:

GJM1555C1H6R0BB01D GRM155C81E225KE11D LQG18HH3N9S00D LQH5BPN100MT0L
DFE201610P-2R2M=P2 GRM1555C1H4R7CA01D GRM21BC81E106ME51L GRT155C81A105KE01D
LQW2BAN68NG00L GRM033R71A472KA01D GRM033R71E222KA12D GRM31BR73A471KW01L
LBEE5XV1YM-574 LQG15HS12NJ02D LQG15WZ9N5H02D BLM18HE152SZ1D GRM1555C2A330JA01D
XRCGE26M000FXA2AR0 BLM18HE601SN1D GRM155R61A223KA01D LQG15WH19NH02D
LQH43MN102J03L 84225C DLM0QSB350HY2D GCM188R71H152KA37D LQG15WZ0N7C02D
GRM0335C1H7R0BA01D LQH44PN3R3MPRL BLM21BD222TN1D LXES02TAA1-145