222K121-25L-0 ✔ ACTIVE

RAYCHEM

TE Internal #: CV7366-000

Right Angle, Size 222, Lipped, 25, 25, Adhesive Purchased Separately Adhesive Requirement, -75 – 150 °C [-103 – 302 °F], Heat Shrink Boots

View on TE.com >

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Right Angle



Body Orientation: **Right Angle**

Molded Part Shape Code: **222**

Lipped: **Yes**

Material Code: **25**

Material Systems Code: **25**

All Bulbous Heat Shrink Boots: Lipped, Right Angle (184)

Features

Configuration Features

Lipped	Yes
Adhesive Requirement	Adhesive Purchased Separately

Body Features

Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25

Housing Features

Body Orientation	Right Angle

Dimensions

Connector or Backshell Outside Diameter	12 mm, 14 mm, 16 mm[.47 in][.55 in][.62 in]
Compatible Cable Diameter (Max)	6 mm, 7 mm, 8 mm, 9 mm, 10 mm[.23 in][.27 in][.314 in][.35 in][.39 in]
Compatible Cable Diameter Range	5.6 – 13 mm[5.6 – 14 in]

Usage Conditions

Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]
Resistance Protection	Long-Term Fluid Exposure at High Temperatures

Other

Molded Part Shape Code	222

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 657863-000
S1125-KIT-8


Customers Also Bought



TE Part #087454-000
224W221-25-0




TE Part #2-2834074-3
3P PLUG, MINIATURE WATERPROOF CONN,BLACK



TE Part #1825140-2
MGDH04STR04=1/2 PITCH LOW P DIP T&R



TE Part #1241809-2
UMNL ST-SOCK,A-P 3P



TE Part #925714-2
MATENLOK SOCKET.140




TE Part #1-2834067-2
SOCKET CONTACT,MINIATURE WATERPROOF CONN



TE Part #2-2176325-5
CRGP 0402 1K0 1%



TE Part #806674-000
202D932-25-0



TE Part #364200-E
SRCBUG A 2,54 2 2 CSI 164 E1 ADV J 2 324



TE Part #160826-3
PL REC 22-18 AWG .0160 X 2.060 TPBR

Documents

Product Drawings

222K121-25L-0

English

Datasheets & Catalog Pages

1654025_Sec4_-25

English

Raychem Molded Parts Visual Guide

English

Product Specifications

RAYCHEM BRAND MOULDED COMPONENTS, LIGHT WEIGHT, FLAME RETARDED, SEMI-RIGID, HEAT SHRINKABLE, ELASTOMER (-25L)

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

2380312-2 MPT100C18RF ROX05SJ18R 175977-2 1897725-2 2098557-4 292206-2 3-1447221-5 T4133012081-000 282680-1 HSHC4508K2J U5254-000005-030PA 1393454-9 1903112-2 2-521104-2 2310537-1 CPF0402B37K4E1 SMV1W220KJT 2-520263-2 170376-2 2005330-1 354022KFT HT-CT-50M-1-OUT-0 RH73H2A40MKTN SBCHE154R7K 1-962915-1 SBCHE64R7K 3631B101LL 917688-1 TE50BR39J