Product Information

SYNTECH
3478HUR125P62 grey
EAN 4031582306378


Fixed castor, Fork made of pressed steel, bright zinc plated, blue passivated, wheel axle with nut, plate fitting.
Hybrid-wheel "SYNTECH", wheel centre and tread made of Polyamide, with elastic solid rubber centre, noise reduced, roller bearing



Technical Data

Wheel diameter	125 mm
Width of Tread	36 mm
Size of Plate	103 x 85 mm
Plate hole centres	80/77 x 60 mm
Plate hole	9 mm
Overall height	155 mm
Temperature	- 20 / + 60 °C
Standard	EN 12532
Weight	0.981 kg
Hardness of tread	D 75 Shore
Load capacity	200 kg
Load capacity (static)	400 kg


Roll performance	+ + + + +
Movement noise	+ + + + +
Attrition	+ + + + +
Corrosion resistance	+ + + + +



© Copyright 2015, TENTE International, www.tente.com, 21/12/2015

Product Information

SYNTECH
3478HUR125P62 grey
EAN 4031582306378



© Copyright 2015, TENTE International, www.tente.com, 21/12/2015

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TENTE:

3470BOG100P30-13 3470BOG100P62 3478UAR125P62 red 8470UOO080P62 8477UOO080P62 3470UOO080P30-13 3670ITP200P63 5920UOI035s70 8x15 1670PJO100P40PAF 3478PVR100P62PAF 5920PJI040L51-10 LOW Syntech 3478HUR125P62 grey 2477PJP125P50PAF 3640IEP200P63 4687ITP200P63 A520POI050S70-8X15 TOP082X91-20 3360PVR100P62PAF 3470IDG100P30-13 5920UOI035S70-10x15 S70-10x15 / 11 3470UOO080P30 3477UFR160P63 9680FTP160P63 STEM-B10-11X20/8 with circlips and clips 1678UOO050P40PAF 2477UYP125P30CHC10X90 3470ITP100P62 2477YGO100P30-13 2970 UOO 050 P40