




12 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION A




12 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION B



12 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION C




12 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION D




24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION A

NOT TOOLED




24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION B

NOT TOOLED



24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION C

NOT TOOLED



24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION D

NOT TOOLED

MINI50 RIGHT ANGLE HEADER ASSEMBLIES

MATERIAL NUMBER TRAY PACKAGING PK-31301-688	CIRCUIT	POL	COLOR	BLADE PLATING	MATING COMPONENT
34826-0120	12	A	BLACK	TIN OVER NICKEL	34824-0120
34826-0121	12	B	GRAY	TIN OVER NICKEL	34824-0121
34826-0122	12	C	BROWN	TIN OVER NICKEL	34824-0122
34826-0123	12	D	GREEN	TIN OVER NICKEL	34824-0123
34826-0240 - NOT TOOLED	24	A	BLACK	TIN OVER NICKEL	34824-0240 - NOT TOOLED
34826-0241 - NOT TOOLED	24	B	GRAY	TIN OVER NICKEL	34824-0241 - NOT TOOLED
34826-0242 - NOT TOOLED	24	C	BROWN	TIN OVER NICKEL	34824-0242 - NOT TOOLED
34826-0243 - NOT TOOLED	24	D	GREEN	TIN OVER NICKEL	34824-0243 - NOT TOOLED

NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:
   a. APPLICATION SPECIFICATION SEE: AS-34791-020
   b. PRODUCT SPECIFICATION SEE: PS-34791-020
   c. PACKAGING SPECIFICATION PER MOLEX DRAWING: PK-31301-688
   d. SOLDERABILITY PER SMES-152
   e. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: QEHS-699000-300
   f. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID=13255)
   g. FLAMMABILITY REQUIREMENT: PER ISO3795 OR GM3191
   h. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B)

2. DESIGN - MATERIALS:
   a. SHROUD (PLASTIC HOUSING): SPS 30% GF, 20% REGRIND MAX PER WEIGHT
   b. BLADES:
      BASE METAL: C260 BRASS
      PLATING REQUIREMENTS:
      TIN OVER NICKEL:
      UNDERPLATING:
      OVERALL NICKEL
      OVERPLATING:
      OVERALL TIN

3. DESIGN - GEOMETRY:
   a. THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.
   b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994
   c. GENERAL TOLERANCES: SEE TITLE BLOCK
   d. EDGES AND UNDIMENSIONED DETAILS PER ISO13715
   e. CORNERS SHOWN AS SHARP TO BE R 0.1 MAX
   f. LETTERING SHALL BE 0.10 MAX RAISED. THIS INCLUDES RECYCLING CODE, PLANT AND CAVITY ID, VENDOR ID, AND CIRCUIT ID.

LAST BALLOON ON DRAWING:
8
DELETED BALLOONS:

INITIAL RELEASE
EC NO: UAU2011-1043 2011/02/24
DRAWN:TCUCU 2011/02/25
CHKD:TMACHUGA 2011/05/18
APPR:SMARCEAU DESCRIPTION
1 REV

QUALITY SYMBOLS
▽=0
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.20	± ---
ANGULAR ± 3 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS


DIMENSION STYLE: MM ONLY
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: TCUCU DATE: 2011/02/24
CHECKED BY: TMACHUGA DATE: 2011/02/25
APPROVED BY: SMARCEAU DATE: 2011/05/18
MATERIAL NO.: SEE TABLE


TITLE: MINI50 DUAL ROW RIGHT ANGLE ASSEMBLY SALES DRAWING
molex MOLEX INCORPORATED
DOCUMENT NO.: SD-34826-000
SHEET NO.: 1 OF 2
SIZE: E

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


12 CIRCUIT RIGHT ANGLE HEADER





24 CIRCUIT RIGHT ANGLE HEADER




HEADER TO PCB FLUSH MOUNT











PCB LAYOUT
CONNECTOR MATE SIDE





POST HOLE TABLE

	DIM 'E'
PRESS FIT	2,15
DROP IN	2,55

INITIAL RELEASE
EC NO: UAU2011-1043 2011/02/24
DRWN: TCUCU 2011/02/25
CHKD: TMACHUGA 2011/05/18
APPR: SMARCEAU
DESCRIPTION
REV 1

QUALITY SYMBOLS
A =0
B =0
C =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.20	± ---
ANGULAR ± 3 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: TCUCU DATE: 2011/02/24
CHECKED BY: TMACHUGA DATE: 2011/02/25
APPROVED BY: SMARCEAU DATE: 2011/05/18
MATERIAL NO.: SEE TABLE

TITLE: MINI50 DUAL ROW RIGHT ANGLE ASSEMBLY SALES DRAWING
MOLEX INCORPORATED
DOCUMENT NO.: SD-34826-000
SHEET NO.: 2 OF 2
SIZE: E


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




12 CIRCUIT RIGHT ANGLE USCAR HEADER
POLARIZATION OPTION A




12 CIRCUIT RIGHT ANGLE USCAR HEADER
POLARIZATION OPTION B




12 CIRCUIT RIGHT ANGLE USCAR HEADER
POLARIZATION OPTION C




16 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION A




16 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION B




16 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION C




20 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION A




20 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION B




20 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION C



24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION A



24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION B



24 CIRCUIT RIGHT ANGLE HEADER
POLARIZATION OPTION C

NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:
   a. APPLICATION SPECIFICATION SEE: AS-34791-020
   b. PRODUCT SPECIFICATION SEE: PS-34791-020
   c. PACKAGING SPECIFICATION PER MOLEX DRAWING: SEE CHART
   d. SOLDERABILITY PER SMES-152
   e. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: QEHS-699000-300
   f. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID#13255)
   g. FLAMMABILITY REQUIREMENT: PER ISO3795 OR GM3191
   h. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B)

2. DESIGN - MATERIALS:
   a. SHROUD (PLASTIC HOUSING): SPS 30% GF, 20% REGRIND MAX PER WEIGHT
   b. BLADES:
      BASE METAL: C260 BRASS
      PLATING REQUIREMENTS:
      TIN OVER NICKEL:
      UNDERPLATING:
      OVERALL NICKEL
      OVERPLATING:
      OVERALL TIN

3. DESIGN - GEOMETRY:
   a. THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.
   b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 2009
   c. GENERAL TOLERANCES: SEE TITLE BLOCK
   d. EDGES AND UNDIMENSIONED DETAILS PER ISO13715
   e. CORNERS SHOWN AS SHARP TO BE R 0.1 MAX
   f. LETTERING SHALL BE 0.10 MAX RAISED. THIS INCLUDES RECYCLING CODE, PLANT AND CAVITY ID, VENDOR ID, AND CIRCUIT ID.

INSPECTION BALLON NUMBER LOG
PER DRAWING REVISION: G4
LAST BALLOON USED: 20
ADDED BALLOON NUMBERS: 19, 20
REMOVED BALLOON NUMBERS: 1, 2, 3, 4, 5

REV	DESCRIPTION
G5	UPDATED VIEWS TO MATCH CURRENT PRODUCTION. DIMS AND GEOMETRY DID NOT CHANGE
G4	ADDED PART NUMBERS: 34826-016X/816X/916X 34826-020X/820X/920X ADDED DIM D
G3	ADDED NOTE AND PIN TP
G2	UPDATED PBT PART NUMBERS
G1	NX REMASTERING

QUALITY SYMBOLS	
A	= 0
C	= 0
F	= 0
▼	= 0
C	= 0
☒	= 0
■	= 0
G	= 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 620513 2019/08/18
DRWN: SRUSS 2019/07/09
CHK'D: JDUNAJ
APPR: JDUNAJ
REV G5 2019/07/11

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	
3 PLACES	±	
2 PLACES	±	0.1
1 PLACE	±	0.2
0 PLACES	±	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS	SCALE
MM ONLY	5:1
DRWN BY	DATE
TCUCU	2011/02/24
CHK'D BY	DATE
TMACHUGA	2011/02/25
APPR BY	DATE
SMARCEAU	2011/12/12
DRAWING SIZE	THIRD ANGLE PROJECTION
D	

molex®

MINI50 R/A DUAL ROW
RIGHT ANGLE ASSEMBLY SALES DRAWING

PRODUCT CUSTOMER DRAWING


SERIES	MATERIAL NUMBER	CUSTOMER
34826	SEE CHART	GENERAL MARKET

DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
SD-34826-001	PSD	001	1 OF 5


RELEASE STATUS	P1	RELEASE DATE	2019/07/11 19:47:43

TEMPLATE VERSION 03-APR-07
REVISION: G
DATE: 2017/10/06


12 CIRCUIT RIGHT ANGLE USCAR HEADER




16 CIRCUIT RIGHT ANGLE HEADER





20 CIRCUIT RIGHT ANGLE HEADER





24 CIRCUIT RIGHT ANGLE HEADER


















NOTE: SIDE VIEW IS SIMILAR FOR ALL CKTS ON THIS DRAWING



QUALITY SYMBOLS	
A	= 0
E	= 0
B	= 0
D	= 0
C	= 0
	= 0
	= 0
	= 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REV	EC NO	DRWN	CHK'D	APPR	
G5	620513	SRUSS	JDUNAJ	JDUNAJ	2019/06/18 2019/07/09 2019/07/11

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °	
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.1
1 PLACE	± 0.2
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS	SCALE
MM ONLY	5:1
DRWN BY	DATE
TCUCU	2011/02/24
CHK'D BY	DATE
TMACHUGA	2011/02/25
APPR BY	DATE
SMARCEAU	2011/12/12
DRAWING SIZE	THIRD ANGLE PROJECTION
D	

molex®

MINI50 R/A DUAL ROW
RIGHT ANGLE ASSEMBLY SALES DRAWING


PRODUCT CUSTOMER DRAWING

SERIES	MATERIAL NUMBER	CUSTOMER
34826	SEE CHART	GENERAL MARKET


DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
SD-34826-001	PSD	001	2 OF 5

RELEASE STATUS	P1	RELEASE DATE	2019/07/11 19:47:43


12 CIRCUIT RIGHT ANGLE HEADER PCB CONFIGURATION




16 CIRCUIT RIGHT ANGLE HEADER PCB CONFIGURATION



20 CIRCUIT RIGHT ANGLE HEADER PCB CONFIGURATION



24 CIRCUIT RIGHT ANGLE HEADER PCB CONFIGURATION



POST HOLE TABLE

	DIM 'E'
PRESS FIT	2.15
DROP IN	2.55

QUALITY SYMBOLS	
A = 0	
B = 0	
C = 0	
D = 0	
E = 0	
F = 0	
G = 0	
V = 0	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 620513
DRWN: SRUSS 2019/06/18
CHK'D: JDUNAJ 2019/07/09
APPR: JDUNAJ 2019/07/11
REV: G5

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	± 3.0 °
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.1
1 PLACE	± 0.2
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM ONLY
SCALE: 5:1
DRWN BY: TCUCU DATE: 2011/02/24
CHK'D BY: TMACHUGA DATE: 2011/02/25
APPR BY: SMARCEAU DATE: 2011/12/12
DRAWING SIZE: D
THIRD ANGLE PROJECTION

molex®

MINI50 R/A DUAL ROW
RIGHT ANGLE ASSEMBLY SALES DRAWING

PRODUCT CUSTOMER DRAWING

SERIES	MATERIAL NUMBER	CUSTOMER
34826	SEE CHART	GENERAL MARKET

DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
SD-34826-001	PSD	001	3 OF 5

RELEASE STATUS	P1	RELEASE DATE	2019/07/11 19:47:43

MINI50 RIGHT ANGLE HEADER ASSEMBLIES - PBT RECEPTACLE

MATERIAL NUMBER TAPE AND REEL PACKAGING PK-47799-0001	MATERIAL NUMBER TUBE PACKAGING PK-31301-688	MATERIAL NUMBER TRAY PACKAGING PK-31301-440	DIM 'D'	CONFIGURATION	CIRCUIT	POL	COLOR	BLADE PLATING	MATING COMPONENT	
									UN-BRIDGED	BRIDGED
34826-8124	34826-9124	34826-0124	2.80	USCAR	12	A	BLACK	TIN OVER NICKEL	34824-0124	34824-1124
34826-8125	34826-9125	34826-0125		USCAR	12	B	GRAY	TIN OVER NICKEL	34824-0125	34824-1125
34826-8126	34826-9126	34826-0126		USCAR	12	C	DARK GRAY	TIN OVER NICKEL	34824-0126	34824-1126
34826-8160	34826-9160	34826-0160		MOLEX	16	A	BLACK	TIN OVER NICKEL	34824-0160	34824-1160
34826-8161	34826-9161	34826-0161		MOLEX	16	B	GRAY	TIN OVER NICKEL	34824-0161	34824-1161
34826-8162	34826-9162	34826-0162		MOLEX	16	C	DARK GRAY	TIN OVER NICKEL	34824-0162	34824-1162
34826-8164	34826-9164	34826-0164	3.30	MOLEX	16	A	BLACK	TIN OVER NICKEL	34824-0160	34824-1160
34826-8165	34826-9165	34826-0165		MOLEX	16	B	GRAY	TIN OVER NICKEL	34824-0161	34824-1161
34826-8166	34826-9166	34826-0166		MOLEX	16	C	DARK GRAY	TIN OVER NICKEL	34824-0162	34824-1162
34826-8200	34826-9200	34826-0200	2.80	MOLEX	20	A	BLACK	TIN OVER NICKEL	34824-0200	34824-1200
34826-8201	34826-9201	34826-0201		MOLEX	20	B	GRAY	TIN OVER NICKEL	34824-0201	34824-1201
34826-8202	34826-9202	34826-0202		MOLEX	20	C	DARK GRAY	TIN OVER NICKEL	34824-0202	34824-1202
34826-8204	34826-9204	34826-0204	3.30	MOLEX	20	A	BLACK	TIN OVER NICKEL	34824-0200	34824-1200
34826-8205	34826-9205	34826-0205		MOLEX	20	B	GRAY	TIN OVER NICKEL	34824-0201	34824-1201
34826-8206	34826-9206	34826-0206		MOLEX	20	C	DARK GRAY	TIN OVER NICKEL	34824-0202	34824-1202
34826-8240	34826-9240	34826-0240	2.80	MOLEX	24	A	BLACK	TIN OVER NICKEL	34824-0240	34824-1240
34826-8241	34826-9241	34826-0241		MOLEX	24	B	GRAY	TIN OVER NICKEL	34824-0241	34824-1241
34826-8242	34826-9242	34826-0242		MOLEX	24	C	DARK GRAY	TIN OVER NICKEL	34824-0242	34824-1242

QUALITY SYMBOLS

= 0 (A)
= 0 (E)
= 0 (F)
= 0
= 0 (C)
= 0
= 0
= 0 (G)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 620513 2019/06/18
DRWN: SRUSS 2019/07/09
CHK'D: JDUNAJ 2019/07/11
APPR: JDUNAJ

REV: G5

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °	
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.1
1 PLACE	± 0.2
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM ONLY
SCALE: 5:1
DRWN BY: TCUCU DATE: 2011/02/24
CHK'D BY: TMACHUGA DATE: 2011/02/25
APPR BY: SMARCEAU DATE: 2011/12/12
DRAWING SIZE: D
THIRD ANGLE PROJECTION

molex®

MINI50 R/A DUAL ROW
RIGHT ANGLE ASSEMBLY SALES DRAWING

PRODUCT CUSTOMER DRAWING

SERIES	MATERIAL NUMBER	CUSTOMER
34826	SEE CHART	GENERAL MARKET

DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
SD-34826-001	PSD	001	4 OF 5

RELEASE STATUS	P1	RELEASE DATE	2019/07/11 19:47:43

PRINTED: Fri Jul 12 19:47:43 2019 EST
PDMSET: master 18-prod-01
DATE: 2019/07/11
DWFB: 20170509

MINI50 RIGHT ANGLE HEADER ASSEMBLIES - ECOPAXX RECEPTACLE

MATERIAL NUMBER TAPE AND REEL PACKAGING PK-47799-0001	MATERIAL NUMBER TUBE PACKAGING PK-31301-688	MATERIAL NUMBER TRAY PACKAGING PK-31301-440	DIM 'D'	CONFIGURATION	CIRCUIT	POL	COLOR	BLADE PLATING	MATING COMPONENT	
									UN-BRIDGED	BRIDGED
34826-8160	34826-9160	34826-0160	2.80	MOLEX	16	A	BLACK	TIN OVER NICKEL	34824-1164	34824-0164
34826-8161	34826-9161	34826-0161		MOLEX	16	B	GRAY	TIN OVER NICKEL	34824-1165	34824-0165
34826-8162	34826-9162	34826-0162		MOLEX	16	C	DARK GRAY	TIN OVER NICKEL	34824-1166	34824-0166
34826-8164	34826-9164	34826-0164	3.30	MOLEX	16	A	BLACK	TIN OVER NICKEL	34824-1164	34824-0164
34826-8165	34826-9165	34826-0165		MOLEX	16	B	GRAY	TIN OVER NICKEL	34824-1165	34824-0165
34826-8166	34826-9166	34826-0166		MOLEX	16	C	DARK GRAY	TIN OVER NICKEL	34824-1166	34824-0166
34826-8200	34826-9200	34826-0200	2.80	MOLEX	20	A	BLACK	TIN OVER NICKEL	34824-1204	34824-0204
34826-8201	34826-9201	34826-0201		MOLEX	20	B	GRAY	TIN OVER NICKEL	34824-1205	34824-0205
34826-8202	34826-9202	34826-0202		MOLEX	20	C	DARK GRAY	TIN OVER NICKEL	34824-1206	34824-0206
34826-8204	34826-9204	34826-0204	3.30	MOLEX	20	A	BLACK	TIN OVER NICKEL	34824-1204	34824-0204
34826-8205	34826-9205	34826-0205		MOLEX	20	B	GRAY	TIN OVER NICKEL	34824-1205	34824-0205
34826-8206	34826-9206	34826-0206		MOLEX	20	C	DARK GRAY	TIN OVER NICKEL	34824-1206	34824-0206
34826-8240	34826-9240	34826-0240	2.80	MOLEX	24	A	BLACK	TIN OVER NICKEL	34824-1244	34824-0244
34826-8241	34826-9241	34826-0241		MOLEX	24	B	GRAY	TIN OVER NICKEL	34824-1245	34824-0245
34826-8242	34826-9242	34826-0242		MOLEX	24	C	DARK GRAY	TIN OVER NICKEL	34824-1246	34824-0246

DOCUMENT STATUS	P1	RELEASE DATE	2019/07/11 19:47:43

SYMBOLS
E = 0
E = 0
E = 0
S = 0
= 0
C = 0
= 0
= 0
= 0

DIMENSION UNITS: mm
SCALE: 1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL	± 3.0 °
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.1
1 PLACE	± 0.2
0 PLACES	±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CURRENT REV DESC:

EC NO: 620513
DRWN: SRUSS 2019/06/18
CHK'D: JDUNAJ 2019/07/09
APPR: JDUNAJ 2019/07/11

INITIAL REVISION:
DRWN: TMACHUGA 2011/11/22
APPR: SMARCEAU 2011/12/12

THIRD ANGLE PROJECTION | DRAWING: D-SIZE | SERIES: 34826

molex

MINI50 R/A DUAL ROW
RIGHT ANGLE ASSEMBLY SALES DRAWING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-34826-001	PSD	001	G5

MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	GENERAL MARKET	5 OF 5

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

190690096 0436400901 152670357 190670071 190990010 447642001 459705185 760475001 152670251 439151216 447641402 0190690033 0190700155 0436802002 152660117 151660057 398800403 436803002 152670269 759001161 151670255 190730231 397730002 444280402 5046940301 190990009 417920538 430450225 430451220 447691602